INDEXES TO THE JOURNAL AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 73, 1990

AUTHOR INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications;* numbers following are *page* numbers.

Abbe, Francois; and Chermant, Jean-Louis
Fiber-matrix bond-strength characterization of silicon carbide-silicon carbide materials. (8) 2573
Abe, Yoshihiro See Hosono, Hideo
Abelard, Pierre See Smith, Agnes
Abraham, Marvin M. See Boatner, Lynn A.; Boldu O., José Luis
Abramoff, Bennet; and Klein, Lisa C.
Elastic properties of silica xerogels. (11) 3466
Abuhasan, Alias; Balasingh, Chelleyan; and Predecki, Paul
Residual stresses in alumina/silicon carbide (whisker) composites by X-ray diffraction. (8) 2474
Adachi, Seiji; Wada, Takahiro; Mihara, Toshihiro; Miyamoto, Yoshinari; and Koizumi, Mitsue
High-pressure self-combustion sintering [HPCS] of alumina-titanium carbide ceramic composite. (5) 1451
Adair, James H. See Agrawal, Dinesh K.
Aggarwal, Ishwar See Sanghera, Jasbinder S.
Aghajanian, Michael K. See Breval, Else
Agrafiotis, Christos C.; Lis, Jerzy; Puszynski, Jan A.; and Hlavacek, Vladimir
Combustion synthesis of silicon nitride-silicon carbide composites (11) 3514
Agrawal, Dinesh C.; Raj, Rishi; and Cohen, Claude
In situ measurement of silica gel coating on particles of alumina. (7) 2163
Agrawal, Dinesh K. See Subbarao, Eleswarapu C.
Agrawal, Dinesh K.; and Adair, James H.
Low-temperature sol-gel synthesis of $NaZr_2P_3O_{12}$. (7) 2153
Agrawal, Dinesh K.; Maslowski, Anthony R.; and Adair, James H.
Evolution of the formation of inorganic polymers in the CaO-SiO_2-P_2O_5 system using metal alkoxides. (2) 430
Aindow, Mark
Interfacial structure in heteroepitaxial silicon on sapphire. (5) 1136
Akiba, Tokuji See Ismail, Mohamed G. M. U.
Akimune, Yoshio
Impact damage and strength degradation in a silicon carbide reinforced silicon nitride composite. (10) 3019; Oblique impact of spherical particles onto silicon nitride. (12) 3607
Akinc, Mufit See Celikkaya, Ahmet; O'Brien, Michael H.
Aksay, Ilhan A. See Sundaresan, S.
Al-Dulaijan, Salah U.; Parry-Jones, Gwilym; Al-Tayyib, Abdul-Hamid J.; and Al-Mana, Abdulaziz I.
^{29}Si magic-angle-spinning nuclear magnetic resonance study of hydrated cement paste and mortar. (3) 736; See also Al-Dulaijan, Salah U.
Al-Tayyib, Abdul-Hamid J. See Al-Dulaijan, Salah U.
Alam, Mansoor; DebRoy, Tarasankar; and Roy, Rustum
Laser-induced calcite-aragonite transition. (3) 733
Alcock, Charles B.; and Li, Baozhen
Thermodynamic study of the Cu-Sr-O system. (5) 1176
Alexander, Kathleen B.; Walker, Fred J.; McKee, Rodney A.; List, Fred A. III
TiO_x/Al_2O_3 multilayer ceramic thin films. (6) 1737
Ali, Mohammad M. See Singh, Vipin K.
Allouat, Mohamed; Mazo, Louis; Desgardin, Gilbert; and Raveau, Bernard
Microwave sintering of spinel-type oxides. (8) 2515
Allan, Douglas C.; and Teter, Michael P.
Local density approximation total energy calculations for silica and titania structure and defects. (11) 3247
Allan, Neil L.; and Mackrodt, William C.
Atomistic simulation of high-T_c oxides. (11) 3175
Allen, William R. See Kim, Hyoun-Ee
Alta, Carolyn Rubin; and Kwok, Chee-Kin
Fundamental optical absorption edge of sputter-deposited zirconia and yttria. (11) 3209
Amarakoon, Vasantha R. W. See Raymond, Mark V.
Amin, Ahmed See Yoshikawa, Shoko,
Anderson, Richard M.; and Braun, Linda M.
Technique for the *R*-curve determination of Y-TZP using indentation-produced flaws. (10) 3059
Andersson, Tomas See Breder, Kristin
Angel, Paul W.; Ray, Chandra S.; and Day, Delbert E.
Glass formation and properties in the system calcia-gallia-silica. (10) 2965
Angelini, Peter See Becher, Paul F.; Lin, Yung-Jen; Maya, Leon
Applewhite-Ramsey, Amy See Bickford, Dennis F.
Aral, Hiroshi See Ismail, Mohamed G. M. U.
Ardell, Alan J. See Zhang, Jimin
Armstrong, Timothy R.; and Buchanan, Relva C.
Influence of core-shell grains on the internal stress state and permittivity response of zirconia-modified barium titanate. (5) 1268
Armstrong, Timothy R.; Young, Karrie A.; and Buchanan, Relva C.
Dielectric properties of fluxed barium titanate ceramics with zirconia additions. (3) 700
Aronov, V. See Chalm, Rachman
Asaga, Kiyoshi See Tsurumi, Takaaki
Aselage, Terry L.; Voigt, Jim A.; and Keefer, Keith D.
Instability of thallium-containing superconductor phases in isothermal equilibrium with thallium oxide. (11) 3345
Ashkin, Daniel; Haber, Richard A.; and Wachtman, John B.
Elastic properties of porous silica derived from colloidal gels. (11) 3376
Askew, Thomas R. See Leary, Kevin J.
Aslan, Mesut; Jaeger, Herbert; Schulze, Klaus; Frisch, Arnulf; and Petzow, Günter
Influence of post hot isostatic pressing on the microstructural development and critical current density of $YBa_2Cu_3O_{7-x}$. (2) 450
Awaji, Hideo; and Sakaida, Yoshihisa
V-notch technique for single-edge notched beam and chevron notch methods. (11) 3522
Badwal, Sukhvinder P. S.
Low-temperature ionic conductivity of 9.4-mol%-yttria-stabilized zirconia single crystals—comment. (12) 3718
Badwal, Sukhvinder P. S.; Ciacchi, Fabio T.; Swain, Michael V.; and Zelizko, Viktor
Creep deformation and the grain-boundary resistivity of tetragonal zirconia polycrystalline materials. (8) 2505
Baetzold, Roger C.
Atomistic study of polarons in $YBa_2Cu_3O_7$. (11) 3185
Bai, Hebi See Pratsinis, Sotiris E.
Baistu, Tudor See Waser, Rainer
Baistu, Tudor; Waser, Rainer; and Hardtl, Karl-Heinz
dc Electrical degradation of perovskite-type titanates: III, A model of the mechanism. (6) 1663
Balachandran, Uthan See Cooper, Elizabeth A.; Varma, Hari Krishna
Balasingh, Chelleyan See Abuhasan, Alias
Balewick, Laura Ann; and Shelby, James E.
Properties of calcium, strontium, and barium galliosilicate glasses. (2) 213
Balk, Young-Joon See Chae, Ki-Woong
Bando, Yoshio See Tanaka, Hidehiko
Bansal, Narottam P.
Influence of several metal ions on the gelation activation energy of silicon tetraethoxide. (9) 2647; See also DeGuire, Mark R.
Bar-On, Isa; Beals, James T.; Leatherman, Gary L.; and Murray, Catherine M.
Fracture toughness of ceramic precracked bend bars. (8) 2519
Barbier, Francoise; Peytour, Claude; and Revcolevschi, Alexandre
Microstructural study of the brazed joint between alumina and Ti–6Al–4V alloy. (6) 1582
Barone, M. R.; and Ulicny, J. C.
Liquid-phase transport during removal of organic binders in injection-molded ceramics. (11) 3323
Barret, Pierre See Damidot, Denis
Barret, Pierre; and Bertrandie, Danielle
Saturated solutions of anhydrous phases in the system lime-silica-water: Example of β-C_2S. (11) 3486
Barron, Andrew R. See, Macinnes, Andrew N.
Baudin, Carmen; and Moya, Jose S.
Oxidation of mullite–zirconia–alumina–silicon carbide composites. (5) 1417
Baumgartner, Charles E.
Controlled-pore-size composite nickel oxide structures for carbonate fuel cell cathodes. (3) 516
Bazant, Zdenek P.; and Kazemi, Mohammad T.
Size effect in fracture of ceramics and its use to determine fracture energy and effective process zone length. (7) 1841
Beals, James T. See Isa, Bar-On
Beauchamp, E. K.; and Carr, M. J.
Kinetics of phase change in explosively shock-treated alumina. (1) 49
Beauger, Alain See Chaput, Frederic
Becher, Paul F. See Ferber, Mattison K.; Lin, Hua-Tay
Becher, Paul F.; Angelini, Peter; Warwick, W. H.; and Teigs, Terry N.
Elevated-temperature-delayed failure of alumina reinforced with 20 vol% silicon carbide whiskers. (1) 91
Becker, Robert E.; and Cannon, W. Roger
Source of water and its effect on tape casting barium titanate. (5) 1312
Beerkens, Ruud G. C.; and de Waal, Henk
Mechanism of oxygen diffusion in glass melts containing variable-valence ions. (7) 1857
Begert, Dietmar See Murty, K. Linga
Benck, R. F. See Kecskes, L. J.

Benglisu, Murat; Inal, Osman T.; and Hellmann, John R.
Effect of dynamic compaction on the retention of tetragonal zirconia and mechanical properties of alumina/zirconia composites. (2) 346
Bennison, Stephen J. See Chantikul, Prapaipan
Bennison, Stephen J.; and Harmer, Martin P.
Effect of magnesia solute on surface diffusion in sapphire and the role of magnesia in the sintering of alumina. (4) 833
Bergman, Ake
Optical basicity of titanium(IV) oxide. (8) 2564
Bernier, Jean Claude See Zagnazi, Hassan
Berta, Yolande See Hong, Kug Sun
Bertinetti, Maria A. See Tome, Carlos N.
Bertrandie, Danielle See Barret, Pierre
Besmann, Theodore M.
Chemical vapor deposition in the boron-carbon-nitrogen system. (8) 2498
Bhatt, Hemanshu; Donaldson, Kimberly Y.; Hasselman, D. P. H.; and Bhatt, R. T.
Role of the interfacial thermal barrier in the effective thermal diffusivity/conductivity of SiC-fiber-reinforced reaction-bonded silicon nitride. (2) 312
Bhatt, R. T. See Bhatt, Hemanshu
Bhushan, Bharat See Chandrasekar, Srinivasan
Bickford, Dennis F.; Applewhite-Ramsey, Amy; Jantzen, Carol M.; and Brown, Kevin G.
Control of radioactive waste glass melters: I, Preliminary general limits at Savannah River. (10) 2896
Bickford, Dennis F.; Hrma, Pavel; and Bowan, Bradley W., II
Control of radioactive waste glass melters: II, Residence time and melt rate limitations. (10) 2903
Bihuniak, Peter P. See Jain, Vijay
Bischoff, Ewald See Cao, H. C.
Biswas, Pratim See Pratsinis, Sotiris E.
Biswas, Sampad Kumar See Mukerji, Joydeb
Biznek, Mark E. See Cooper, Elizabeth A.
Blachere, Jean R. See Lawson, Mark G.
Blackley, Winston S.; and Scattergood, Ronald O.
Crystal orientation dependence of machining damage—A stress model. (10) 3113
Blake, Peter N.; and Scattergood, Ronald O.
Ductile-regime machining of germanium and silicon. (4) 949
Blanchard, Cheryl R.; and Page, Richard A.
Effect of silicon carbide whisker and titanium carbide particulate additions on the friction and wear behavior of silicon nitride. (11) 3442
Blaszkiewicz, Michael See McLachlan, David S.
Bliss, Mary; Walden, Barbara L.; and White, William B.
Measurement of infrared spectra of dense ceramics by specular reflectance spectroscopy. (4) 1078
Bloyer, Donald R. See Martin, Steve W.
Blum, Yigal D.; Platz, Robert M.; and Crawford, Edward J.
Glass strengthening by polymer-derived ceramic coatings. (1) 170
Boatner, Lynn A. See Boldu O., Jose Luis
Boatner, Lynn A.; Boldu O., Jose Luis; and Abraham, Marvin M.
Characterization of textured ceramics by electron paramagnetic resonance spectroscopy: I, Concepts and theory. (8) 2333
Boch, Phillippe See Jorge, Eric
Boddu, Mallu V.; Viswanath, Dabir S.; Natarajan, Govindarajan; and Knickerbocker, John U.
Activity and reactivity of carbon formed by the thermal degradation of poly(vinyl butyral) in alumina pellets. (6) 1620
Bollot, Jean-Pierre See Chaput, Frederic
Boldu O., Jose Luis See Boatner, Lynn A.
Boldu O., Jose Luis; Boatner, Lynn A.; and Abraham, Marvin M.
Characterization of textured ceramics by electron paramagnetic resonance spectroscopy: II, Formation and properties of textured MgO. (8) 2345
Bolvin, Jacques See Sato, Robert K.
Bonekamp, Ben C. See Philipse, Albert P.
Bonnell, Dawn A. See Rohrer, Gregory S.
Bonney, Laura A.; and Cooper, Reid F.
Reaction-layer interfaces in SiC-fiber-reinforced glass-ceramics: A high-resolution scanning transmission electron microscopy analysis. (10) 2916
Bonvalot, Beatrice See Dhalenne, Guy
Borden, Michael See Zhang, Shi-Chang
Bordia, Rajendra K. See Jagota, Anand
Borek, Theodore T. See Lindquist, David A.; Rye, Robert R.
Bosboom, Monique See Buining, Paul A.
Bourdillon, Antony J. See Zhou, Ji-Ping
Bourrie, Daniel B. See Filsinger, Daniel H.
Bow, Jong-Shing See Lu, Hong-Yang
Bowan, Bradley W., II See Bickford, Dennis F.
Bowen, H. Kent See Garino, Terry J.
Bowen, Paul; Highfield, J. G.; Mocellin, Alain; and Ring, Terry A.
Degradation of aluminum nitride powder in aqueous environment. (3) 724
Bradley, Steven A. See Homeny, Joseph
Bradt, Richard C. See Eckel, Andrew J.; Li, Hong; Senda, Tetsuya
Braetsch, Volker See Meier, Martin
Braun, Linda M. See Anderson, Richard M.
Brecher, Charles; Wei, George C.; and Rhodes, William H.
Point defects in optical ceramics: High temperature absorption processes in lanthana-strengthened yttria. (6) 1473
Breder, Kristin; Andersson, Tomas; and Scholin, Kent
Fracture strength of α- and β-sialon measured by biaxial and four-point bending. (7) 2128
Brennan, J. J. See Cao, H. C.
Breval, Else; Aghajanian, Michael K.; and Luszcz, Stan J.
Microstructure and composition of alumina/aluminum composites made by directed oxidation of aluminum. (9) 2610
Brinker, C. Jeffrey See Hietala, Susan L.
Brow, Richard K.; Kirkpatrick, R. James; and Turner, Gary L.
Local structure of xAl_2O_3-$(1-x)NaPO_3$ glasses: An NMR and XPS study. (8) 2293
Brown, Kevin G. See Bickford, Dennis F.
Brown, Paul Wencil
The system Na_2O-CaO-SiO_2-H_2O. (11) 3457
Bruggink, W. H. M. See Verweij, H.
Brungard, Nancy L. See Silverman, Lance D.
Buchanan, Reiva C. See Armstrong, Timothy R.
Buining, Paul A.; Pathmamanoharan, C.; Bosboom, Monique; Jansen, J. Ben H.; and Lekkerkerker, N. W.
Effect of hydrothermal conditions on the morphology of colloidal boehmite particles: Implications for fibril formation and monodispersity. (8) 2385
Busse, Lynda See Sanghera, Jasbinder S.
Butt, Darryl P.; Mecholsky, John J., Jr.; van Roode, Mark; and Price, Jeffrey R.
Effects of plasma-sprayed ceramic coatings on the strength distribution of silicon carbide materials. (9) 2690
Buykx, William J.; Levins, Desmond M.; Smart, Roger St. C.; Smith, Katherine L.; Stevens, Geoffrey T.; Watson, Kenneth G.; Weedon, David; and White, Timothy J.
Processing impurities as phase assemblage modifiers in titanate nuclear waste ceramics. (2) 217
Buykx, William J.; Levins, Desmond M.; Smart, Roger St. C.; Smith, Katherine L.; Stevens, Geoffrey T.; Watson, Kenneth G.; and White, Timothy J.
Interdependence of phase chemistry, microstructure, and oxygen fugacity in titanate nuclear waste ceramics. (5) 1201
Buykx, William J.; Levins, Desmond M.; Smart, Roger St. C.; Smith, Katherine L.; Stevens, Geoffrey T.; Watson, Kenneth G.; Weedon, David; and White, Timothy J.
Processing impurities as phase assemblage modifiers in titanate nuclear waste ceramics. (2) 217
Byers, Stanley See Daly, Patrick
Cagliostro, Domenick E.; Riccitiello, Salvatore R.; and Carswell, Marty G.
Analysis of the pyrolysis products of dimethyldichlorosilane in chemical vapor deposition of silicon carbide in argon. (3) 607
Callahan, Daniel L.; and Thomas, Gareth
Impurity distribution in polycrystalline aluminum nitride ceramics. (7) 2167
Calvert, Paul; and Cima, Michael
Theoretical models for binder burnout. (3) 575
Cameron, Craig P.; and Raj, Rishi
Better sintering through green-state deformation processing. (7) 2032
Campbell, Geoffrey H.; Rühle, Manfred; Dalgleish, Brian J.; and Evans, Anthony G.
Whisker toughening—A comparison between aluminum oxide and silicon nitride toughened with silicon carbide. (3) 521
Cannon, Rowland M. See Handwerker, Carol A.
Cannon, W. Roger See Becker, Robert E.
Cao, H. C.; Bischoff, Ewald; Sbaizero, Orfeo; Rühle, Manfred; Evans, Anthony G.; Marshall, David B.; and Brennan, J. J.
Effect of interfaces on the properties of fiber-reinforced ceramics. (6) 1691
Cao, Hengchu; and Thouless, Michael D.
Tensile tests of ceramic-matrix composites: Theory and experiment. (7) 2091
Card, Roger J. See Waller, David J.
Card, Roger J.; and O'Toole, Michael P.
Solid ceramic fibers via impregnation of activated carbon fibers. (3) 665
Carduner, Keith R.; Shinozaki, Sam S.; Rokosz, Michael J.; Peters, Charles R.; and Whalen, Thomas J.
Characterization of β-silicon carbide by silicon-29 solid-state NMR, transmission electron microscopy, and powder X-ray diffraction. (8) 2281
Carim, Altaf H.
Transitional phases at ceramic-metal interfaces—Orthorhombic, cubic, and hexagonal Ti-Si-Cu-N compounds. (9) 2764; See also Hietala, Susan L.
Carlsson, David J.; Cooney, J. David; Gauthier, Sylvie; and Worsfold, D. James
Pyrolysis of silicon-backbone polymers to silicon carbide. (2) 237
Carr, M. J. See Beauchamp, E. K.
Carry, Claude See Kellett, Bruce J.
Carswell, Marty G. See Cagilostro, Domenick E.
Carter, C. Barry See Simpson, Yonn K.; Susnitzky, David W.
Carter, David H. See Unal, Ozer
Caso, Gary B.; Schwabel, Mark G.; and Frechette, Van Derck
Effects of electric fields on slow crack growth in glass. (1) 43
Catlow, C. Richard A. See Grimes, Robin W.
Celikkaya, Ahmet; and Akinc, Mufit
Morphology of zinc sulfide particles produced from various zinc salts by homogeneous precipitation. (2) 245; Preparation and mechanism of formation of spherical submicrometer zinc sulfide powders. (8) 2360
Chae, Ki-Woong; Chun, Dong-Il; Kim, Doh-Yeon; Baik, Young-Joon; and Eun, Kwang-Yong
Microstructural evolution during the infiltration treatment of titanium carbide-iron composite. (7) 1979
Chalm, Rachman; Heuer, Arthur H.; and Aronov, V.
Surface microstructure changes on laser treatment of MgO-partially-stabilized zirconia. (6) 1519
Chan, C. F. See Yang, Houng-Yi
Chan, Helen M. See French, Jonathan D.; Stearns, Laura C.
Chan, Kwai S. See Page, Richard A.
Chan, Sai-Kit See Nevitt, Michael V.
Chandrasekar, Srinivasan; Kokini, Klod; and Bhushan, Bharat
Influence of abrasive properties on residual stresses in lapped ferrite and alumina. (7) 1907
Chang, Chen T. See Yen, Fu-Su
Chang, Chia-Seng; Zheng, Nan-Jiu; Tsong, Ignetius S. T.; Wang, Yu-Cheng; and David, Robert F.
Scanning tunneling microscopy of cubic silicon carbide surfaces. (11) 3264
Chang, De-An See Yeh, Yuan-Chang
Chang, Luke L. Y.; and Huang, Da-Wei
Pyroxene-type (K,Na,Li)VO_3 solid solutions. (2) 469
Chang, Ming-Chu See Wu, Jenn-Ming
Chang, Yen-Hwei See Yen, Fu-Su
Chantikul, Prapaipan; Bennison, Stephen J.; and Lawn, Brian R.
Role of grain size in the strengh and R-curve properties of alumina. (8) 2419
Chao, Luen-Yuan; and Shetty, Dinesh K.
Equivalence of physically based statistical fracture theories for reliability analysis of ceramics in multiaxial loading. (7) 1917
Chaput, Frederic; Boilot, Jean-Pierre; and Beauger, Alain
Alkoxide-hydroxide route to synthetize $BaTiO_3$-based powders. (4) 942
Charalambides, Panos G.
Fiber debonding in residually stressed brittle matrix composites. (6) 1674; See also Sbaizero, Orfeo
Chartier, Thierry See Jorge, Eric
Chase, Mark T. See Spann, Joseph R.
Chaumont, Christian See Zagnazi, Hassan
Chen, Chi-Jen See Wu, Jenn-Ming
Chen, Ching-Fong; and Chuang, Tze-jer
Improved analysis for flexural creep with application to sialon ceramics. (8) 2366
Chen, Fueng-Ho; and Tseng, Tseung-Yuen
Formation of high-T_c superconducting Bi-Pb-Sr-Ca-Cu oxide films by spray pyrolysis of an oxalate suspension. (4) 889
Chen, I-Wei See Hassold, Gregory N.; Hwang, Chin-Mau James; Reyes-Morel, Patricio E.; Wu, Xin; Yoon, Chong-K.; Hwang, Shyh-Lung; Xue, Liang A.
Chen, I-Wei; Hassold, Gregory N.; and Srolovitz, David J.
Computer simulation of final stage sintering: II, Influence of initial pore size. (10) 2865
Chen, I-Wei; and Xue, Liang An
Development of superplastic structural ceramics. (9) 2585
Chen, Jie; and Harmer, Martin P.
Microstructure and dielectric properties of lead magnesium niobate–pyrochlore diphasic mixtures. (1) 68
Chen, San-Yuan; Cheng, Syh-Yuh; and Wang, Chien-Min
Polymorphic phase transformation of lead monoxide and its influence on lead zirconate titanate formation. (2) 232
Chen, Shao-rong See Li, Jian-bao
Chen, William W. See Zhang, Jimin
Chen, Zhen-gang See Li, Jian-bao; Zhang, Tao
Cheng, Syh-Yuh See Chen, San-Yuan
Cheng, Welli; Ling, Elizabeth; and Finnie, Iain
Median cracking of brittle solids due to scribing with sharp indenters. (3) 580
Chermant, Jean-Louis See Abbe, Francois
Chiang, Yet-Ming See Ikeda, Jeri Ann S.; Messner, Robert P.
Chiang, Yet-Ming; and Kingery, W. David
Grain-boundary migration in nonstoichiometric solid solutions of magnesium aluminate spinel: II, Effects of grain-boundary nonstoichiometry. (5) 1153
Chiang, Yet-Ming; and Takagi, Touichi
Grain-boundary chemistry of barium titanate and strontium titante: I, High-temperature equilibrium space charge. (11) 3278; Grain-boundary chemistry of barium titanate and strontium titanate: II, Origin of electrical barriers in positive-temperature-coefficient thermistors. (11) 3286
Ching, W. Y.
Theoretical studies of the electronic properties of ceramic materials. (11) 3135
Ching, Wai-Yiu See Parker, John C.
Chiou, Bi-Shiou; Dai, Hsing-Tao; and Duh, Jenq-Gong
Electrical behavior of ceria-stabilized zirconia with rare-earth oxide additives. (4) 866
Chiu, Chin-Chen
Determination of the elastic modulus and residual stresses in ceramic coatings using a strain gage. (7) 1999
Cho, Eun Kyung; Chung, Won Yang; Kim, Keu Hong; Choi, Kyung Moon; and Choi, Jae Shi
Electrical conductivity of the solid solutions XNiO + $(1-X)$$Tm_2O_3$ ($0.01 \leq X \leq 0.05$). (11) 3470
Cho, Sang-Hee See Kim, Sang-Beom
Choi, Byung Ho; Im, Ho Bin; and Song, Jin Soo
Electrical properties of gallium-doped zinc oxide films prepared by rf sputtering. (5) 1347
Choi, Gyeong M.; and Tuller, Harry L.
Nonstoichiometry and mixed conduction in α-Ta_2O_5. (6) 1700
Choi, Jae Shi See Cho, Eun Kyung
Choi, Kyung Moon See Cho, Eun Kyung
Choi, S. R.; Ritter, John E.; and Jakus, Karl
Failure of glass with subthreshold flaws. (2) 268

Chou, Tsu-Wei See Tai, Nyan-Hwa
Choudhary, Manoj K.
Dissolution of polydisperse silica grains in glass melts—Analysis. (10) 3053
Chuang, Tze-jer See Chen, Ching-Fong
Chun, Dong-Il See Chae, Ki-Woong
Chung, Won Yang See Cho, Eun Kyung
Ciacchi, Fabio T. See Badwal, Sukhvinder P. S.
Cima, Michael See Calvert, Paul; Lewis, Jennifer A.
Cinibulk, Michael K.; Thomas, Gareth; and Johnson, Sylvia M.
Grain-boundary-phase crystallization and strength of silicon nitride sintered with a YSiAlON glass. (6) 1606
Clark, Harold R.; Stawicki, Robert P.; Smyth, Imelda P.; and Potkay, Eugene
Collection and characterization of soot from an optical fiber preform torch. (10) 2987
Clarke, David R. See Molis, Steven E.
Claudel, Bernard See Eyraud, Lucien
Claussen, Nils See Sindel, Manfred
Coble, Robert L. See French, Roger H.; Handwerker, Carol A.; Song, Huesup
Cohen, Claude See Agrawal, Dinesh C.
Combrera, Francisco L. See De Arellano-Lopez, A. R.
Comminou, Maria See Kotil, Temel
Condrate, R. A., Sr. See Lee, Sang Won
Cook, Robert F. See Tandon, Rajan
Cook, Robert F.; Pascucci, Marina R.; and Rhodes, William H.
Lateral cracks and microstructural effects in the indentation fracture of yttria. (7) 1873
Cook, Robert F.; and Pharr, George M.
Direct observation and analysis of indentation cracking in glass and ceramics. (4) 787
Coon, Jeffrey; and Shelby, James E.
Properties and structure of lead halosilicate glasses. (2) 379
Cooney, J. David See Carlsson, David J.
Cooper, E. A. See Su, M.-Y.
Cooper, Elizabeth A.; Mason, Thomas O.; Biznek, Mark E.; and Balachandran, Utham
Impedance spectra during solid-state powder reactions of oxide superconductors. (1) 154
Cooper, Reid F. See Bonney, Laura A.
Cope-Anderson, Rachel; Thomson, William J.; and Filby, Royston
Diffusion in solids via nuclear track analysis. (6) 1797
Cormack, Alastair N.; and Parker, Stephen C.
Some observations on the role of dopants in phase transitions in zirconia from atomistic simulations. (11) 3220
Cotter, Daniel J.; Koenigsberg, William D.; Wysnewski, Roy E.; and Hamilton, George
Improving probability of flaw detection in ceramics by X-ray imaging energy level optimization. (6) 1763
Cox, Brian N. See Marshall, David B.
Crawford, Edward J. See Blum, Yigal D.
Cross, L. Eric See Rossetti, George A.
Currier, Robert P.
Overlap model for chemical vapor infiltration of fibrous yarns. (8) 2274
Currier, Robert P.; and Valone, Steven M.
Time-dependent solution to the Tai-Chou chemical vapor infiltration model. (6) 1758
Czekaj, Corinna L.; Hackney, Michael L. J.; Hurley, William J., Jr.; Interrante, Leonard V.; Sigel, Gary A.; Schields, Paul J.; and Slack, Glen A.
Preparation of silicon carbide/aluminum nitride ceramics using organometallic precursors. (2) 352
Dadkhah, Mahyar S. See Marshall, David B.
Dai, Guiquin; Lin, Wei; and Zheng, An; Huang, Quingzhen; and Liang, Jingkui
Thermal expansion of the low-temperature form of BaB_2O_4. (8) 2526
Dai, Hsing-Tao See Chiou, Bi-Shiou
Dalglesh, Brian J. See Campbell, Geoffrey H.
Daly, Patrick; and Byers, Stanley
Strengthening of soda-lime glass rods by heat treatment alone and heat treatment plus silanes. (7) 2111
Damidot, Denis; Nonat, Andre; and Barret, Pierre
Kinetics of tricalcium silicate hydration in diluted suspensions by microcalorimetric measurements. (11) 3319
Damodaran, Alathoor D. See Varma, Harikrishna
Damron, Gerald N. See Schreiber, Henry D.
Dando, Neal R. See Hietala, Susan L.
Dando, Neal R.; and Tadayyoni, M. Azar
Characterization of polyphasic silicon carbide using surface-enhanced Raman and nuclear magnetic resonance spectroscopy. (8) 2242
Dao, Kim C. See Shockey, Donald A.
Dartyge, Elisabeth See Duraud, Jean-Paul
Dauskardt, Reinhold H. See Leary, Kevin J.; Marshall, David B.
Dauskardt, Reinhold H.; Marshall, David B.; and Ritchie, Robert O.
Cyclic fatigue-crack propagation in magnesia-partially-stabilized zirconia ceramics. (4) 893
Davidson, David L. See Page, Richard A.
Davies, Julian A.; and Dutremez, Sylvain
Electroceramics from source materials via molecular intermediates—$BaTiO_3$ from TiO_2 via $(Ti(catecholate)_3)^{2-}$. (5) 1429; Electroceramics from source materials via molecular intermediates—$PbTiO_3$ from TiO_2 via $[Ti(catecholate)_3]^{2-}$. (8) 2570
Davis, Burtron H. See Srinivasan, Ram
Davis, Robert F. See More, Karren L.; Wang, Yu Cheng; Chang, Chia-Seng
Dawson, Paul R. See Jagota, Anand
Day, Delbert E. See Angel, Paul W.; Erbe, Erik M.; Ray, Chandra S.; Rutz, Heidi L.
De Arellano-Lopez, A. R.; Combrera, Francisco L.; Dominguez-Rodriguez, A.; Goretta, Kenneth C.; and Routbort, Jules L.
Compressive creep of SiC-whisker-reinforced Al_2O_3. (5) 1297
de Dios Solier, Juan; Perez-Jubindo, Miguel A.; and Dominguez-Rodriguez, Arturo
Low-temperature ionic conductivity of 9.4-mol% yttria-stabilized zirconia single crystals—reply (12) 3720
De Guire, Mark R.; Bansal, Narottam P.; and Kim, Cheol J.
Superconducting glass-ceramics in the Bi-Sr-Ca-Cu-O system. (5) 1165
De Guire, Mark R.; Kalonji, Gretchen; and O'Handley, Robert C.
Cation distributions in rapidly solidified cobalt ferrite. (10) 3002
De Jonghe, Lutgard C. See Rahaman, Mohamed N.; Richardson, Thomas J.
De Kever, Ebba; and Frischat, Gunther Heinz
Influence of batch moisture and atmosphere on melting behavior of lead oxide-containing glass. (7) 2165
De Waal, Henk See Beerkens, Ruud G. C.
De Yoreo, James J.; Navrotsky, Alexandra; and Dingwell, Don B.
Energetics of the charge-coupled substitution $Si^{4+} \rightarrow Na^+ + T^{3+}$ in the glasses $NaTO_2$-SiO_2 (T = Al, Fe, Ga, B). (7) 2068
DeBastiani, Duane L.; Modest, Michael F.; and Stubican, Vladimir S.
Mechanism of material removal from silicon carbide by carbon dioxide laser heating. (7) 1947
DebRoy, Tarasankar See Alam, Mansoor
Demczyk, Brian G.; Rai, Raghaw S.; and Thomas, Gareth
Ferroelectric domain structure of lanthanum-modified lead titanate ceramics. (3) 615
Deng, Wen-How See Lin, Hong-Yang
Desgardin, Gilbert See Allouat, Mohamed
Desu, Seshu B.; and Payne, David A.
Interfacial segregation in perovskites: I, Theory. (11) 3391; Interfacial segregation in perovskites: II, Experimental evidence. (11) 3398; Interfacial segregation in perovskites: III, Microstructure and electrical properties. (11) 3407; Interfacial segregation in perovskites: IV, Internal boundary layer devices. (11) 3416
Desu, Seshu B.; and Taylor, J. Ashley
Reactions which form both silicide and nitride layers. (3) 509
Dewaele, Paul See Reardon, Eric J.
Dhalenne, Guy; Bonvalot, Beatrice; Revcolevschi, Alexandre; and Millot, Francis
Kinetics and mechanism of the reduction of nickel oxide in aligned nickel oxide–zirconia and nickel oxide–yttria eutectic structures. (6) 1524
DiGiovanni, David J. See MacChesney, John B.
Diamon, Masaki See Tsurumi, Takaaki
Diamond, Jordan See Virkar, Anil V.
Dillard, D. Matt See Tiegs, Terry N.
Dimitry, Said See Young, J. Francis
Ding, Shengping; and Shen, Jiagi
Microstructure and dielectric properties of pure and doped $KNbO_3$ ceramics. (5) 1449
Dinger, Dennis R. See Sheckler, Chad A.
Dingwell, Don B. See De Yoreo, James J.
Dirksen, James A.; and Ring, Terry A.
Growth mechanisms of monodispersed ZrO_2 particles—comment. (1) 131
Doern, Diane C. See Hayward, Peter J.
Dokiya, Masayuki See Yokokawa, Harumi
Dominguez-Rodriguez, Arturo See de Dios Solier, Juan; De Arellano-Lopez, A. R.; Martinez-Fernandez, J.
Donaldson, Kimberly Y. See Bhatt, Hemanshu; Jackson, T. Barrett
Donner, Jeffrey T. See Homeny, Joseph
Doremus, Robert H. See Schmidt, Wayde R.
Dou, Shi-xue See Song, Kang-Ho; Zhou, Ji-Ping
Drofenik, Miha
Initial specific surface area and grain growth in donor-doped barium titanate. (6) 1587; See also Krasevec, Viktor
Drory, Michael D.; and Evans, Anthony G.
Experimental observations of substrate fracture caused by residually stressed films. (3) 634
Drummond, Charles H., III See Lee, William E.
Du, Honghua; Gallois, Bernard; and Gonsalves, Kenneth E.
Low-temperature metal-organic chemical vapor deposition of silicon nitride. (3) 764
Duda, J. L. See Wu, Wei-Te
Duffy, J. See Suresh, S.
Duh, Jenq-Gong See Chiou, Bi-Shiou
Dunn, Bruce See Zhang, Jimin
Dupon, Ryan W.; McConville, Richard L.; Musolf, Douglas J.; Tanous, Adam C.; and Thompson, Mark S.
Preparation of cordierite below 1000 °C via bismuth oxide flux. (2) 335
Duraud, Jean-Paul; Jollet, Francois; Thromat, Nathalie; Gautier, Martine; Maire, Philippe; le Gressus, Claude; and Dartyge, Elisabeth
Nonstoichiometry in pure and Zr-doped yttria ceramics: An EXAFS and XPS study. (8) 2467
Dutremez, Sylvain See Davies, Julian A.
Dutta, Biprodas; Magruder, Robert H., III; Weeks, Robert A.; and Kinser, Donald L.
Thermally stimulated polarization and depolarization in halogen-containing lead silicate glasses. (4) 938
Dynys, Joseph M. See Handwerker, Carol A.
Eberhard, Emil See Schneider, Hartmut
Eckel, Andrew J. See Jacobson, Nathan S.
Eckel, Andrew J.; and Brudt, Richard C.
Thermal expansion of laminated, woven, continuous ceramic fiber/chemical-vapor-infiltrated silicon carbide matrix composites. (5) 1334
Edirisinghe, Mohan J. See Wright, Judith K.
Egashira, Makoto See Shimizu, Yasuhiro
Eguchi, Keisuke See Lee, Hyung Jik
Eigenmann, Bernd See Iancu, Otto T.
Ekstrom, Thommy; and Persson, Jeanette
Hot hardness behavior of yttrium sialon ceramics. (10) 2834
Ellis, Donald E.; Guo, Jun; and Lam, Daniel J.
Cluster models for electronic structure of oxide ceramics. (11) 3231
Elsbernd, Christine E. See Su, Ming-Yih
Endo, Tadashi See Ishitsuka, Masayuki
Erbe, Erik M.; and Day, Delbert E.
Properties of Sm_2O_3-Al_2O_3-SiO_2 glasses for in vivo applications. (9) 2708
Eslamioo-Grami, Maryam; and Munir, Zuhair A.
Effect of nitrogen pressure and diluent content on the combustion synthesis of titanium nitride. (8) 2222; Effect of porosity on the combustion synthesis of titanium nitride. (5) 1235
Esposito, Leonardo See Solomah, Ahmad C.
Eun, Kwang-Young See Chae, Ki-Woong
Evans, Anthony G.
Perspective on the development of high-toughness ceramics. (2) 187; See also Cao, H. C.; Campbell, Geoffrey H.; Drory, Michael D.; Lange, Fred F.; Sbaizero, Orfeo
Evans, Julian R. G. See Wright, Judith K.
Evenson, William E. See Su, Han-Tzong
Ewing, Ken J. See Sanghera, Jasbinder S.
Eyraud, Lucien; Gonnard, Paul; and Claudel, Bernard
Causes of instability and aging of piezoelectric power ceramics. (7) 1854
Faber, Katherine T. See Magley, David J.
Fabes, Brian D. See Ikeda, Jeri Ann S.
Fabes, Brian D.; and Uhlmann, Donald R.
Strengthening of glass by sol–gel coatings. (4) 978
Fairhurst, Carl W. See Twiggs, S. Warren
Fang, Tsang-Tse See Hsieh, Huey-Lin
Fang, Tsang-Tse; Lin, Horng-Bin; and Hwang, Jim-Bin
Thermal analysis of precursors of barium titanate prepared by coprecipitation. (11) 3363
Fang, Yue See Nevitt, Michael V.
Farquhar, Donald S.; Raj, Rishi; and Phoenix, S. Leigh
Fracture and stiffness characteristics of particulate composites of diamond in zinc sulfide. (10) 3074
Fasano, Marcelo See Hosono, Hideo
Feke, Donald L. See Kerkar, Awdhoot V.
Fenstermacher, Janet H.; and Ryder, Daniel F., Jr.
Processing and characterization of hexagonal ferrite thin films from organometallic compounds. (2) 282
Ferber, Mattison K.; and Becher, Paul F.
Static fatigue behavior of polycrystalline beryllia. (7) 2038
Field, Robert E.; and Viskanta, Raymond
Measurement and prediction of the dynamic temperature distributions in soda-lime glass plates. (7) 2047
Filby, Royston See Cope-Anderson, Rachel
Filsinger, Daniel H.; and Bourrie, Daniel B.
Silica to silicon—Key carbothermic reactions and kinetics. (6) 1726
Finnie, Iain See Cheng, Weili
Fischer, Peter See Rogl, Peter
Flintoff, John F. See Harker, Alan B.
Flippen, Richard B. See Leary, Kevin J.
Flom, Donald G. See Lee, Minyoung
Fontaine, Denise See Konsztowicz, Krzysztof J.
Fox, Dennis S.; and Smialek, James L.
Burner rig hot corrosion of silicon carbide and silicon nitride. (2) 303
Frechette, Van Derck See Caso, Gary B.
Freeman, Garth B. See Lackey, W. J.
French, Jonathan D.; Harmer, Martin P.; Chan, Helen M.; and Miller, Gary A.
Coarsening-resistant dual-phase interpenetrating microstructures. (8) 2508
French, Roger H.
Electronic band structure of Al_2O_3 with comparison to AlON and AlN. (3) 477; See also Rohrer, Gregory S.
French, Roger H.; Kasowski, Robert V.; Ohuchi, Fumio S.; Jones, David J.; Song, Huesup; and Coble, Robert L.
Band structure calculations of the high-temperature electronic structure of magnesium oxide. (11) 3195
Frenklach, Michael See Pratsinis, Sotiris E.
Frisch, Arnulf See Aslan, Mesut
Frischat, Gunther Heinz See de Kever, Ebba; Meier, Martin; Heinemann, Irmhild
Fuchs, Heinz See Su, Han-Tzong
Fujii, Akiro See Hirano, Shin-ichi
Fujimura, Yoshikazu See Ishida, Shingo
Fujiu, Takamitsu; Messing, Gary L.; and Huebner, Wayne
Processing and properties of cellular silica synthesized by foaming sol–gels. (1) 85
Fujiyoshi, Kaichi See Ishida, Shingo
Fukuda, Kousaku See Ogawa, Toru
Fuller, Edwin R., Jr. See Krause, Ralph F., Jr.

Gadalla, Ahmed M.; Saylak, Donald; and Lindner, Angela L.
Comparison of strength development in waste industrial gypsum produced by the hemihydrate and dihydrate processes. (8) 2255
Gajbhiye, Namdeo S. See Sankaranarayanan, V. S.
Galasso, Francis S. See Kmetz, Michael; Veltri, Richard D.
Gallois, Bernard See Du, Honghua
Garcia, Roberto See, Schmidt, Wayde R.
Garcia-Clavel, Maria E. See Goni-Elizalde, Sara
Gardner, John A. See Su, Han-Tzong
Garino, Terry J.; and Bowen, H. Kent
Kinetics of constrained-film sintering. (2) 251
Garofalini, Stephen H. See Zirl, David M.
Gasdaska, Charles J.; Whalen, Philip J.; Marti, Jordi; and Reidinger, Franz
Texture and recrystallization on ground surfaces of hafnia. (7) 1941
Gasgnier, Gilles See Smith, Agnes
Gauthier, Sylvie See Carlsson, David J.
Gautier, Martine See Duraud, Jean-Paul
Gavalas, George See Patrick, Valerie
Gaveau, Benedicte See Letolle, Rene
Gegout, Philippe See Letolle, Rene
Gehrke, Eckhard See Ullner, Christian
Geiser, Urs W. See Parker, John C.
George, Ian M. See Hayward, Peter J.
Gerhardt, Rosario A. See Kerch, Helen M.
Ghahremani, Fariborz; Hutchinson, John W.; and Tvergaard, Viggo
Three-dimensional effects in microcrack nucleation in brittle polycrystals. (6) 1548
Gilbert, Thomas R. See Macinnes, Andrew N.
Glaeser, Andreas M. See Rodel, Jurgen
Glannelis, E. P. See Keddle, J. L.
Glass, Amy S. See Mukherjee, Shyama P.
Glass, Jeffrey T. See More, Karren L.; Wang, Yu Cheng
Goni-Elizalde, Sara; and Garcia-Clavel, Maria E.
Characterization studies of goethite samples of varying crystallinity obtained by the homogeneous precipitation method. (1) 121
Gonnard, Paul See Eyraud, Lucien
Gonsalves, Kenneth E. See Du, Honghua
Gonzalez, Armando C.; and Pantano, Carlo G.
Compression-loaded double cantilever beam specimen. (8) 2534
Goo, Edward See Kim, Jong Choul; King, Grace
Gopalan, Prakash See Honig, Jurgen M.
Goretta, Kenneth C. See De Arellano-Lopez, Antonio R.
Goswami, G.; Mohapatra, B.; and Panda, J. D.
Gypsum dehydration during comminution and its effect on cement properties. (3) 721
Goto, Takashi See Narushima, Takayuki
Govila, Ratan K.
Strength of slip-cast, sintered silicon nitride. (6) 1744
Graves, Ron S. See McCluskey, Philip H.
Grazul, John L. See Kerch, Helen M.
Green, David J. See Marple, Basil R.; Rathner, Roland C.; Tandon, Rajan
Gregory, Otto J. See Ku, Wenfu
Grimes, Robert E.; Kelkar, Girish P.; Guazzone, Laurent; and White, Kenneth W.
Elevated-temperature R-curve behavior of a polycrystalline alumina. (5) 1399
Grimes, Robin W.; and Catlow, C. Richard A.
Modeling localized defects in ionic materials using Mott-Littleton and embedded quantum cluster methodology. (11) 3251
Grzeszczyk, Stefania; and Szuba, Jadwiga
Hydration reactivity of crystalline and vitrified diopside under hydrothermal conditions. (7) 2006
Guazzone, Laurent See Grimes, Robert E.
Gulu, Frank See Reece, Michael
Guo, Jun See Ellis, Donald E.
Gupta, Tapan K.
Application of zinc oxide varistors. (7) 1817
Gyorgy, E. M. See O'Bryan, H. M.
Haber, Richard A. See Ashkin, Daniel
Hackney, Michael L. J. See Czekaj, Corinna L.
Hardtl, Karl-Heinz See Baiatu, Tudor; Waser, Rainer
Haertling, Carol L.; Yoshikawa, Shoko; and Newnham, Robert E.
Thick film patterned ceramics using UV-curable pastes. (11) 3339
Hahn, Joon See Hong, Byungsun
Halle, Radovan; and Matkovic, Boris
Hydration and strength development of T and X phase pastes ($T = Ca_{6.66}Ba_{1.33}SiO_x$, $X = Ca_{1.52}Ba_{0.48}SiO_x$). (4) 1034
Halloran, John W. See Readey, Michael J.
Hallstedt, Bengt
Assessment of the $CaO–Al_2O_3$ system. (1) 15
Hamilton, George See Cotter, Daniel J.
Han, Dongbin; and Mecholsky, John J., Jr.
Strength and toughness degradation of tungsten carbide-cobalt due to thermal shock. (12)3692
Han, Won-Taek; and Tomozawa, Minoru
Indentation creep of $Na_2O·3SiO_2$ glasses with various water contents. (12) 3626; Mechanism of mechanical strength increase of soda-lime glass by aging—reply. (5) 1464
Hanada, Teiichi See Tanabe, Setsuhisa; Tsuruta, Hideyoshi
Hanaoka, Hirokazu See Oya, Asao
Handwerker, Carol A.; Dynys, Joseph M.; Cannon, Rowland M.; Coble, Robert L.
Dihedral angles in magnesia and alumina—Distributions from surface thermal grooves. (5) 1371; Metal reference line technique for obtaining dihedral angles from surface thermal grooves. (5) 1365
Hanigofsky, John A. See Lackey, W. J.; Twait, D. J.
Harada, Hirobumi See Muto, Norio
Harker, Alan B.; and Flintoff, John F.
Polyphase ceramic for consolidating nuclear waste compositions with high Zr-Cd-Na content. (7) 1901
Harmer, Martin P. See Bennison, Stephen J.; Chen, Jie; French, Jonathan D.; Stearns, Laura C.
Harris, Jonathan H. See Youngman, Robert A.
Harris, Lawrence A. See Maya, Leon
Hart, Patricia See Sanghera, Jasbinder S.
Hartung, Ruediger See Hennings, Detlev, F. K.
Harville, Tina R. See Schreiber, Henry D.
Hashinger, Delora T. See Twiggs, S. Warren
Hasselman, D. P. H. See Bhatt, Hemanshu; Jackson, T. Barrett
Hassold, Gregory N. See Chen, I-Wei
Hassold, Gregory N.; Chen, I-Wei; and Srolovitz, David J.
Computer simulation of final-stage sintering: I, Model, kinetics, and microstructure. (10) 2857
Hatakeyama, Fumio; and Kanzaki, Shuzo
Synthesis of monodispersed spherical β-silicon carbide powder by a sol-gel process. (7) 2107
Hattori, Takeo; and Iwadate, Yasuhiko
Hydrothermal preparation of calcium hydroxyapatite powders. (6) 1803
Hattori, Takeo; Iwadate, Yasuhiko; and Sato, Tatsunori
Densification of lead selenide and lead sulfide by hot isostatic pressing. (1) 140
Haun, Michael J. See Rossetti, George A.
Hayashi, Masahiko See Ishida, Shingo
Hayashi, Motoo See Yoo, Seung Eul
Hayashi, S. See Taya, Minoru
Hayashi, Takashi See Hirano, Shin-ichi
Hayashi, Takumi See Konishi, Satoshi
Hayward, Peter J.; Doern, Diane C.; and George, Ian M.
Dissolution of a sphene glass-ceramic, and of its component sphene and glass phases, in Ca-Na-Cl brines. (3) 544
Hebrard, Jean-Luc; Nortier, Patrice; Pijolat, Michele; and Soustelle, Michael
Initial sintering of submicrometer titania anatase powder. (1) 79
Heinemann, Irmhild; and Frischat, Gunther H.
Sodium self-diffusion in sodium disilicate single crystals. (12) 3712
Hellmann, John R. See Benglsu, Murat
Henderson, Robert J. M. See Kerkar, Awdhoot V.
Hennings, Detlev F. K.; Hartung, Ruediger; and Reijnen, Piet J. L.
Grain size control in low-voltage varistors. (3) 645
Herczog, Andrew
Phase distribution and transparency in glass-ceramics based on a study of the sodium niobate-silica system. (9) 2743
Heuer, Arthur H. See Chalm, Rachman; Inghels, Eric; Kaliszewski, Mary Sue; Marshall, David B.; Martinez-Fernandez, Julian; Morscher, Gregory; Ready, Michael J.; Steinbrech, Rolf W.; Powell-Dogan, Cynthia A.
Heuer, Arthur H.; and Lou, Victor L. K.
Volatility diagrams for silica, silicon nitride, and silicon carbide and their application to high-temperature decomposition and oxidation. (10) 2789
Heuer, Arthur H.; Ruhle, Manfred; and Marshall, David B.
Thermoelastic martensitic transformation in tetragonal zirconia. (4) 1084
Hietala, Susan L.; Smith, Douglas M.; Brinker, C. Jeffrey; Hurd, Alan J.; Carim, Altaf H; and Dando, Neal
Structural studies of anomalous behavior in the silica-alumina gel system. (10) 2815
Highfield, J. G. See Bowen, Paul
Hikichi, Yasuo; Nomura, Tsuyoshi; Tanimura, Yoshiya; Suzuki, Suguru; and Miyamoto, Masaaki
Sintering and properties of monazite-type $CePO_4$. (12) 3594
Hill, Roderick J.; and Reichert, Bernard E.
Measurement of phase abundance in magnesia-partially-stabilized zirconia by Rietveld analysis of X-ray diffraction data. (10) 2822
Hilmas, Gregory E. See Lee, William E.
Hirai, Shoji See Nishioka, Mamoru
Hirai, Toshio See Narushima, Takayuki
Hirano, Shin-ichi; Fujii, Akiro; and Yogo, Toshinobu
Synthesis of cubic boron nitride from boron nitride synthesized by pressure pyrolysis of borazine. (8) 2238
Hirano, Shin-ichi; Hayashi, Takashi; and Miura, Masashi
Preparation of $Ba_2YCu_3O_{7-\delta}$ thin films with preferred orientation through an organometallic route. (4) 885
Hirao, Kazuyuki See Tanabe, Setsuhisa
Hirosaki, Naoto See Okada, Akira
Hirose, Chisai See Komatsu, Takayuki
Hirota, Kazushi See Lee, Jong-Heun
Hisayoshi, Mitamura; Matsumoto, Selichiro; Miyazaki, Takashi; White, Timothy J.; Nukaga, Kiyoshi; Togashi, Yoshihiro; Sagawa, Tamio; Tashiro, Shingo; Levins, Desmond M.; and Kikuchi, Akira
Self-irradiation damage of a curium-doped titanate ceramic containing sodium-rich high-level nuclear waste. (11) 3433
Hishita, Shunichi See Tanaka, Junzo
Hlavacek, Vladimir See Agrafiotis, Christos C.
Ho, Kai; and Pehlke, Robert D.
Simultaneous determination of thermal conductivity and specific heat for refractory materials. (8) 2316
Holmes, John W. See Kotil, Temel
Homeny, Joseph; and Neergaard, Lynn J.
Mechanical properties of β-Si_3N_4-whisker/Si_3N_4-matrix composites. (11) 3493
Homeny, Joseph; Neergaard, Lynn J.; Karasek, Keith R.; Donner, Jeffrey T.; and Bradley, Steven A.
Characterization of β-silicon nitride whiskers. (1) 102
Homeny, Joseph; VanValzah, Janet R.; and Kelly, Mark A.
Interfacial characterization of silicon carbide fiber/lithia-alumina-silica glass matrix composites. (7) 2054
Homeny, Joseph; and Vaughn, Wallace L.
R-curve behavior in a silicon carbide whisker/alumina matrix composite. (7) 2060; Silicon carbide whisker/alumina matrix composites: Effect of whisker surface treatment on fracture toughness. (2) 394
Hong, Byungsun; Hahn, Joon; and Mason, Thomas O.
Phase composition and compatibilities in the Bi-Sr-Ca-Cu quaternary oxide system at 800°C in air. (7) 1965
Hong, Kug Sun; Berta, Yolande; and Speyer, Robert F.
Glass-crystal transition in II-IV-V_2 semiconducting compounds. (5) 1351
Honig, Jurgen M.; Spalek, Jozef; Gopalan, Prakash
Simple interpretation of the Verwey transition in magnetite. (11) 3225
Horn, Roger G.
Surface forces and their action in ceramic materials. (5) 1117
Horton, Joseph A. See Santella, Michael L.
Hosokawa, Yasuhiko See Kobayashi, Hiroshi
Hosono, Hideo; Sakai, Yasuhiro; Fasano, Marcelo; and Abe, Yoshihiro
Preparation of monolithic porous titania silica ceramics. (8) 2536
Howard, Christopher J.; and Kisl, Erich H.
"Polymorph method" determination of monoclinic zirconia in partially stabilized zirconia ceramics. (10) 3096
Howard, Christopher J.; Kisl, Erich H.; Roberts, Ronald B.; and Hill, Roderick J.
Neutron diffraction studies of phase transformations between tetragonal and orthorhombic zirconia in magnesia-partially-stabilized zirconia. (10) 2828
Howard, Kevin E.; Lakeman, Charles D. E.; and Payne, David A.
Surface chemistry of various poly(vinyl butyral) polymers adsorbed onto alumina. (8) 2543
Hrma, Pavel See Bickford, Dennis F.
Hsieh, Huey-Lin; and Fang, Tsang-Tse
Effect of green states on sintering behavior and microstructural evolution of high-purity barium titanate. (6) 1566
Hsu, Jen-Yan; and Speyer, Robert F.
Influences of zirconia and silicon nucleating agents on the devitrification of $Li_2O·Al_2O_3·6SiO_2$ glasses. (12) 3585
Hu, Chen-Ti See Lin, Tsai-Fa
Hu, Yung-Haw See Saltzberg, Michael A.
Huang, Da-Wei See Chang, Luke L. Y.
Huang, Qingzhen See Dai, Guiquin
Huang, Yao-Tsung; Wang, Wang-Nan; Wu, Sheng-Feng; Shei, Cheng-Yei; Hurng, Weir-Mirn; Lee, Wun-Hsin; and Wu, Pieng-Tien
Formation of the liquid phase in the system Bi-Pb-Sr-Ca-Cu-O. (11) 3507
Huanaosta, Alfonso See Irvine, John T. S.
Huebner, Wayne See Fujiu, Takamitsu
Humphrey, Donald L. See Jacobson, Nathan S.
Hurd, Alan J. See Hietala, Susan L.
Hurley, George See Katz, Joel D.
Hurley, William J., Jr. See Czekaj, Corinna L.; Schmidt, Wayde R.
Hurng, Weir-Mirn See Huang, Yao-Tsung
Hutchinson, John W. See Ghahremani, Fariborz
Hwang, Chin-Mau James; and Chen, I-Wei
Effect of a liquid phase on superplasticity of 2-mol%-Y_2O_3-stabilized tetragonal zirconia polycrystals. (6) 1626
Hwang, Ford-Son See Wang, Shiang-Hua
Hwang, Jim-Bin See Fang, Tsang-Tse
Hwang, Nong M.; Roth, Robert S.; and Rawn, Claudia J.
Phase equilibria in the systems SrO-CuO and SrO-$½Bi_2O_3$. (8) 2531
Hwang, Shyh-Lung; and Chen, I-Wei
Grain size control of tetragonal zirconia polycrystals using the space charge concept. (11) 3269
Iancu, Otto T.; Munz, Dietrich; Eigenmann, Bernd; Scholtes, Berthold; and Macherauch, Eckard
Residual stress state of brazed ceramic/metal compounds, determined by analytical methods and X-ray residual stress measurements. (5) 1144
Ichihara, Takashi See Tsurumi, Takaaki
Ichikawa, Hiroshi See Muto, Norio
Igaki, Hisashi See Ikeda, Kiyohiko
Igawa, Naoki See Ishitsuka, Masayuki
Iguchi, Yasutaka See Narushima, Takayuki
Iizuka, Kazuhiko See Yamaguchi, Takashi
Ikeda, Jeri Ann S.; Chiang, Yet-Ming; and Fabes, Brian D.
Nonequilibrium surface segregation in aluminum-doped TiO_2 under an oxidizing potential—Effects on redox color-boundary migration. (6) 1633
Ikeda, Kiyohiko; Igaki, Hisashi; Tanigawa, Yoshinobu; and Tagashira, Koichiro
Equibiaxial stress effect on fracture strength of indented soda-lime glass in water environment: An examination for dependence on crack-tip blunting. (7) 2114
Im, Ho Bin See Choi, Byung Ho; Kim, Chul S.

Inal, Osman T. See Benglsu, Murat
Ingheis, Eric See Steinbrech, Rolf W.
Inghels, Eric; Heuer, Arthur H.; and Steinbrech, Rolf W.
Fracture mechanics of high-toughness magnesia-partially-stabilized zirconia. (7) 2023
Inoue, Masashi; Kominami, Hiroshi; and Inui, Tomoyuki
Thermal reaction of aluminum alkoxide in glycols. (4) 1100
Interrante, Leonard V. See Czekaj, Corinna L.; Schmidt, Wayde R.
Inui, Tomoyuki See Inoue, Masashi
Irvine, John T. S.; Huanosta, Alfonso; Valenzuela, Raul; and West, Anthony R.
Electrical properties of polycrystalline nickel zinc ferrites. (3) 729
Iseki, Takayoshi See Suzuki, Tetsuya
Ishida, Shingo; Hayashi, Masahiko; Fujimura, Yoshikazu; and Fujiyoshi, Kaichi
Spectroscopic study of the chemical state and coloration of chromium in rutile. (11) 3351
Ishii, Tadao See Shimada, Shiro
Ishitsuka, Masayuki; Sato, Tsugio; Endo, Tadashi; Shimada, Masahiko; Ohno, Hideo; Igawa, Naoki; and Nagasaki, Takanori
Grain-size dependence of thermal shock resistance of yttria-doped tetragonal zirconia polycrystals. (8) 2523
Ishizawa, Nobuo See Yoo, Seung Eul
Ismail, Mohamed G. M. U.; Aral, Hiroshi; Nakai, Zenjiro; and Akiba, Tokuji
Mullite whiskers from precursor gel powders. (9) 2736
Ismail, Mohamed G. M. U.; Tsunatori, Hideo; and Nakai, Zenjiro
Preparation of mullite cordierite composite powders by the sol–gel method—Its characteristics and sintering. (3) 537
Itakura, Kazuhisa See Uematsu, Keizo
Ito, Eiji See Ohtaka, Osamu
Itoh, Tomoyuki See Tamaura, Yutaka
Iwadate, Yasuhiko See Hattori, Takeo
Iwaya, Masaki See Miyake, Michihiro
Jackson, T. Barrett; Donaldson, Kimberly Yates; and Hasselman, D. P. H.
Temperature dependence of the thermal diffusivity/conductivity of aluminum nitride. (8) 2511
Jacobson, Howard W. See Leary, Kevin J.
Jacobson, Nathan S.; Eckel, Andrew J.; Misra, Ajay K.; and Humphrey, Donald L.
Reactions of SiC with H_2/H_2O/Ar mixtures at 1300°C. (8) 2330
Jaeger, Herbert See Aslan, Mesut
Jagota, Anand; and Dawson, Paul R.
Simulation of the viscous sintering of two particles. (1) 173
Jagota, Anand; Mikeska, Kurt R.; and Bordia, Rajendra K.
Isotropic constitutive model for sintering particle packings. (8) 2266
Jain, Vijay; Varshneya, Arun K.; and Bihuniak, Peter P.
Ionic conductivity in fused silica: II, Steady-state behavior. (2) 409
Jakus, Karl See Chol, S. R.
Jang, Sel-Joo See Kim, Namchul
Jang, Syun M.; and Lee, Sanboh
Mechanical healing of potassium chloride single crystals. (3) 659
Jansen, J. Ben H. See Buining, Paul A.
Jantzen, Carol M.
Formation of zeolite during caustic dissolution of fiberglass: Implications for studies of the kaolinite-to-mullite transformation. (12) 3708; See also Bickford, Dennis F.
Jennings, Hamlin M. See Ku, Wenfu
Jeong, Jun-Whan; Yoon, Duk N.; and Kim, Doh-Yeon
Migration of intergranular boundaries in cubic zirconia yttria induced by magnesia addition. (7) 2063
Jessen, Todd L.; and Lewis, David, III
Fracture toughness of graded metal-particulate/brittle-matrix composites. (5) 1405
Jewell, John M.; and Shelby, James E.
Effect of water content on the electrical conductivity of sodium trisilicate glasses. (5) 1446
Jewell, John M.; Spess, Marie S.; and Shelby, James E.
Effect of water concentration on the properties of commercial soda-lime-silica glasses. (1) 132
Jiang, Zuozhao See Zhang, Tao
Jill, Rodcrick J. See Howard, Christopher J.
Jimenez-Melendo, Manolo See Martinez-Fernandez, J.
Johnson, D. Lynn
Temperature-gradient-driven diffusion in rapid-rate sintering—comment. (8) 2576
Johnson, Gregory See Lindquist, David A.
Johnson, Lois A. See Kalman, Zwi H.
Johnson, Paul F. See Zheng, Jingmin
Johnson, Sylvia M. See Cinibulk, Michael K.; Loehman, Ronald E.; Monteiro, Othon R.
Jollet, Francois See Duraud, Jean-Paul
Jones, David J. See French, Roger H.
Jorge, Eric; Chartier, Thierry; and Boch, Phillippe
Ultrasonic dispersion of ceramic powders. (8) 2552
Joshi, Ashok V. See Virkar, Anil V.
Jou, Zuei Chown; and Virkar, Anil V.
High-temperature creep and cavitation of polycrystalline aluminum nitride. (7) 1928
Jue, Jan Fong See Mehta, Karun
Jue, Jan Fong; and Virkar, Anil V.
Fabrication, microstructural characterization, and mechanical properties of polycrystalline t'-zirconia. (12) 3650
Jurado, Jose R. See Miranzo, Pilar
Jyohzaki, Katsuhito See Nakamura, Masahiko
Kahn, Manfred See Spann, Joseph R.
Kajiwara, Teijiro See Muto, Norio
Kakehi, Hiroyuki See Miyake, Michihiro
Kaliszewski, Mary Sue; and Heuer, Arthur H.
Alcohol interaction with zirconia powders. (6) 1504
Kalman, Zwi H.; Johnson, Lois A.; and Wachtman, John B.
Topotactically modified stress in coatings. (3) 684
Kalonji, Gretchen See De Guire, Mark R.
Kamiya, Kanichi See Nasu, Hiroyuki
Kamiya, Kanichi; Nishijima, Tomoaki; and Tanaka, Katsuhisa
Nitridation of the sol-gel-derived titanium oxide films by heating in ammonia gas. (9) 2750
Kanert, Otmar See Murty, K. Linga
Kang, Suk-Joong L. See Lee, Dong-Duk
Kanzaki, Masami
Melting of silica up to 7 GPa. (12) 3706
Kanzaki, Shuzo See Hatakeyama, Fumio
Karasek, Keith R. See Homeny, Joseph
Karunanithy, Somasundaram
Melt infiltration and reaction at the fiber/matrix interface during the brazing of a fiber-reinforced ceramic to metal. (1) 178
Kasowski, Robert V.
Electronic structure of high-temperature superconductors: Comparison of theory and experiment. (11) 3170 See also French, Roger H.
Katayama, Shinya See Matsuda, Atsunori
Kato, Etsuro See Nogami, Masayuki
Kato, Hidezumi See Nagano, Takayuki
Kato, Masanori See Mizutani, Nobuyasu
Katz, Joel D.; and Hurley, George
Etching alumina with molten vanadium pentoxide. (7) 2151
Kawada, Tatsuya See Yokokawa, Harumi
Kawamura, Hiroyuki See Okubo, Tatsuya
Kazemi, Mohammad T. See Bazant, Zdenek P.
Kazuo, Ida See Nakamura, Masahiko
Kecskes, Laszlo J.; Benck, R. F.; and Netherwood, P. H., Jr.
Dynamic compaction of combustion-synthesized hafnium carbide. (2) 383
Kecskes, Laszlo J.; Kottke, Thomas; and Niller, Andrus
Microstructural properties of combustion-synthesized and dynamically consolidated titanium boride and titanium carbide. (5) 1274
Keddie, J. L.; and Giannelis, E. P.
Ion-beam analysis of silica sol-gel films: Structural and compositional evolution. (10) 3106
Keefer, Keith D. See Aselage, Terry L.
Kellar, Girish P. See Grimes, Robert E.
Kellett, Bruce J.; Carry, Claude; and Mocellin, Alain
High-temperature extrusion behavior of a superplastic zirconia-based ceramic. (7) 1922
Kelly, James F. See Rodel, Jurgen
Kelly, Mark A. See Homeny, Joseph
Kerch, Helen M.; Gerhardt, Rosario A.; and Grazul, John L.
Quantitative electron microscopic investigation of the pore structure in 10:90 colloidal silica/potassium silicate sol-gels. (8) 2228
Kerkar, Awdhoot V.; Henderson, Robert J. M.; and Feke, Donald L.
Steric stabilization of nonaqueous silicon slips: I, Control of particle agglomeration and packing. (10) 2879; Steric stabilization of nonaqueous silicon slips: II, Pressure casting of powder compacts. (10) 2886
Kikuchi, Akira See Mitamura, Hisayoshi
Kim, Cheol J. See DeGuire, Mark R.
Kim, Chong-Hee See Kim, Do-Hyeong; Kim, Jae Ryong
Kim, Chul S.; and Im, Ho Bin
Effects of annealing conditions of electrodes on the photovoltaic properties of sintered cadmium sulfide/cadmium telluride solar cells. (1) 150
Kim, Dae-Joon
Effect of Ta_2O_5, Nb_2O_5, and HfO_2 alloying on the transformability of Y_2O_3-stabilized tetragonal ZrO_2. (1) 115
Kim, De-Hyeong See Kim, Jae Ryong
Kim, Do-Hyeong; and Kim, Chong Hee
Toughening behavior of silicon carbide with additions of yttria and alumina. (5) 1431
Kim, Doh-Yeon See Chae, Ki-Woong; Jeong, Jun-Whan; Kim, Sang-Beom; Kim, Jeong-Joo
Kim, Hei R. See Lawson, Mark G.
Kim, Hyoun-Ee; and Moorhead, Arthur J.
Effects of active oxidation on the flexural strength of α-silicon carbide. (7) 1868; Effect of hydrogen–water atmospheres on corrosion and flexural strength of sintered α-silicon carbide. (3) 694; High-temperature gaseous corrosion of Si_3N_4 in H_2-H_2O and Ar-O_2 environments. (10) 3007; Optical and mechanical properties of hot-pressed cesium iodide. (3) 496; Strength of hot isostatically pressed Si_3N_4 after heat treatment in Ar–O_2 and H_2–H_2O. (5) 1443
Kim, Hyoun-Ee; Zinkle, Steven J.; and Allen, William R.
Preparation and characterization of ^{17}O-enriched alumina for nuclear fusion damage experiments. (2) 425
Kim, Jae Ryong; Kim, De-Hyeong; and Kim, Chong Hee
Effects of Y_2O_3 and ZrO_2 on the densification of Si_3N_4-$Zr(Y)O_2$ composites. (8) 2567
Kim, Jeong-Joo See Kim, Sang-Beom
Kim, Jeong-Joo; Park, Chan; Kim, Doh-Yeon; Yoon, Duk N.; and Shapiro, Alexander
Discontinuous coarsening of tetragonal precipitates in partially stabilized zirconia induced by diffusional coherency strain under applied stress. (12) 3658
Kim, Jin-Ho; Yoo, Han-Ill; and Tuller, Harry L.
Electrical properties and phase stability of a zinc ferrite. (2) 258
Kim, Jin-Young See Uematsu, Keizo
Kim, Jin-Young; Uchida, Nozomu; Saito, Katsuichi; and Uematsu, Keizo
Analysis of hot isostatic pressing of presintered zirconia. (4) 1069
Kim, Jong Choul; and Goo, Edward
Inversion twin boundaries in zinc oxide. (4) 877
Kim, Keu Hong See Cho, Eun Kyung
Kim, Namchul; McHenry, Dean A.; Jang, Sel-Joo; and Shrout, Thomas R.
Fabrication of optically transparent lead magnesium niobate polycrystalline ceramics using hot isostatic pressing. (4) 923
Kim, Sang-Beom; Kim, Doh-Yeon; Kim, Jeong-Joo; and Cho, Sang-Hee
Effect of grain size and poling on the fracture mode of lead zirconate titanate ceramics. (1) 161
Kim, Sunuk See Shrout, Thomas R.
Kimar, Suresh See Lee, William E.
Kimura, Takatoshi See Nakamura, Masahiko
Kimura, Toshio; Miyamoto, Seiji; and Yamaguchi, Takashi
Microstructure development and dielectric properties of potassium strontium niobate ceramics. (1) 127
King, Grace; and Goo, Edward K.
Effect of the c/a ratio on the domain structure in $(Pb_{1-x}Ca_x)TiO_3$. (6) 1534
Kingery, W. David See Chaing, Yet-Ming
Kinser, Donald L. See Dutta, Biprodas
Kirkpatrick, Kelly S. See Pieczulewski, Charles N.
Kirkpatrick, R. James See Brow, Richard K.
Kisl, Erich H. See Howard, Christopher J.
Klaus, Elmer E. See Wu, Wei-Te
Klein, Lisa C. See Abramoff, Bennet
Klesnar, Helmuth See Rogl, Peter
Kmetz, Michael; Suib, Steven; and Galasso, Francis
Silicon carbide/silicon and silicon carbide/silicon carbide composites. (10) 3091
Knickerbocker, John U. See Boddu, Mallu V.
Knorr, David B. See Raeder, Christopher H.
Kobayashi, Albert S. See Taya, Minoru; Yang, Kwan-Ho
Kobayashi, Hiroshi; and Hosokawa, Yasuhiko
Dielectric constant characteristics of a new composite dielectric material. (6) 1774
Kobayashi, Keiji
High-T_c hydroxide- and fluoride-containing ceramic superconductors. (1) 146; Semiconductor passivation and insulation properties for hydroxyl- and fluoride-free ZnO-SiO_2-B_2O_3-Al_2O_3 glasses stabilized by increased P_2O_5. (11) 3500
Kobayashi, Masaki See Nasu, Hiroyuki
Kobayashi, Yoshio See Sasaki, Hideaki
Kodama, Hironori; and Miyoshi, Tadahiko
Study of fracture behavior of very fine-grained silicon carbide ceramics. (10) 3081
Kodama, Hironori; Suzuki, Takaaki; Sakamoto, Hiroshi; and Miyoshi, Tadahiko
Toughening of silicon nitride matrix composites by the addition of both silicon carbide whiskers and silicon carbide particles. (3) 678
Kodama, Tatsuya See Tamaura, Yutaka
Kodama, Yasuharu See Wakai, Fumihiro
Koenigsberg, William D. See Cotter, Daniel J.
Koga, Johji See Ohtsuka, Kunio
Kohli, Jeffrey T. See Shelby, James E.
Koinuma, Hideomi See Yoshimoto, Mamoru
Koizumi, Mitsue See Adachi, Seiji
Kojima, Kazuo; Yano, Hirotsugu; and Matsuda, Jiro
Electron spin resonance of high-spin Co^{2+} in alkali borate and alkali germanate glasses. (7) 2134
Kokini, Klod See Chandrasekar, Srinivasan
Kolar, Drago See Krasevec, Viktor
Komarneni, Sridhar See Ravindranathan, P.; Selvaraj, Ulagaraj
Komatsu, Takayuki; Hirose, Chisai; Ohki, Tomohiro; and Matusita, Kazumasa
Superconducting coupling nature at grain boundaries in $Bi_2Sr_2CaCu_2O$ glass-ceramics. (12) 3569
Kominami, Hiroshi See Inoue, Masashi
Komiyama, Hiroshi See Tanaka, Satoru
Kondo, Kenichi See Sawai, Sumiichi
Kondo, Kenichi; and Sawai, Sumiichi
Fabricating nanocrystalline diamond ceramics by a shock compaction method. (7) 1983
Kong, Hua Shuang See More, Karren L.; Wang, Yu Cheng
Konishi, Satoshi; Ohno, Hideo; Hayashi, Takumi; Okuno, Kenji; and Matsuo, Toru
Lithium diffusion in octalithium plumbate by conductivity and NMR measurements. (6) 1710
Konsztowicz, Krzysztof J.
Crack growth and acoustic emission in ceramics during thermal shock. (3) 502
Konsztowicz, Krzysztof J.; and Fontaine, Denise
Acoustic emission of thermally cycled refractories. (10) 2809
Korth, Gary E. See Rabin, Barry H.
Kotil, Temel; Holmes, John W.; and Comminou, Maria
Origin of hysteresis observed during fatigue of ceramic matrix composites. (7) 1879
Kottke, Thomas See Kecskes, Laszlo J.
Kozlowski, Gregory See Sarkar, Asok K.
Kramer, Stephen J. See Lindquist, David A.

Krasevec, Viktor; Drofenik, Miha; and Kolar, Drago
Genesis of the (111) twin in barium titanate. (4) 856
Krause, Ralph F., Jr.; Fuller, Edwin R., Jr.; and Rhodes, James F.
Fracture resistance behavior of silicon carbide whisker-reinforced alumina composites with different porosities. (3) 559
Kroenert, Wolfgang; and Raith, Angelika
In situ tensile measurements of single fibers by scanning electron microscopy. (5) 1189
Ku, Wenfu; Gregory, Otto J.; and Jennings, Hamlin M.
Computer simulation of the microstructure developed in reaction-sintered silicon nitride ceramics. (2) 286
Kubodera, Kenichi See Nasu, Hiroyuki
Kume, Shoichi See Ohtaka, Osamu
Kuo, Shih-Yee; and Virkar, Anil V.
Morphology of phase separation in AlN-Al_2OC and SiC-AlN ceramics. (9) 2640
Kurokawa, Youichi See Sasaki, Hideaki
Kusakabe, Katsuki See Okubo, Tatsuya
Kusano, Shuji See Shimizu, Yasuhiro
Kuwabara, Makoto
Lead titanate ceramics with positive temperature coefficients of resistivity. (5) 1438
Kuwayama, Hiroyuki See Shimizu, Yasuhiro
Kwok, Chee-Kin See Alta, Carolyn Rubin
Kwon, Oh-Hun; and Messing, Gary L.
Kinetic analysis of solution-precipitation during liquid-phase sintering of alumina. (2) 275
Lackey, W. J. See Twait, D. J.
Lackey, W. J.; Hanigofsky, John A.; and Freeman, Garth B.
Experimental whisker growth and thermodynamic study of the hafnium-carbon system for chemical vapor deposition applications. (6) 1593
Lakeman, Charles D. E. See Howard, Kevin E.
Lam, Daniel J. See Ellis, Donald E.; Parker, John C.
Lamon, Jacques
Ceramic reliability: Statistical analysis of multiaxial failure using the Weibull approach and the multiaxial elemental strength model. (8) 2204
Landin, Steven M.; and Schulze, Walter A.
Rapid sintering of stoichiometric zinc-modified lead magnesium niobate. (4) 913; Rapid thermal processing of $Pb(Mg_{0.2}Zn_{0.8})_{1/3}Nb_{2/3}O_3$ multilayer ceramic capacitors. (4) 909
Lange, Frederick F. See Slamovich, Elliot B.
Lange, Fred F.; Velamakanni, Bhaskar V.; and Evans, Anthony G.
Method for processing metal-reinforced ceramic composites. (2) 388
Lankford, James See Page, Richard A.
Lawn, Brian R. See Chantikul, Prapaipan; Rodel, Jurgen
Lawson, Mark G.; Kim, Hei R.; Pettit, Fred S.; and Blachere, Jean R.
Hot corrosion of silica. (4) 989
Lay, Kenneth W.; and Renlund, Gary M.
Oxygen pressure effect on the Y_2O_3–BaO–CuO liquidus. (5) 1208
le Gressus, Claude See Duraud, Jean-Paul
Leary, Kevin J.; Jacobson, Howard W.; Askew, Thomas R.; Flippen, Richard B.; Dauskardt, Reinhold H.; Marshall, David B.; and Ritchie, Robert O.
Use of nitrogen dioxide to improve the superconducting properties of $YBa_2Cu_3O_7$. (4) 904
Leatherman, Gary L. See Isa, Bar-On
Lee, Dong-Duk; Kang, Suk-Joong L.; Petzow, Günter; and Yoon, Duk N.
Effect of α to β (β') phase transition on the sintering of silicon nitride ceramics. (3) 767
Lee, Gye-Song See Shrout, Thomas R.
Lee, Hae-Weon; and Sacks, Michael D.
Pressureless sintering of SiC-whisker-reinforced Al_2O_3 composites: I, Effect of matrix powder surface area. (7) 1884; Pressureless sintering of SiC-whisker-reinforced Al_2O_3 composites: II, Effects of sintering additives and green body infiltration. (7) 1894
Lee, Howard H. D.
Validity of using mercury porosimetry to characterize the pore structures of ceramic green compacts. (8) 2261
Lee, Hyung Jik; Eguchi, Keisuke; and Yoshida, Toyonobu
Preparation of ultrafine silicon nitride, and silicon nitride and silicon carbide mixed powders in a hybrid plasma. (11) 3356
Lee, Jong-Heun; Park, Soon-Ja; and Hirota, Kazushi
Temperature dependence of electrical conductivity in polycrystalline tin oxide. (9) 2771
Lee, Minyoung; and Flom, Donald G.
Hardness of polycrystalline tungsten and molybdenum oxides at elevated temperatures. (7) 2117
Lee, Ran-Rong See Readey, Michael J.
Lee, Sanboh See Jang, Syun M.
Lee, Sang Won; and Condrate, R. A., Sr.
Raman microprobe investigation of oxygen and carbon dioxide dissolution from bubbles in silicate glasses containing arsenic oxide. (10) 2873
Lee, William E.; Drummond, Charles H., III, Hilmas, Gregory E.; and Kumar, Suresh
Microstructural evolution in near-eutectic yttrium silicate compositions fabricated from a bulk melt and as an intergranular phase in silicon nitride. (12) 3575
Lee, Woo Y. See Twait, D. J.
Lee, Wun-Hsin See Huang, Yao-Tsung
Lejus, Anne-Marie See Wang, Xiao Hong
Lekkerkerker, Hendrik N. W. See Buining, Paul A.
Letolle, Rene; Gegout, Philippe; Moranville-Regourd, Micheline; and Gaveau, Benedicte
Carbon-13 and oxygen-18 mass spectrometry as a potential tool for the study of carbonate phases in concretes. (12) 3617
Levins, Desmond M. See Buykx, William J.; Mitamura, Hisayoshi
Lewis, David, III See Jessen, Todd L.
Lewis, Jennifer A.; and Cima, Michael J.
Diffusivities of dialkyl phthalates in plasticized poly(vinyl butyral): Impact on binder thermolysis. (9) 2702
Li, Baozhen See Alcock, Charles B.
Li, Dong X.; and Thomson, William J.
Mullite formation kinetics of a single-phase gel. (4) 964
Li, Hong; and Bradt, Richard C.
Knoop microhardness anisotropy of single-crystal rutile. (5) 1360
Li, Jian-bao; Peng, Gang; Chen, Shao-rong; Chen, Zhengang; and Wu, Jian-guang
Formation and morphology of 2H-SiC whiskers by the decomposition of silicon nitride. (4) 919
Liang, Jingkui See Dai, Guiquin
Liang, Winston W. See Park, Dong S.
Lin, Chang-Ming; and Stubican, Vladimir S.
Point defects and surface diffusion in iron oxide and nickel oxide. (3) 587
Lin, Horng-Bin See Fang, Tsang-Tse
Lin, Hua-Tay; and Becher, Paul F.
Creep behavior of a SiC-whisker-reinforced alumina. (5) 1378
Lin, I-Nan See Lin, Tsai-Fa
Lin, Li-Jiaun; and Wu, Tai-Bor
Ordering behavior of lead magnesium niobate ceramics with A-site substitution. (5) 1253
Lin, Tsai-Fa; Hu, Chen-Ti; and Lin, I-Nan
Influence of stoichiometry on the microstructure and positive temperature coefficient of resistivity of semiconducting barium titanate ceramics. (3) 531
Lin, Wei See Dai, Guiquin
Lin, Yung-Jen; Angelini, Peter; and Mecartney, Martha Lynn
Microstructural and chemical influences of silicate grain-boundary phases in yttria-stabilized zirconia. (9) 2728
Lindner, Angela L. See Gadalla, Ahmed M.
Lindquist, David A. See Rye, Robert R.
Lindquist, David A.; Borek, Theodore T.; Kramer, Stephen J.; Narula, Chaitanya K.; Johnson, Gregory; Schaeffer, Riley; Smith, Douglas M.; and Paine, Robert T.
Formation and pore structure of boron nitride aerogels. (3) 757
Ling, Elizabeth See Cheng, Weili
Ling, Hung C. See Yan, Man F.
Lis, Jerzy See Agrafiotis, Christos C.
List, Fred A. III See Alexander, Kathleen B.
Liu, Hua-kun See Song, Kang-Ho
Lloyd, Isabel K. See Spann, Joseph R.
Loehman, Ronald E.; Tomsia, Antoni P.; Pask, Joseph A.; and Johnson, Sylvia M.
Bonding mechanisms in silicon nitride brazing. (3) 552
Longo, Elson See Scudeller, Luis A. M.
Lord, Christine E. See Shelby, James E.
Lou, Victor L. K. See Heuer, Arthur H.
Love, Gordon R.
Energy storage in ceramic dielectrics. (2) 323
Low, Manfred J. D. See Mukherjee, Shyama P.
Lu, Chung-Hsin See Mizutani, Nobuyasu
Lu, Hong-Yang See Ting, Ching-Jui
Lu, Hong-Yang; Bow, Jong-Shing; and Deng, Wen-How
Core-shell structures in ZrO_2-modified $BaTiO_3$ ceramic. (12) 3562
Lu, Yixiong See Patterson, Burton R.
Luss, Dan See Morgan, Douglas
Luszcz, Stan J. See Breval, Else
Luthra, Krishan L.; and Park, Hee Dong
Oxidation of silicon carbide-reinforced oxide-matrix composites at 1375° to 1575°C. (4) 1014
Maahs, Howard G. See Vaughn, Wallace L.
Maartense, Iman See Sarkar, Asok K.
MacChesney, John B.; and DiGiovanni, David J.
Materials development of optical fiber. (12) 3537
MacDowell, John F.
Aluminoborate glass-ceramics with low thermal expansivity. (8) 2287
MacEwen, Stuart R. See Tome, Carlos N.
Macherauch, Eckard See Iancu, Otto T.
Macinnes, Andrew N.; Barron, Andrew R.; Soman, Rajiv S.; and Gilbert, Thomas R.
Reaction-bonded niobium carbide on graphite via a novel solution impregnation process. (12) 3696
Mackrodt, William C. See Allan, Neil L.
Magley, David J.; Winholtz, R. A.; and Faber, Katherine T.
Residual stresses in a two-phase microcracking ceramic. (6) 1641
Magruder, Robert H., III See Dutta, Biprodas; Morgan, Steven H.
Maire, Philippe See Duraud, Jean-Paul
Malassis, Marc See Zagnazi, Hassan
Mandal, Upendra K. See Singh, Vipin K.
Margaritondo, Giorgio
Photoemission studies of high-temperature superconductivity. (11) 3161
Maric, Milena See Morgan, Douglas
Marple, Basil R.; and Green, David J.
Mullite alumina particulate composites by infiltration processing: II, Infiltration and characterization. (12) 3611
Marshall, David B.
Crack shielding in ceria-partially-stabilized zirconia. (10) 3119; See also Cao, H. C.; Dauskardt, Reinhold H.; Heuer, Arthur H.; Leary, Kevin J.
Marshall, David B.; Morris, Winfred L.; Cox, Brian N.; Dadkhah, Mahyar S.
Toughening mechanisms in cemented carbides. (10) 2938
Marshall, David B.; Shaw, Michael C.; Dauskardt, Reinhold H.; Ritchie, Robert O.; Readey, Michael J.; and Heuer, Arthur H.
Crack-tip transformation zones in toughened zirconia. (9) 2659
Marti, Jordi See Gasdaska, Charles J.
Martin, Steve W.; and Bloyer, Donald R.
Preparation of high-purity vitreous B_2S_3. (11) 3481
Martinez-Fernandez, J.; Jimenez-Melendo, Manolo; Dominguez-Rodriguez, A.; and Heuer, Arthur H.
High-temperature creep of yttria-stabilized zirconia single crystals. (8) 2452
Marusin, Stella L.
Shale brick interface with cement-lime and polymer-modified mortars. (8) 2301
Masaki, Takaki See Noguchi, Kenichi
Maslowski, Anthony R. See Agrawal, Dinesh K.
Mason, Thomas O. See Cooper, Elizabeth A.; Hong, Byungsun; Pieczulewski, Charles N.; Su, Ming-Yih
Mastrangelo, Sebastian V. R. See Pratsinis, Sotiris E.
Masuda, Masaaki See Tsuruta, Hideyoshi
Matkovic, Boris See Halle, Radovan
Matsuda, Atsunori; Matsuno, Yoshihiro; Katayama, Shinya; Tsuno, Toshio; Tohge, Noboru; and Minami, Tsutomu
Physical and chemical properties of titania silica films derived from poly(ethylene glycol)-containing gels. (8) 2217
Matsuda, Jiro See Kojima, Kazuo
Matsuda, Yukihisa See Noguchi, Kenichi
Matsumoto, Roger L. K.
Analysis of powder compaction using a compaction rate diagram. (2) 465
Matsumoto, Selichiro See Mitamura, Hisayoshi
Matsuno, Yoshihiro See Matsuda, Atsunori
Matsuo, Toru See Konishi, Satoshi
Matusita, Kazumasa See Komatsu, Takayuki
Matzke, Hans-Joachim; Ray, Ian L. F.; Seatonberry, Brian W.; Thiele, Hartmut; Trisoglio, Claudio; Walker, Clive T.; and White, Timothy J.
Incorporation of transuranic elements in titanate nuclear waste ceramics. (2) 370
Maya, Leon
Derivation of preformed polymers to produce ceramic precursors. (9) 2714
Maya, Leon; and Angelini, Peter
Preparation and use of a boron nitride precursor as binder for the densification of boron nitride. (2) 297
Maya, Leon; and Harris, Lawrence A.
Pyrolytic deposition of carbon films containing nitrogen and/or boron. (7) 1912
Mazo, Louis See Aliouat, Mohamed
McAdams, J. E. See Pieczulewski, Charles N.
McCluskey, Philip H.; Williams, Robert K.; and Graves, Ron S.
Thermal diffusivity/conductivity of alumina–silicon carbide composites. (2) 461
McCluskey, Philip H; Williams, Robert K.; Graves, Ron S.; and Teigs, Terry N.
Thermal diffusivity/conductivity of alumina-silicon carbide composites. (7) 2177
McConville, Richard L. See Dupon, Ryan W.
McCune, R. A. See Oden, Laurance L.
McHenry, Dean A. See Kim, Namchul
McKee, Rodney A. See Alexander, Kathleen B.
McKinstry, Herbert A. See Subbarao, Eleswarapu C.
McLachlan, David S.; Blaszkiewicz, Michael; and Newnham, Robert E.
Electrical resistivity of composites. (8) 2187
McMillan, Paul F. See Sato, Robert K.
McNallan, Michael J. See Park, Dong S.
McPherson, Reginald See Young, Robert M.
Mecartney, Martha Lynn See Lin, Yung-Jen
Mecholsky, John J., Jr. See Butt, Darryl P.; Han, Dongbin
Mehta, Karun; Jue, Jan Fong; and Virkar, Anil V.
Grinding-induced texture in ferroelastic tetragonal zirconia. (6) 1777
Mehta, Karun; and Virkar, Anil V.
Fracture mechanisms in ferroelectric–ferroelastic lead zirconate titanate (Zr:Ti = 0.54:0.46) ceramics. (3) 567
Meier, Martin; Braetsch, Volker; and Frischat, Gunther Heinz
Self-diffusion in Na_2O-Rb_2O-SiO_2 glass melts as obtained by microgravity experiments. (7) 2122
Messing, Gary L. See Fujiu, Takamitsu; Kwon, Oh-Hun; Zhang, Shi-Chang; Wu, Mianxue
Messner, Robert P.; and Chiang, Yet-Ming
Liquid-phase reaction-bonding of silicon carbide using alloyed silicon–molybdenum melts. (5) 1193
Mihara, Toshihiro See Adachi, Seiji
Mikeska, Kurt R. See Jagota, Anand
Miller, Gary A. See French, Jonathan D.
Millot, Francis See Dhalenne, Guy
Minami, Tsutomu See Matsuda, Atsunori

Miranzo, Pilar; Tabernero, Leonor; Moya, Jose S.; and Jurado, Jose R.
Effect of sintering atmosphere on the densification and electrical properties of alumina. (7) 2119
Misra, Ajay K. See Jacobson, Nathan S.
Mitchell, T. E. See Unal, Ozer
Mitomo, Mamoru; Tsutsumi, M.; Tanaka, Hidehiko; Uenosono, S.; and Saito. F.
Grain growth during gas-pressure sintering of β-silicon nitride. (8) 2441
Mitsuda, Takeshi See Miyake, Michihiro
Miura, Masashi See Hirano, Shin-ichi
Miyake, Michihiro; Iwaya, Masaki; Suzuki, Takashi; Kakehi, Hiroyuki; and Mitsuda, Takeshi
Aluminum-substituted gyrolite as cation exchanger. (11) 3524
Miyamoto, Akira See Uematsu, Keizo
Miyamoto, Masaaki See Hikichi, Tasuo
Miyamoto, Seiji See Kimura, Toshio
Miyamoto, Yoshinari See Adachi, Seiji; Zeng, Jianren
Miyashita, Masayori See Uematsu, Keizo
Miyashita, Tsuneo See Uematsu, Keizo
Miyayama, Masaru See Muto, Norio
Miyazaki, Takashi See Mitamura, Hisayoshi
Miyoshi, Tadahiko See Kodama, Hironori
Mizushina, Masahiro See Noguchi, Kenichi
Mizutani, Nobuyasu; Lu, Chung-Hsin; Shinozaki, Kazuo; and Kato, Masanori
Formation of a high-temperature liquid phase during the sintering of $PbFe_{1/2}W_{1/2}O_3$. (5) 1214
Mocellin, Alain See Bowen, Paul; Kellett, Bruce J.
Modest, Michael F. See DeBastiani, Duane L.
Mohapatra, B. See Goswami, G.
Molis, Steven E.; and Clarke, David R.
Measurement of stresses using fluorescence in an optical microprobe: Stresses around indentations in a chromium-doped sapphire. (11) 3189
Monteiro, Othon R.; and Johnson, Sylvia M.
Transmission electron microscopy study on the annealing of $YBa_2Cu_3O_{7-\delta}$. (5) 1159
Moorhead, Arthur J. See Kim, Hyoun-Ee
Moranville-Regourd, Micheline See Letolle, Rene
More, Karren L. See Wang, Yu Cheng
More, Karren L.; Kong, Hua Shuang; Glass, Jeffrey T.; and Davis, Robert F.
Electron microscopy of defects in epitaxial β-SiC thin films grown on silicon and carbon {0001} faces of α-SiC substrates. (5) 1283
Morgan, Douglas; Maric, Milena; Luss, Dan; and Richardson, James T.
Preparation of 1-2-3 superconductors from hydroxide-carbonate coprecipitation. (12) 3557
Morgan, Steven H.; and Magruder, Robert H., III
Raman spectra of molybdenum phosphate glasses and some crystalline analogues. (3) 753
Mori, Norihisa See Muto, Norio
Mori, Tsutomu See Suzuki, Tetsuya
Morooka, Shigeharu See Okubo, Tatsuya
Morris, Winfred L. See Marshall, David B.
Morrone, A. See Suresh, Subra
Morscher, Gregory; Pirouz, Pirouz; and Heuer, Arthur H.
Temperature dependence of interfacial shear strength in SiC-fiber-reinforced reaction-bonded silicon nitride. (3) 713
Moya, Jose S. See Baudin, Carmen; Miranzo, Pilar
Mukaida, Yasumichi See Yamaguchi, Osamu
Mukerji, Joydeb; and Biswas, Sampad Kumar
Synthesis, properties, and oxidation of alumina–titanium nitride composites. (1) 142
Mukherjee, Shyama P.; Glass, Amy S.; and Low, Manfred J. D.
Characterization of two germania gels of different coordination. (2) 242
Mukundan, Poothayil See Varma, Harikrishna
Munir, Zuhair A. See Eslamloo-Grami, Maryam; Trambukis, Joanne
Munter, R. See Murty, K. Linga
Munz, Dietrich See Iancu, Otto T.
Murray, Catherine M. See Bar-On, Isa
Murty, K. Linga; Begert, Dietmar; Munter, Rolf; and Kanert, Otmar
In situ NMR study of dislocation jump distance during creep of pure sodium chloride single crystals. (4) 861
Musolf, Douglas J. See Dupon, Ryan W.
Muto, Norio; Miyayama, Masaru; Yanagida, Hiroaki; Kajiwara, Teijiro; Mori, Norihisa; Ichikawa, Hiroshi; and Harada, Hirobumi
Infrared detection by Si-Ti-C-O fibers. (2) 443
Muto, Shinichi See Sasaki, Hideaki
Mutsuddy, Beebhas C.
Electrokinetic behavior of aqueous silicon carbide whisker suspensions. (9) 2747
Nachlas, Jesse See Virkar, Anil V.
Nagai, Masayuki; Saeki, Tatsuya; and Nishino, Tadashi
Carbon dioxide sensor mechanism of porous hydroxyapatite ceramics. (5) 1456
Nagano, Takayuki; Kato, Hidezumi; and Wakai, Fumihiro
Diffusion bonding of zirconia/alumina composites. (11) 3476
Nagasaki, Takanori See Ishitsuka, Masayuki
Nagaska, Katsumi See Nogami, Masayuki
Nair, Shanti V.
Crack-wake debonding and toughness in fiber- or whisker-reinforced brittle-matrix composites. (10) 2839
Nakai, Zenjiro See Ismail, Mohamed G. M. U.
Nakamura, Mamoru; and Peteves, Stathis D.
Solid-state bonding of silicon nitride ceramics with nickel–chromium alloy interlayers. (5) 1221
Nakamura, Masahiko; Jyohzaki, Katsuhito; Kimura, Takatoshi; and Ida, Kazuo
Ceramic dental molds for the precision casting of titanium and titanium alloys: I, Relationship between particle-size distribution of aggregates and mold expansion. (1) 35
Nakamura, Miki See Nasu, Hiroyuki
Nakamura, T. See Suresh, Subra
Nakayama, Sadao See Noguchi, Kenichi
Narula, Chaitanya K. See Lindquist, David A.
Narushima, Takayuki; Goto, Takashi; Iguchi, Yasutaka; and Hirai, Toshio
High-temperature oxidation of chemically vapor-deposited silicon carbide in wet oxygen at 1823 to 1923 K. (12) 3580
Nasu, Hiroyuki; Kubodera, Kenichi; Kobayashi, Masaki; Nakamura, Miki; and Kamiya, Kanichi
Third-harmonic generation from some chalcogenide glasses. (6) 1794
Natarajan, Govindarajan See Boddu, Mallu V.
Navrotsky, Alexandra See De Yoreo, James J.
Neergaard, Lynn J. See Homeny, Joseph
Nemat-Nasser, S. See Rogers, Wayne P.
Netherwood, P. H., Jr. See Kecskes, L. J.
Nevitt, Michael V.; Fang, Yue; and Chan, Sai-Kit
Heat capacity of monoclinic zirconia between 2.75 and 350 K. (8) 2502
Newnham, Robert E. See Haertling, Carol L.; Sullivan, Robert J.; McLachlan, David S.; Xue, W. R.; Yoshikawa, Shoko
Nicholson, Patrick S.
Constant-K_I double-cantilever-beam test for ceramic materials. (6) 1800; See also Sung, Jason; Troczynski, Thomas B.
Nielsen, Lauge Fuglsang
Strength and stiffness of porous materials. (9) 2684
Niller, Andrus See Kecskes, Laszlo J.
Nishijima, Tomoaki See Kamiya, Kanichi
Nishino, Tadashi See Nagai, Masayuki
Nishioka, Mamoru; Hirai, Shoji; Yanagisawa, Kazumichi; and Yamasaki, Nakamichi
Solidification of glass powder with simulated high-level radioactive waste during hydrothermal hot-pressing. (2) 317
Nogami, Masayuki; Nagaska, Katsumi; and Kato, Etsuro
Preparation of small-particle-size, semiconductor CdS-doped silica glasses by the sol-gel process. (7) 2097
Noguchi, Kenichi; Matsuda, Yukihisa; Oishi, Manabu; Masaki, Takaki; Nakayama, Sadao; and Mizushina, Masahiro
Strength analysis of yttria-stabilized tetragonal zirconia polycrystals. (9) 2667
Nomura, Tsuyoshi See Hikichi, Tasuo
Nonami, Tooru See Wakai, Fumihiro
Nonat, Andre See Damidot, Denis
Nortier, Patrice See Hebrard, Jean-Luc
Novich, Bruce E.; and Pyatt, Dale H.
Consolidation behavior of high-performance ceramic suspensions. (2) 207
Nowotny, Janusz; and Rekas, Mieczyslaw
Defect equilibria and transport in $YBa_2Cu_3O_{7-\delta}$ at elevated temperatures: II, Nonstoichiometry. (4) 1048; Defect equilibria and transport in $YBa_2Cu_3O_{7-\delta}$ at elevated temperatures: III, Defect model and conductivity mechanism. (4) 1054
Nowotny, Janusz; Rekas, Mieczyslaw; and Weppner, W.
Defect equilibria and transport in $YBa_2Cu_3O_{7-\delta}$ at elevated temperatures: I, Thermopower, electrical conductivity, and galvanic cell studies. (4) 1040
Nukaga, Kiyoshi See Mitamura, Hisayoshi
O'Brien, Michael H.; and Akinc, Mufit
Reduction in aluminum alloy attack on aluminosilicate refractories by addition of rare-earth oxides. (3) 491
O'Bryan, H. M.; Gyorgy, E. M.; and Rhodes, W. W.
Effect of praseodymium and uranium addition on the J_c of $Ba_2YCu_3O_7$. (12) 3698
O'Dowd, N. P. See Suresh, Subra
O'Handley, Robert C. See De Guire, Mark R.
O'Toole, Michael P. See Card, Roger J.; Waller, David J.
Ochiai, Shojiro See Zhang, Wei
Odawara, Osamu
Long ceramic-lined pipes produced by a centrifugal-thermit process. (3) 629
Oden, Laurance L.; and McCune, R. A.
Contribution to the phase diagram Al_4C_3–AlN–SiC. (6) 1529
Ogawa, Toru; and Fukuda, Kousaku
Quick analysis of free carbon in metal carbide by plasma oxidation. (8) 2558
Ohki, Tomohiro See Komatsu, Takayuki
Ohno, Hideo See Ishitsuka, Masayuki; Konishi, Satoshi
Ohtaka, Osamu; Kume, Shoichi; and Ito, Eiji
Stability field of cotunnite-type zirconia. (3) 744
Ohtsuka, Kunio; Koga, Johji; Tsunoda, Masakiyo; Suda, Mitsuru; and Ono, Mikiya
Epitaxial growth of nickel(II) hydroxide on layer silicate and derived nickel-(layer silicate) nanocomposite. (6) 1719
Ohuchi, Fumio S. See French, Roger H.
Okada, Akira; Hirosaki, Naoto; and Yoshimura, Masahiro
Subcritical crack growth in sintered silicon nitride exhibiting a rising R-curve. (7) 2095
Okamoto, Taira See Pezzotti, Giuseppe
Okubo, Tatsuya; Kawamura, Hiroyuki; Kusakabe, Katsuki; and Morooka, Shigeharu
Plasma nitriding of titanium particles in a fluidized bed reactor at a reduced pressure. (5) 1150
Okuno, Kenji See Konishi, Satoshi
Okushi, Hideyo See Tanaka, Junzo
Oishi, Manabu See Noguchi, Kenichi
Ono, Mikiya See Ohtsuka, Kunio
Orr, Keun-Ko See Shin, Dong-Woo
Osamura, Kozo See Zhang, Wei
Ota, Toshitaka See Yoshikawa, Shoko
Otani, Suglo See Oya, Asao
Oya, Asao; Sato, Akinori; Hanaoka, Hirokazu; and Otani, Suglo
Properties of taeniolite/acriflavine complex film before and after carbonization: Effect of acriflavine content. (3) 689
Paesler, Michael A. See Srinivasan, Sreeram
Page, Richard A. See Blanchard, Cheryl R.
Page, Richard A.; Chan, Kwai S.; Davidson, David L.; and Lankford, James
Micromechanics of creep-crack growth in a glass-ceramic. (10) 2977
Paine, Robert T. See Lindquist, David A.; Rye, Robert R.
Pak, Jong Jin See Santella, Michael L.
Panda, J. D. See Goswami, G.
Panda, Prakash C. See Sura, Vivek M.
Pantano, Carlo G. See Gonzalez, Armando C.; Zhang, Hanxi
Papet, Phillippe See Shrout, Thomas R.
Park, C. See Park, Dong S.
Park, Chan See Kim, Jeong-Joo
Park, Dong S.; McNallan, Michael J.; Park, C.; and Liang, Winston W.
Active corrosion of sintered α-silicon carbide in oxygen-chlorine gases at elevated temperatures. (5) 1323
Park, Hee Dong See Luthra, Krishan L.
Park, Soon-Ja See Lee, Jong-Heun
Parker, Fred J.
Al_2TiO_5–$ZrTiO_4$–ZrO_2 composites: A new family of low-thermal-expansion ceramics. (4) 929
Parker, John C.; Gelser, Urs W.; Lam, Daniel J.; Xu, Yongnian; and Ching, Wai-Yiu
Optical properties of the vanadium oxides VO_2 and V_2O_5. (11) 3206
Parker, Stephen C. See Cormack, Alastair N.
Parry-Jones, Gwilym See Al-Dulaijan, Salah U.
Pascucci, Marina R. See Cook, Robert F.
Pask, Joseph A. See Loehman, Ronald E.
Pathmamanoharan, C. See Buining, Paul A.
Patrick, Valerie; and Gavalas, George
Structure and reduction of mixed copper-aluminum oxide. (2) 358
Patterson, Burton R.; and Lu, Yixiong
Method for quantifying grain boundary-pore contact during sintering. (12) 3703
Payne, David A. See Desu, Seshu B.; Howard, Kevin E.; Ramamurthi, Sangeeta D.
Pehlke, Robert D. See Ho, Kai
Peng, Cheng-Jien See Ting, Ching-Jui
Peng, Gang See Li, Jian-bao
Penugonda, Madhusudhan R.; Virkar, Anil V.; and Shetty, Dinesh K.
Prediction of crack paths in particulate composites using electrical analog. (2) 340
Perez-Jubindo, Miguel A. See de Dios Solier, Juan
Persson, Jeanette See Ekstrom, Thommy
Peters, Charles R. See Carduner, Keith R.
Peteves, Stathis D. See Nakamura, Mamoru
Petrovic, John J. See Unal, Ozer
Pettit, Fred S. See Lawson, Mark G.
Petzow, Gunter See Aslan, Mesut; Lee, Dong-Duk
Peytour, Claude See Barbier, Francoise
Pezzotti, Giuseppe; Tanaka, Isao; and Okamoto, Taira
Si_3N_4/SiC-whisker composites without sintering aids: I, Quantitative evaluation of microstructure. (10) 3033; Si_3N_4/SiC-whisker composites without sintering aids: II, Fracture behavior. (10) 3039
Pfeiffer, Gerrard See Srinivasan, Sreeram
Pharr, George M. See Cook, Robert F.
Philipse, Albert P.; Bonekamp, Ben C.; and Veringa, Hubert J.
Colloidal filtration and (simultaneous) sedimentation of alumina and silica suspensions: Influence of aggregates. (9) 2720
Phillpot, Simon R.; and Wolf, Dieter
Grain boundaries in silicon from zero temperature through melting. (4) 933
Phoenix, S. Leigh See Farquhar, Donald S.
Pieczulewski, Charles N.; Kirkpatrick, Kelly S.; and Mason, Thomas O.
1000 °C phase relations and superconductivity in the (Nd-Ce-Cu)-O ternary system. (7) 2141
Pieczulewski, Charles N.; McAdams, J. E.; and Mason, Thomas O.
Phase composition and compatibilities of 930° to 950 °C in the system europium(III) oxide-barium oxide-copper(II) oxide in air. (10) 3088
Pijolat, Michele See Hebrard, Jean-Luc
Pilgrim, Steven M.; Sutherland, Audrey E.; and Winzer, Stephen R.
Diffuseness as a useful parameter for relaxor ceramics. (10) 3122
Pirouz, Pirouz See Morscher, Gregory
Platz, Robert M. See Blum, Yigal D.
Plenio, Herbert See Seyferth, Dietmar

Porter, Jennifer L.; Vethanayagam, Thirukumar; Snyder, Robert L.; and Taylor, Jenifer A. T.
Reactivity of ceramic superconductors with palladium alloys. (6) 1760
Potkay, Eugene See Clark, Harold R.
Powell-Dogan, Cynthia A.; and Heuer, Arthur H.
Microstructure of 96% alumina ceramics: I, Characterization of the as-sintered materials. (12) 3670; Microstructure of 96% alumina ceramics: II, Crystallization of high-magnesia boundary glasses. (12) 3677; Microstructure of 96% alumina ceramics: III, Crystallization of high-calcia boundary glasses. (12) 3684
Pratsinis, Sotiris E.; Bai, Hebi; Biswas, Pratim; Frenklach, Michael; and Mastrangelo, Sebastian V. R.
Kinetics of titanium(IV) chloride oxidation. (7) 2158
Predecki, Paul See Abuhasan, Alias
Price, Jeffrey R. See Butt, Darryl P.
Provenzano, Paul L.; and White, William B.
New ternary phases in some alkaline-earth rare-earth sulfide systems. (6) 1766
Puszynski, Jan A. See Agrafiotis, Christos C.
Pyatt, Dale H. See Novich, Bruce E.
Quinn, George
Flexure strength of advanced structural ceramics: A round robin. (8) 2374
Rabin, Barry H.
Modified tape casting method for ceramic joining: Application to joining of silicon carbide. (9) 2757
Rabin, Barry H.; Korth, Gary E.; and Williamson, Richard L.
Fabrication of titanium carbide-alumina composites by combustion synthesis and subsequent dynamic consolidation. (7) 2156
Raeder, Christopher H.; and Knorr, David B.
Stability of $YBa_2Cu_3O_{7-x}$ in molten chloride salts. (8) 2407
Rahaman, Mohamed N.; and De Jonghe, Lutgard C.
Sintering of particulate composites under a uniaxial stress. (3) 602; Sintering of spherical glass powder under a uniaxial stress. (3) 707
Raith, Angelika See Kroenert, Wolfgang
Raj, Rishi See Agrawal, Dinesh C.; Cameron, Craig P.; Farquhar, Donald S.; Wang, Jenqdaw; Xue, Liang An
Raj, Subramanium V.; and Whittenberger, J. Daniel
Intergranular fracture of lithium fluoride–22% calcium fluoride hypereutectic salt at 800 K. (2) 403
Rai, Raghaw S. See Demczyk, Brian G.
Ramamurtha, Sangeeta D.; and Payne, David A.
Structural investigations of prehydrolyzed precursors used in the sol-gel processing of lead titanate. (8) 2547
Ramamurthi, Sangeeta D.; Xu, Zhengkui; and Payne, David A.
Nanometer-sized ZrO_2 particles prepared by a sol-emulsion-gel method. (9) 2760
Rathner, Roland C.; and Green, David J.
Joining of yttria-tetragonal zirconia polycrystal with an aluminum–zirconium alloy. (4) 1103
Raveau, Bernard See Aliouat, Mohamed
Ravindranathan, P.; Komarneni, Sridhar; and Roy, Rustum
Solid-state epitaxial effects in structurally diphasic xerogel of $Pb(Mg_{1/3}Nb_{2/3})O_3$. (4) 1024
Rawn, Claudia J. See Hwang, Nong M.
Ray, Chandra S. See Angel, Paul W.
Ray, Chandra S.; and Day, Delbert E.
Determining the nucleation rate curve for lithium disilicate glass by differential thermal analysis. (2) 439
Ray, Ian L. F. See Matzke, Hans-Joachim
Raymond, Mark V.; and Amarakoon, Vasantha R. W.
Microstructure and electrical properties of chemically prepared Nb_2O_5-doped $SrTiO_3$ ceramics. (5) 1308
Readey, Michael J. See Marshall, David B.
Readey, Michael J.; Lee, Ran-Rong; Halloran, John W.; and Heuer, Arthur H.
Processing and sintering of ultrafine MgO–ZrO_2 and (MgO, Y_2O_3)–ZrO_2 powders. (6) 1499
Reardon, Eric J.; and Dewaele, Paul
Chemical model for the carbonation of a grout/water slurry. (6) 1681
Reece, Michael; and Guiu, Frank
Repeated indentation method for studying cyclic fatigue in ceramics. (4) 1004
Reed, James S. See Zheng, Jingmin
Reichert, Bernard E. See Hill, Roderick J.
Reichert, Wolfgang See Solomah, Ahmad C.
Reidinger, Franz See Gasdaska, Charles J.
Reijnen, Piet J. L. See Hennings, Detlev, F. K.
Rekas, Mieczyslaw See Nowotny, Janusz
Relchl, A. See Steinbrech, Rolf W.
Renlund, Gary M. See Lay, Kenneth W.; Schmidt, Wayde R.
Revcolevschi, Alexandre See Barbier, Francoise; Dhalenne, Guy
Reyes-Morel, Patricio E.; and Chen, I-Wei
Stress-biased anisotropic microcracking in zirconia polycrystals. (4) 1026
Rhodes, James F. See Krause, Ralph F., Jr.
Rhodes, William H. See Brecher, Charles; Cook, Robert F.; Yan, Man F.
Rhodes, W. W. See O'Bryan, H. M.
Riccitiello, Salvator R. See Cagilostro, Domenick E.
Rice, Larry See Srinivasan, Ram
Rice, Roy W.
Effects of thermal expansion mismatch stresses on the room-temperature fracture of boron carbide. (10) 3116
Richardson, James T. See Morgan, Douglas
Richardson, Thomas J.; and De Jonghe, Lutgard C.
Traveling reaction zone method for preparation of textured ceramic superconductor thick films. (11) 3511
Ring, Terry A. See Bowen, Paul; Dirksen, James A.
Risbud, Subhash H. See Uberoi, Mohit
Ritchie, Robert O. See Dauskardt, Reinhold H.; Leary, Kevin J.; Marshall, David B.
Ritter, John E. See Chol, S. R.
Roberts, Ronald B. See Howard, Christopher J.
Rodel, Jurgen; and Glaeser, Andreas M.
Anisotropy of grain growth in alumina. (11) 3292; High-temperature healing of lithographically introduced cracks in sapphire. (3) 592; Pore drag and pore-boundary separation in alumina. (11) 3302
Rodel, Jurgen; Kelly, James F.; and Lawn, Brian R.
In situ measurements of bridged crack interfaces in the scanning electron microscope. (11) 3313
Rogers, Wayne P.; and Nemat-Nasser, S.
Transformation plasticity at high strain rate in magnesia-partially stabilized zirconia. (1) 136
Rogl, Peter; Klesnar, Helmuth; and Fischer, Peter
Neutron powder diffraction studies of Ce_3B_2N, and isotypic RE_3B_2N, compounds (RE = La, Pr, Nd, MM). (9) 2634
Rohrer, Gregory S.; and Bonnell, Dawn A.
Electrical properties of individual zinc oxide grain boundaries determined by spatially resolved tunneling spectroscopy. (10) 3026
Rohrer, Gregory S.; Bonnell, Dawn A.; and French, Roger H.
Detection of optically excited states in wide-band-gap semiconductors with tunneling spectroscopy. (11) 3257
Rokosz, Michael J. See Carduner, Keith R.
Rondinella, Vincenzo See Solomah, Ahmad C.
Rossetti, George A.; Udayakumar, K. R.; Haun, Michael J.; and Cross, L. Eric
Thermodynamic theory of single-crystal lead titanate with consideration of elastic boundary conditions. (11) 3334
Roth, Robert S. See Hwang, Nong M.
Routbort, Jules L. See Dominguez-Rodriguez, Arturo
Rowcliffe, David J. See Shockey, Donald A.
Roy, B. N.
Infrared spectroscopy of lead and alkaline-earth aluminosilicate glasses. (4) 846
Roy, Rustum See Alam, Mansoor; Ravindranathan, P.; Subbarao, Eleswarapu C.; Selvaraj, Ulagaraj
Ruhle, Manfred See Campbell, Geoffrey H.; Cao, H. C.; Heuer, Arthur H.
Rutz, Heidi L.; Day, Delbert E.; and Spencer, Charles F., Jr.
Properties of yttria–aluminoborate glasses. (6) 1788
Ryder, Daniel F., Jr. See Fenstermacher, Janet H.
Rye, Robert R.; Borek, Theodore T.; Lindquist, David A.; and Paine, Robert T.
Chemical reactions during the thermal processing of borazene polymers. (5) 1409
Rytz, Daniel See Schwartz, Robert N.
Sachon, Maria G. See Sanghera, Jasbinder S.
Sacks, Michael D. See Lee, Hae-Weon
Sacon, Maria G. See Sanghera, Jasbinder S.
Saeki, Goji See Watanabe, Akira
Saeki, Tatsuya See Nagai, Masayuki
Safari, Ahmad See Waller, David J.
Sagawa, Tamio See Mitamura, Hisayoshi
Saito, F. See Mitomo, M.
Saito, Katsuichi See Kim, Jin-Young; Uematsu, Keizo
Sakaguchi, Shuji See Wakai, Fumihiro
Sakai, Natsuko See Yokokawa, Harumi
Sakai, Yasuhiro See Hosono, Hideo
Sakaida, Yoshihisa See Awaji, Hideo
Sakamoto, Hiroshi See Kodama, Hironori
Sakuma, Takeio See Yoshizawa, Yuichi
Salib, Sherif; and Vipulanandan, Cumaraswamy
Property-porosity relationships for polymer-impregnated superconducting ceramic composite. (8) 2323
Sallese, Christopher W. See Subbarao, Eleswarapu C.
Saltzberg, Michael A.; and Hu, Yung-Haw
Metastable-phase formation during the crystallization of magnesium metaphosphate glass. (10) 2970
Sandhage, Kenneth H.; and Yurek, Gregory J.
Direct and indirect dissolution of sapphire in calcia-magnesia-alumina-silica-melts: Dissolution kinetics. (12) 3633; Indirect dissolution of sapphire into calcia-magnesia-alumina-silica melts: Electron microprobe analysis of the dissolution process. (12) 3643
Sanghera, Jasbinder S.; Hart, Patricia; Sachon, Maria G., Busse, Lynda; and Aggarwal, Ishwar
Effect of aluminum fluoride on the physical properties and stability of fluorozirconate and fluorozircohafnate glasses. (9) 2677
Sanghera, Jasbinder S.; Hart, Patricia; Sachon, Maria G.; Ewing, Ken J.; and Aggarwal, Ishwar
New fluorination reactions of ammonium bifluoride. (5) 1339
Sankaranarayanan, V. K.; and Gajbhiye, Namdeo S.
Low-temperature preparation of ultrafine rare-earth iron garnets. (5) 1301
Santella, Michael L.; Horton, Joseph A.; and Pak, Jong Jin
Microstructure of alumina brazed with a silver–copper–titanium alloy. (6) 1785
Santhanam, Sridhar; and Shaw, Milton C.
Determination of flaw-size distribution by the crack-off process. (10) 2922
Sarkar, Asok K.; Kozlowski, Gregory; and Maartense, Iman
Superconductive properties of the $YBa_2Cu_4O_8$ superconductor. (10) 3110
Sasaki, Hideaki; Kobayashi, Yoshio; Muto, Shinichi; and Kurokawa, Youichi
Preparation and photoproperties of a transparent alumina film doped with energy-transfer-type laser dye pair. (2) 453
Sato, Akinori See Oya, Asao
Sato, Robert K.; Bolvin, Jacques; and McMillan, Paul F.
Synthesis and characterization of a SiAlON glass. (8) 2494
Sato, Tatsunori See Hattori, Takeo
Sato, Tsugio See Ishitsuka, Masayuki
Sawai, Sumiichi See Kondo, Kenichi
Sawai, Sumiichi; and Kondo, Kenichi
Essential factors for shock compaction of diamond composites. (8) 2428
Sawaoka, Akira B. See Yoshimoto, Mamoru
Saylak, Donald See Gadalla, Ahmed M.
Sbaizero, Orfeo See Cao, H. C.
Sbaizero, Orfeo; Charalambides, Panos G.; and Evans, Anthony G.
Delamination cracking in a laminated ceramic-matrix composite. (7) 1936
Scattergood, Ronald O. See Blackley, Winston S.; Blake, Peter N.; Srinivasan, Sreeram
Schaarwaechter, W. See Steinbrech, Rolf W.
Schaeffer, Riley See Lindquist, David A.
Scherer, George W.
Theory of drying. (1) 3
Schields, Paul J. See Czekaj, Corinna L.
Schmidt, Wayde R.; Sukumar, Vijay; Hurley, William J., Jr.; Garcia, Roberto; Doremus, Robert H.; Interrante, Leonard V.; and Renlund, Gary M.
Silicon nitride derived from an organometallic polymeric precursor: Preparation and characterization. (8) 2412
Schneider, Hartmut; and Eberhard, Emil
Thermal expansion of mullite. (7) 2073
Scholin, Kent See Breder, Kristin
Scholtes, Berthold See Iancu, Otto T.
Schreiber, Henry D.; Harville, Tina R.; and Damron, Gerald N.
Redox-controlled solubility of palladium in a borosilicate glass melt. (5) 1435
Schubert, Helmut See Shin, Dong-Woo
Schulze, Klaus See Aslan, Mesut
Schulze, Walter A. See Landin, Steven M.; Wang, Hui-Chieh; Xue, W. R.
Schwabel, Mark G. See Caso, Gary B.
Schwartz, Robert N.; Wechsler, Barry A.; and Rytz, Daniel
Electron paramagnetic resonance, optical, and electronic structure studies of photorefractive barium titanate. (11) 3200
Scott, William D. See Toy, Cetin
Scudeller, Luis A. M.; Longo, Elson; and Varela, Jose A.
Potassium vapor attack in refractories of the alumina–silica system. (5) 1413
Seaman, Lynn See Shockey, Donald A.
Seatonberry, Brian W. See Matzke, Hans-Joachim
Selvaraj, Ulagaraj; Komarneni, Sridhar; and Roy, Rustum
Synthesis of glasslike cordierite from metal alkoxides and characterization by ^{27}Al and ^{29}Si MASNMR. (12) 3663
Senda, Tetsuya; and Bradt, Richard C.
Grain growth in sintered ZnO and ZnO-Bi_2O_3 ceramics. (1) 106
Seyferth, Dietmar; and Plenio, Herbert
Borasilazane polymeric precursors for borosilicon nitride. (7) 2131
Shafer, Merrill W. See Takamori, Takeshi
Shanefield, Daniel J. See Van Rijswijk, W.
Shapiro, Alexander See Kim, Jeong-Joo
Shaw, Michael C. See Marshall, David B.
Shaw, Milton C. See Santhanam, Sridhar
Sheckler, Chad A.; and Dinger, Dennis R.
Effect of particle size distribution on the melting of soda–lime–silica glass. (1) 24
Shei, Cheng-Yei See Huang, Yao-Tsung
Shelby, James E. See Balewick, Laura Ann; Coon, Jeffrey; Jewell, John M.
Shelby, James E.; and Kohli, Jeffrey T.
Rare-earth aluminosilicate glasses. (1) 39
Shelby, James E.; and Lord, Christine E.
Formation and properties of calcia–calcium fluoride–alumina glasses. (3) 750
Shen, Jiagi See Ding, Shengping
Shetty, Dinesh K. See Chao, Luen-Yuan; Penugonda, Madhusudhan R.; Tsai, Jing-Fong; Singh, Dileep
Shih, C. F. See Suresh, S.
Shimada, Masahiko See Ishitsuka, Masayuki
Shimada, Shiro; and Ishii, Tadao
Oxidation kinetics of zirconium carbide at relatively low temperatures. (10) 2804
Shimizu, Yasuhiro; Kusano, Shuji; Kuwayama, Hiroyuki; Tanaka, Katsuyuki; and Egashira, Makoto
Oxygen-sensing properties of spinel-type oxides for stoichiometric air/fuel combustion control. (4) 818
Shin, Dong-Woo; Orr, Keun-Ko; and Schubert, Helmut
Microstructure-mechanical property relationships in hot isostatically pressed alumina and zirconia-toughened alumina. (5) 1181
Shinozaki, Kazuo See Mizutani, Nobuyasu
Shinozaki, Sam S. See Carduner, Keith R.
Shockey, Donald A.; Rowcliffe, David J.; Dao, Kim C.; and Seaman, Lynn
Particle impact damage in silicon nitride. (6) 1613
Shrout, Thomas R. See Kim, Namchul

Shrout, Thomas R.; Papet, Phillippe; Kim, Sunuk; and Lee, Gye-Song
Conventionally prepared submicrometer lead-based perovskite powders by reactive calcination. (7) 1862
Shyu, Jiin-Jyh; and Wu, Jenn-Ming
Crystallization of $MgO–CaO–SiO_2–P_2O_5$ glass. (4) 1062
Si, Zhong-Yao See Xian, Al-Ping
Sigel, Gary A. See Czekaj, Corinna L.
Silverman, Lance D.; Zdaniewski, Wieslaw A.; and Brungard, Nancy L.
Ceramic coatings on ceramic substrates by liquid metal transfer. (9) 2753
Simpson, Yonn K.; and Carter, C. Barry
Faceting behavior of alumina in the presence of a glass. (8) 2391
Sindel, Manfred; Travitzky, Nahum A.; and Claussen, Nils
Influence of magnesium-aluminum spinel on the directed oxidation of molten aluminum alloys. (9) 2615
Singh, Awadhesh K. See Singh, Nakshatra B.
Singh, Dileep; and Shetty, Dinesh K.
Subcritical crack growth in soda-lime glass in combined Mode I and Mode II loading. (12) 3597
Singh, Nakshatra B.; Singh, Awadhesh K.; and Singh, Shashi Prabha
Hydration study of the system $Ca_3Al_2O_6$-$CaSO_4{\cdot}2H_2O$-$Ca(OH)_2$-H_2O with and without citric acid. (10) 3063
Singh, Raj N.
High-temperature mechanical properties of a uniaxially reinforced zircon-silicon carbide composite. (8) 2399; Influence of interfacial shear stress on first-matrix cracking stress in ceramic-matrix composites. (10) 2930
Singh, Shashi Prabha See Singh, Nakshatra B.
Singh, Vipin K.; Ali, Mohammad M.; and Mandal, Upendra K.
Formation kinetics of calcium aluminates. (4) 872
Slack, Glen A. See Czekaj, Corinna L.
Slamovich, Elliott B.; and Lange, Frederick F.
Densification behavior of single-crystal and polycrystalline spherical particles of zirconia. (11) 3368
Smart, Roger St. C. See Buykx, William J.
Smeggil, John G. See Strife, James R.
Smialek, James L. See Fox, Dennis S.
Smith, Agnes; Gasgnier, Gilles; and Abelard, Pierre
Voltage–current characteristics of a simple zinc oxide varistor containing magnesia. (4) 1098
Smith, Arlynn W. See Twait, D. J.
Smith, Douglas M. See Hietala, Susan L.; Lindquist, David A.
Smith, Katherine L. See Buykx, William J.
Smyth, Imelda P. See Clark, Harold R.
Snyder, Robert L. See Porter, Jennifer L.
Soga, Naohiro See Tanabe, Setsuhisa
Sohn, Hong Y. See Wall, Donald R.
Sohn, Hong Y.; and Wall, Donald R.
Removal of carbonaceous residue with wet hydrogen in greensheet processing for multilayer ceramic module: II, Reaction in large modules influenced by pore diffusion and mass transfer. (10) 2953
Solomah, Ahmad C.; Reichert, Wolfgang; Rondinella, Vincenzo; Esposito, Leonardo; and Toscano, Enrique
Mechanical properties, thermal shock resistance, and thermal stability of zirconia-toughened alumina-10 vol% silicon carbide whisker ceramic matrix composite. (3) 740
Soma, Takao See Tsuruta, Hideyoshi
Soman, Rajiv S. See Macinnes, Andrew N.
Sommers, James A. See Su, Han-Tzong
Song, Huesup See French, Roger H.
Song, Huesup; and Coble, Robert L.
Morphology of platelike abnormal grains in liquid-phase-sintered alumina. (7) 2086; Origin and growth kinetics of platelike abnormal grains in liquid-phase-sintered alumina. (7) 2077
Song, Jin Soo See Choi, Byung Ho
Song, Kang-Ho; Liu, Hua-kun; Dou, Shi-xue; and Sorrell, Charles C.
Rapid formation of the 110 K phase in Bi-Pb-Sr-Ca-Cu-O through freeze-drying powder processing. (6) 1771
Sorrell, Charles C. See Song, Kang-Ho; Zhou, Ji-Ping
Soustelle, Michael See Hebrard, Jean-Luc
Spalek, Jozef See Honig, Jurgen M.
Spann, Joseph R.; Lloyd, Isabel K.; Kahn, Manfred; and Chase, Mark T.
Preparation of orthorhombic $Ba_2YCu_3O_7$ powder by single-step calcining. (2) 435
Sparks, Ronald G. See Srinivasan, Sreeram
Spencer, Charles F., Jr. See Rutz, Heidi L.
Spess, Marie S. See Jewell, John M.
Speyer, Robert F. See Hong, Kug Sun; Hsu, Jen-Yan
Srinivasan, Ram; and Davis, Burtron H.
Crystallization exotherms of zirconia-hafnia mixtures. (6) 1780
Srinivasan, Ram; Rice, Larry; and Davis, Burtron H.
Critical particle size and phase transformation in zirconia: Transmission electron microscopy and X-ray diffraction studies. (11) 3528
Srinivasan, Sreeram; Scattergood, Ronald O.; Pfeiffer, Gerrard; Sparks, Ronald G.; and Paesler, Michael A.
Low-temperature treatment of transformation-toughened partially stabilized magnesia-doped zirconia—A solid particle erosion study. (5) 1421
Srinivasan, Thallam T. See Sullivan, Robert J.
Srolovitz, David J. See Chen, I-Wei; Hassold, Gregory N.
Stawicki, Robert P. See Clark, Harold R.
Stearns, Laura C.; Harmer, Martin P.; and Chan, Helen M.
Effects of inclusions on the sintering behavior of $YBa_2Cu_3O_{6+x}$. (9) 2740
Steinbrech, Rolf W. See Inghels, Eric
Steinbrech, Rolf W.; Inghels, Eric; and Heuer, Arthur H.
Residual displacement effects during crack propagation in high-toughness magnesia-partially-stabilized zirconia. (7) 2016
Steinbrech, Rolf W.; Reichl, A.; and Schaarwaechter, W.
R-curve behavior of long cracks in alumina. (7) 2009
Stevens, Geoffrey T. See Buykx, William J.
Stoller, Roger E.
Preliminary model of radiation damage in ceramics. (8) 2446
Strife, James R.; Smeggil, John G.; and Worrell, Wayne L.
Reaction of iridium with metal carbides in the temperature range of 1923 to 2400 K. (4) 838
Stubican, Vladimir S. See DeBastiani, Duane L.; Lin, Chang-ming
Su, Han-Tzong; Wang, Ruiping; Fuchs, Heinz; Gardner, John A.; Evenson, William E.; and Sommers, James A.
Study of oxygen vacancies in ceramics by perturbed angular correlation spectroscopy. (11) 3215
Su, Ming-Yih; Cooper, E. A.; Elsbernd, Christine E.; and Mason, Thomas O.
High-temperature defect structure of lanthanum cuprate. (11) 3453
Su, Ming-Yih; Elsbernd, Christine E.; and Mason, Thomas O.
Jonker "pear" analysis of oxide superconductors. (2) 415
Subbarao, Eleswarapu C.; Agrawal, Dinesh K.; McKinstry, Herbert A.; Sallese, Christopher W.; and Roy, Rustum
Thermal expansion of compounds of zircon structure. (5) 1246
Subramanian, K. N. See Valdya, Rajendra U.
Suda, Mitsuru See Ohtsuka, Kunio
Suib, Steven See Kmetz, Michael
Sukumar, Vijay See Schmidt, Wayde R.
Sullivan, Robert J.; Srinivasan, Thallam T.; and Newnham, Robert E.
Synthesis of V_2O_5 powder by evaporative decomposition of solutions and H_2 reduction. (12) 3715
Sumiyoshi, Yoshihiro; and Ushio, Masumi
Growth of β-alumina ($Na_2O{\cdot}11Al_2O_3$) single crystals by the flux method. (10) 3015
Sundaresan, S.; and Aksay, Ilhan A.
Sintering with rigid inclusions: Pair interactions. (1) 54
Sung, Hsiao-Miin See Wu, Jenn-Ming
Sung, Jason; and Nicholson, Patrick S.
Inclusion-initiated fracture model for ceramics. (3) 639; Residual-stress–defect-severity relationships in ceramics. (5) 1318
Sura, Vivek M.; and Panda, Prakash C.
Viscosity of porous glasses. (9) 2697
Suresh, Subra; Nakamura, T.; Yeshurun, Y.; Yang, Kwon-Ho; and Duffy, J.
Tensile fracture toughness of ceramic materials: Effects of dynamic loading and elevated temperatures. (8) 2457
Suresh, Subra; Shih, C. F.; Morrone, A.; and O'Dowd, N. P.
Mixed-mode fracture toughness of ceramic materials. (5) 1257
Suryanarayana, Darbha
Oxidation kinetics of aluminum nitride. (4) 1108
Susnitzky, David W.; and Carter, C. Barry
Structure of alumina grain boundaries prepared with and without a thin amorphous intergranular film. (8) 2485
Sutherland, Audrey E. See Pilgrim, Steven M.
Suzuki, Suguru See Hikichi, Tasuo
Suzuki, Takaaki See Kodama, Hironori; Miyake, Michihiro
Suzuki, Tetsuya; Yano, Toyohiko; Iseki, Takayoshi; and Mori, Tsutomu
Effects of external stress on defect annihilation and bubble swelling during annealing of neutron-irradiated silicon carbide. (8) 2435
Swain, Michael V.
R-curve behavior and thermal shock resistance of ceramics. (3) 621; See also Badwal, Sukhvinder P. S.
Szuba, Jadwiga See Grzeszczyk, Stefania
Tabernero, Leonor See Miranzo, Pilar
Tadayyoni, M. Azar See Dando, Neal R.
Tagashira, Koichiro See Ikeda, Kiyohiko
Tai, Nyan-Hwa; and Chou, Tsu-Wei
Modeling of an improved chemical vapor infiltration process for ceramic composites fabrication. (6) 1489
Takagi, Touichi See Chiang, Yet-Ming
Takamori, Takeshi
The system Bi_2O_3-SiO_2. (1) 158
Takamori, Takeshi; and Shafer, Merrill W.
Phase transformation kinetics in the system bismuth oxide-zirconia. (5) 1453
Takeuchi, Yoshimitsu See Watanabe, Akira
Tamaura, Yutaka; Kodama, Tatsuya; and Itoh, Tomoyuki
High-vacancy-content magnetites and zinc-bearing ferrites from iron(III) tartrate in strongly alkaline solution. (8) 2539
Tanabe, Setsuhisa; Soga, Naohiro; Hirao, Kazuyuki; and Hanada, Teiichi
Physical properties and structure of silica–alumina–europium oxide glasses. (6) 1733
Tanaka, Hidehiko See Mitomo, Mamoru
Tanaka, Hidehiko; and Bando, Yoshio
Atomic crack tips in silicon carbide and silicon crystals. (3) 761
Tanaka, Isao See Pezzotti, Giuseppe; Zeng, Jianren
Tanaka, Junzo; Hishita, Shun-ichi; and Okushi, Hideyo
Deep levels near the grain boundary in a zinc oxide varistor: Energy change due to electrical degradation. (5) 1425
Tanaka, Katsuhisa See Kamiya, Kanichi
Tanaka, Katsuyuki See Shimizu, Yasuhiro
Tanaka, Satoru; and Komiyama, Hiroshi
Growth mechanism of silicon carbide films by chemical vapor deposition below 1273 K. (10) 3046
Tandon, Rajan; and Green, David J.
Indentation behavior of ion-exchanged glasses. (4) 970; Residual stress determination using strain gage measurements. (9) 2628
Tandon, Rajan; Green, David J.; and Cook, Robert F.
Surface stress effects on indentation fracture sequences. (9) 2619
Tanigawa, Yoshinobu See Ikeda, Kiyohiko
Tanimura, Yoshiya See Hikichi, Tasuo
Tanous, Adam C. See Dupon, Ryan W.
Tashiro, Shingo See Mitamura, Hisayoshi
Taya, Minoru; Hayashi, S.; Kobayashi, Albert S.; and Yoon, H. S.
Toughening of a particulate-reinforced ceramic-matrix composite by thermal residual stress. (5) 1382
Taylor, Jenifer A. T. See Porter, Jennifer L.
Teigs, Terry N. See Becher, Paul
Teter, Michael P. See Allan, Douglas C.
Thiele, Hartmut See Matzke, Hans-Joachim
Thomas, Gareth See Callahan, Daniel L.; Cinibulk, Michael K.; Demczyk, Brian G.
Thompson, Mark S. See Dupon, Ryan W.
Thomson, William J. See Cope-Anderson, Rachel; Li, Dong X.
Thouless, Michael D.
Crack spacing in brittle films on elastic substrates. (7) 2144; See also Cao, Hengchu
Thromat, Nathalie See Duraud, Jean-Paul
Tiegs, Terry N. See McCluskey, Philip H.
Tiegs, Terry N.; and Dillard, D. Matt
Effect of aspect ratio and liquid-phase content on densification of alumina–silicon carbide whisker composites. (5) 1440
Ting, Ching-Jui; Peng, Cheng-Jien; Lu, Hong-Yang; and Wu, Shian-Tyan
Lanthanum-magnesium and lanthanum-manganese donor-acceptor-codoped semiconducting barium titanate. (2) 329
Togashi, Yoshihiro See Mitamura, Hisayoshi
Tohge, Noboru See Matsuda, Atsunori
Tome, Carlos N.; Bertinetti, Maria A.; and MacEwen, Stuart R.
Correlation between neutron diffraction measurements and thermal stresses in a silicon carbide/alumina composite. (11) 3428
Tomozawa, Minoru See Han, Won-Taek
Tomsia, Antoni P. See Loehman, Ronald E.
Toscano, Enrique See Solomah, Ahmad C.
Toshihiro, Togaya, See Nakamura, Masahiko
Toy, Cetin; and Scott, William D.
Ceramic–metal composite produced by melt infiltration. (1) 97
Trambukis, Joanne; and Munir, Zuhair A.
Effect of particle dispersion on the mechanism of combustion synthesis of titanium silicide. (5) 1240
Travitzky, Nahum A. See Sindel, Manfred
Trisoglio, Claudio See Matzke, Hans-Joachim
Troczynski, Thomas B.; and Nicholson, Patrick S.
Stress corrosion cracking of bioactive glass composites. (1) 164
Trojan, Miroslav
Synthesis of gray zirconium silicate pigments from zircon mineral. (10) 2892
Tsai, Jing-Fong; Yu, Cheng-Sheng; and Shetty, Dinesh K.
Fatigue crack propagation in ceria-partially-stabilized zirconia (Ce-TZP)-alumina composites. (10) 2992
Tseng, Tseung-Yuen See Chen, Fueng-He; Wang, Shiang-Hua; Yeh, Yuan-Chang
Tsong, Ignetius S. T. See Chang, Chia-Seng
Tsunatori, Hideo See Ismail, Mohamed G. M. U.
Tsuno, Toshio See Matsuda, Atsunori
Tsunoda, Masakiyo See Ohtsuka, Kunio
Tsurumi, Takaaki; Ichihara, Takashi; Asaga, Kiyoshi; and Diamon, Masaki
Admittance-curve-fitting method for semiconductive piezoelectric ceramics. (5) 1330
Tsuruta, Hideyoshi; Masuda, Masaaki; Soma, Takao; and Hanada, Teiichi
Foreign object damage resistance of silicon nitride and silicon carbide. (6) 1714
Tsutsumi, M. See Mitomo, Mamoru
Tsuzuki, Kaoru See Yoshikawa, Yoshio
Tucker, Dennis S.
Dynamic fatigue of a lithia-alumina-silica glass-ceramic. (8) 2528
Tuller, Harry L. See Choi, Gyeong M.; Kim, Jin-Ho
Turner, Gary L. See Brow, Richard K.
Tvergaard, Viggo See Ghahremani, Fariborz
Twait, D. J.; Lackey, W. J.; Smith, Arlynn W.; Lee, Woo Y.; and Hanigofsky, John A.
Thermodynamic analysis of chemical vapor deposition of BN + AlN composite coatings. (6) 1510
Twiggs, S. Warren; Hashinger, Delora T.; and Fairhurst, Carl W.
Viscosities of porcelains formulated from the Weinstein patent. (2) 446

Uberoi, Mohit; and Risbud, Subhash H.
Processing of amorphous calcium aluminate powders at <900 °C. (6) 1768
Uchida, Nozomu See Kim, Jin-Young; Uematsu, Keizo
Udayakumar, K. R. See Rossetti, George A.
Uematsu, Keizo See Kim, Jin-Young
Uematsu, Keizo; Itakura, Kazuhisa; Uchida, Nozomu; Miyamoto, Akira; and Miyashita, Tsuneo
Hot isostatic pressing of alumina and examination of the hot isostatic pressing map. (1) 74
Uematsu, Keizo; Kim, Jin-Young; Miyashita, Masayori; Uchida, Nozomu; and Saito, Katsuichi
Direct observation of internal structure in spray-dried alumina granules. (8) 2555
Uenosono, S. See Mitomo, M.
Uhlmann, Donald R. See Fabes, B. D.
Ulicny, J. C. See Barone, M. R.
Ullner, Christian; and Gehrke, Eckhard
Mechanism of mechanical strength increase of soda-lime glass by aging—comment. (5) 1461
Umeya, Kazumasa See Wang, Da Yu
Unal, Ozer; Petrovic, John J.; Carter, David H.; and Mitchell, T. E.
Dislocations and plastic deformation in molybdenum disilicide. (6) 1752
Ushio, Masumi See Sumiyoshi, Yoshihiro
Valdya, Rajendra U.; and Subramanian, K. N.
Effect of ribbon orientation on the fracture toughness of a metallic-glass-ribbon-reinforced glass-ceramic matrix composite. (10) 2962
Valenzuela, Raul See Irvine, John T. S.
Valone, Steven M. See Currier, Robert P.
Van Rijswijk, W.; and Shanefield, Daniel J.
Effects of carbon as a sintering aid in silicon carbide. (1) 148
van Roode, Mark See Butt, Darryl P.
VanValzah, Janet R. See Homeny, Joseph
Varela, Jose A. See Scudeller, Luis A. M.
Varma, Harikrishna; Mukundan, Poothayil; Warrier, Krishna G.; Damodaran, Alathoor D.; and Balachandran, Uthamm
Metal nitrate-urea decomposition route for Y-Ba-Cu-O powder. (10) 3103
Varma, Harikrishna; Mukundan, Poothayil; and Warrier, Krishna G.
Nonaqueous cold extrusion as a route for yttrium barium copper oxide wires. (10) 3100
Varshneya, Arun K. See Jain, Vijay
Vaughn, Wallace L. See Homeny, Joseph
Vaughn, Wallace L.; and Maahs, Howard G.
Active-to-passive transition in the oxidation of silicon carbide and silicon nitride in air. (6) 1540
Velamakanni, Bhaskar V. See Lange, Fred F.
Veltri, Richard D.; and Galasso, Francis S.
Chemical-vapor-infiltrated silicon nitride, boron nitride, and silicon carbide matrix composites. (7) 2137
Veringa, Hubert J. See Philipse, Albert P.
Verweij, H.; and Bruggink, W. H. M.
Reaction-controlled binder burnout of ceramic multilayer capacitors. (2) 226
Vethanayagam, Thirukumar See Porter, Jennifer L.
Vipulanandan, Cumaraswamy See Salib, Sherif
Virkar, Anil V.
Determination of residual stress profile using a strain gage technique. (7) 2100; See also Jou, Zuei Chown; Kuo, Shih-Yee; Mehta, Karun; Penugonda, Madhusudhan R.; Jue, Jan Fong
Virkar, Anil V.; Nachlas, Jesse; Joshi, Ashok V.; and Diamond, Jordan
Internal precipitation of molecular oxygen and electromechanical failure or zirconia solid electrolytes. (11) 3382
Viskanta, Raymond See Field, Robert E.
Viswanath, Dabir S. See Boddu, Mallu V.
Vivien, Daniel See Wang, Xiao Hong
Voigt, Jim A. See Aselage, Terry L.
Wachtman, John B. See Ashkin, Daniel; Kalman, Zwi H.
Wada, Takahiro See Adachi, Seiji
Wakai, Fumihiro See Nagano, Takayuki
Wakai, Fumihiro; Kodama, Yasuharu; Sakaguchi, Shuji; and Nonami, Tooru
Superplasticity of hot isostatically pressed hydroxyapatite. (2) 457
Walden, Barbara L. See Bliss, Mary
Walker, Clive T. See Matzke, Hans-Joachim
Walker, Fred J. See Alexander, Kathleen B.
Wall, Donald R. See Sohn, Hong Y.
Wall, Donald R.; and Sohn, Hong Y.
Removal of carbonaceous residue with wet hydrogen in greensheet for multilayer ceramic module: I, Residue formation and intrinsic chemical kinetics. (10) 2944
Waller, David J.; Safari, Ahmad; Card, Roger J.; and O'Toole, Michael P.
Lead zirconate titanate fiber/polymer composites prepared by a replication process. (11) 3503
Wang, Chien-Min See Chen, San-Yuan
Wang, Da Yu; and Umeya, Kazumasa
Depletion-layer dielectric properties of positive temperature coefficient of resistance barium titanate. (6) 1574; Electrical properties of PTCR barium titanate. (3) 669
Wang, Hui-Chieh; and Schulze, Walter A.
Order–disorder phenomenon in lead scandium tantalate. (5) 1228; Role of excess magnesium oxide or lead oxide in determining the microstructure and properties of lead magnesium niobate. (4) 825
Wang, Jenqdaw; and Raj, Rishi
Estimate of the activation energies for boundary diffusion from rate-controlled sintering of pure alumina, and alumina doped with zirconia or titania. (5) 1172
Wang, Ruiping See Su, Han-Tzong
Wang, Shiang-Hua; Hwang, Ford-Son; and Tseng, Tseung-Yuen
Fabrication of high-Curie-point barium-lead titanate PTCR ceramics. (9) 2767
Wang, Wang-Nan See Huang, Yao-Tsung
Wang, Xiao Hong; Lejus, Anne-Marie; and Vivien, Daniel
Oxidation behavior of lanthanide aluminum oxynitrides with magnetoplumbite-like structure. (3) 770
Wang, Yu Cheng See Chang, Chia-Seng
Wang, Yu Cheng; Kong, Hua Shuang; Glass, Jeffrey T.; Davis, Robert F.; and More, Karren L.
Effect of substrate orientation on interfacial and bulk character of chemically vapor deposited monocrystalline silicon carbide thin films. (5) 1289
Warrier, Krishna G. See Varma, Harikrishna
Warwick, W. H. See Becher, Paul F.
Waser, Rainer See Baiatu, Tudor
Waser, Rainer; Baiatu, Tudor; and Hardtl, Karl-Heinz
dc Electrical degradation of perovskite-type titanates: I, Ceramics. (6) 1645; dc Electrical degradation of perovskite-type titanates: II, Single crystals. (6) 1654
Watanabe, Akira; Takeuchi, Yoshimitsu; and Saeki, Goji
Effect of $Al(OH)_3$ addition on β-$LiAlO_2$ crystal growth. (10) 3094
Watson, Kenneth G. See Buykx, William J.
Wechsler, Barry A. See Schwartz, Robert N.
Weedon, David See Buykx, William J.
Weeks, Robert A. See Dutta, Biprodas
Wei, George C. See Brecher, Charles
Weppner, W. See Nowotny, Janusz
West, Anthony R. See Irvine, John T. S.
Whalen, Philip J. See Gasdaska, Charles J.
Whalen, Thomas J. See Carduner, Keith R.
White, Kenneth W. See Grimes, Robert E.
White, Timothy J. See Buykx, William J.; Matzke, Hans-Joachim; Mitamura, Hisayoshi
White, William B. See Bliss, Mary; Provenzano, Paul L.
Whittenberger, J. Daniel See Raj, Subramanium V.
Williams, Robert K. See McCluskey, Philip H.
Williamson, Richard L. See Rabin, Barry H.
Winholtz, R. A. See Magley, David J.
Winzer, Stephen R. See Pilgrim, Steven M.
Wixom, Michael R.
Chemical preparation and shock wave compression of carbon nitride precursors. (7) 1973
Wolf, Dieter See Phillpot, Simon R.
Worrell, Wayne L. See Strife, James R.
Worsfold, D. James See Carlsson, David J.
Wright, Judith K.; Edirisinghe, Mohan J.; Zhang, Jian G.; and Evans, Julian R. G.
Particle packing in ceramic injection molding. (9) 2653
Wu, Jenn-Ming See Shyu, Jiin-Jyh
Wu, Jenn-Ming; Chang, Ming-Chu; Yao, Pei-Chih
Reaction sequence and effects of calcination and sintering on microwave properties of $(Ba,Sr)O$–Sm_2O_3–TiO_2 ceramics. (6) 1599
Wu, Jenn-Ming; and Chen, Chi-Jen
Effect of powder characteristics on microstructures and dielectric properties of (Ba,Nb)-doped titania ceramics. (2) 420
Wu, Jenn-Ming; and Sung, Hsiao-Miin
Nature of abnormal grain growth in (Ba,Nb)-doped TiO_2 ceramics and effects of crystal phases in starting powders. (4) 996
Wu, Jianguang See Li, Jian-bao; Zhang, Tao
Wu, Mianxue; and Messing, Gary L.
SiC-whisker-reinforced cellular SiO_2 composites. (11) 3497
Wu, Pieng-Tien See Huang, Tsung
Wu, Sheng-Feng See Huang, Yao-Tsung
Wu, Shinn-Tyan See Ting, Ching-Jui
Wu, Tai-Bor See Lin, Li-Jiaun
Wu, Wei-Te; Duda, J. L.; and Klaus, Elmer E.
Lubrication studies with alumina-on-alumina, steel-on-steel, and steel-on-alumina bearing systems. (8) 2247
Wu, Xin; and Chen, I-Wei
Superplastic bulging of fine-grained zirconia. (3) 746
Wusirika, Raja
Reaction of ammonia with fumed silica. (10) 2926
Wysnewski, Roy E. See Cotter, Daniel J.
Xian, Al-Ping; and Si, Zhong-Yao
Residual stress in a soft-buffer-inserted metal/ceramic joint. (11) 3462
Xu, Yongnian See Parker, John C.
Xu, Zhengkui See Ramamurthi, Sangeeta D.
Xue, Liang An See Chen, I-Wei
Xue, Liang An; and Chen, I-Wei
Deformation and grain growth of low-temperature-sintered high-purity alumina. (11) 3518
Xue, Liang An; and Raj, Rishi
Effect of diamond dispersion on the superplastic rheology of zinc sulfide. (8) 2213
Xue, W. R.; Schulze, Walter A.; and Newnham, Robert E.
Effects of Sm_2O_3 and $Gd_2O_3 + Nd_2O_3$ on electromechanical properties of $PbTiO_3$ ceramics. (6) 1783
Yamada, Kenjiro
Crystal growth of tungsten carbide plates by condensation of high-temperature ultrasupersaturated gas. (7) 2103
Yamada, Osamu See Zeng, Jian-Ren
Yamaguchi, Osamu; and Mukaida, Yasumichi
Formation of alkoxy-derived lead niobates in the PbO-rich region. (6) 1705
Yamaguchi, Takashi See Kimura, Toshio
Yamaguchi, Takashi; and Iizuka, Kazuhiko
Microstructure development in RuO_2-glass thick-film resistors and its effect on the electrical resistivity. (7) 1953
Yamamoto, Hiroshi See Yoshimoto, Mamoru
Yamasaki, Nakamichi See Nishioka, Mamoru
Yan, Man F.; Ling, Hung C.; and Rhodes, Warren W.
Low-firing, temperature-stable dielectric compositions based on bismuth nickel zinc niobates. (4) 1106
Yanagida, Hiroaki See Muto, Norio
Yanagisawa, Kazumichi See Nishioka, Mamoru
Yang, Houng-Yi; and Chan, C. F.
Corrosion resistance and microstructure of high-alumina refractories, based on the rotary slag test. (4) 1074
Yang, Kwon-Ho See Suresh, Subra
Yang, Kwan-Ho; and Kobayashi, Albert S.
Dynamic fracture responses of alumina and two ceramic composites. (8) 2309
Yano, Hirotsugu See Kojima, Kazuo
Yano, Toyohiko See Suzuki, Tetsuya
Yao, Pei-Chih See Wang, Jenn-Ming
Yeh, Yuan-Chang; Tseng, Tseung-Yuen; and Chang, De-An
Electrical properties of TiO_2-$K_2Ti_4O_9$ porous ceramic humidity sensor. (7) 1992
Yen, Fu-Su; Chang, Chen T.; and Chang, Yen-Hwei
Characterization of barium titanyl oxalate tetrahydrate. (11) 3422
Yeshurun, Y. See Suresh, Subra
Yoda, Mitsuo
Subcritical crack growth in soda-lime glass under combined Modes I and III loading. (7) 2124
Yogo, Toshinobu See Hirano, Shin-ichi
Yokokawa, Harumi; Sakai, Natsuko; Kawada, Tatsuya; and Dokiya, Masayuki
Chemical potential diagrams for rare earth-transition metal–oxygen systems: I, Ln–V–O and Ln–Mn–O systems. (3) 649
Yoo, Han-Ill See Kim, Jin-Ho
Yoo, Seung-Eul; Hayashi, Motoo; Ishizawa, Nobuo; and Yoshimura, Masahiro
Preparation of strontium titanate thin film on titanium metal substrate by hydrothermal-electrochemical method. (8) 2561
Yoon, Chong K.; and Chen, I-Wei
Superplastic flow of two-phase ceramics containing rigid inclusions—Zirconia/mullite composites. (6) 1555
Yoon, Duk N. See Jeong, Jun-Whan; Lee, Dong-Duk; Kim, Jeong-Joo
Yoon, H. S. See Taya, Minoru
Yoshida, Toyonobu See Lee, Hyung Jik
Yoshikawa, Shoko See Haertling, Carol L.
Yoshikawa, Shoko; Ota, Toshitaka; Newnham, Robert E.; and Amin, Ahmed
Piezoresistivity in polymer–ceramic composite. (2) 263
Yoshikawa, Yoshio; and Tsuzuki, Kaoru
Crystallization of fine, chemically prepared lead lanthanum zirconate titanate powders at low temperature. (1) 31
Yoshimoto, Mamoru; Koinuma, Hideomi; Yamamoto, Hiroshi; and Sawaoka, Akira B.
Shock processing of Bi-Sr-Ca-Cu-O and Tl-Ba-Ca-Cu-O superconductors. (6) 1791
Yoshimura, Masahiro See Okada, Akira; Yoo, Seung Eul
Yoshizawa, Yuichi; and Sakuma, Taketo
Role of grain-boundary glass phase on the superplastic deformation of tetragonal zirconia polycrystal. (10) 3069
Young, J. Francis; and Dimitry, Said
Electrical properties of chemically bonded ceramic insulators. (9) 2775
Young, Karrie A. See Armstrong, Timothy R.
Young, Robert M.; and McPherson, Reginald
Temperature-gradient-driven diffusion in rapid-rate sintering—reply. (8) 2579
Youngman, Robert A.; and Harris, Jonathan H.
Luminescence studies of oxygen-related defects in aluminum nitride. (11) 3238
Yu, Cheng-Sheng See Tsai, Jing-Fong
Yurek, Greogry J. See Sandhage, Kenneth H.
Zagnazi, Hassan; Malassis, Marc; Chaumont, Christian; and Bernier, Jean Claude
Preparation of cobalt- and fluorine-doped barium hexaferrite by the glass synthesis method. (1) 167
Zdaniewski, Wieslaw A. See Silverman, Lance D.
Zelizko, Viktor See Badwal, Sukhvinder, P. S.
Zeng, Jianren; and Miyamoto, Yoshinari
Combustion synthesis of sialon powders ($Si_{6-z}Al_zN_{8-z}$, $z = 0.3, 0.6$). (12) 3700
Zeng, Jianren; Yamada, Osamu; Tanaka, Isao; and Miyamoto, Yoshinari
Hot isostatic pressing and high-temperature strength of silicon nitride-silica ceramics. (4) 1095
Zhang, Hanxi; and Pantano, Carlo G.
Synthesis and characterization of silicon oxycarbide glasses. (4) 958
Zhang, Jian G. See Wright, Judith K.
Zhang, Jimin; Chen, William W.; Ardell, Alan J.; and Dunn, Bruce
Solid-state phase equilibria in the ZnS–Ga_2S_3 system. (6) 1544
Zhang, Shi-Chang; Messing, Gary L.; and Borden, Michael
Synthesis of solid, spherical zirconia particles by spray pyrolysis. (1) 61

Zhang, Tao; Jiang, Zuozhao; Wu, Jianguang; and Chen, Zhengang
Influence of rheological behavior of ceramic mixes on injection molding of ceramic compacts. (7) 2171
Zhang, Wei; Osamura, Kozo; and Ochiai, Shojiro
Phase diagram of the BaO-CuO binary system. (7) 1958
Zheng, An See Dai, Guiquin
Zheng, Jingmin; Johnson, Paul F.; and Reed, James S.
Improved equation of the continuous particle size distribution for dense packing. (5) 1392
Zheng, Nan-Jiu See Chang, Chia-Seng
Zhou, Ji-Ping; Sorrell, Charles C.; Bourdillon, Antony J.; and Dou, Shi-Xue
Liquid formation at the peritectic temperature in superconducting $YBa_2Cu_3O_{7-x}$—Observation of a new phase YBa_4CuAlO_8. (7) 2147
Zirl, David M.; and Garofalini, Stephen H.
Structure of sodium aluminosilicate glasses. (10) 2848

SUBJECT INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications;* numbers following are *page* numbers.

Abrasives,
lapping, effect on properties on residual stress in ferrite and Al_2O_3 (7) 1907
Acoustics,
emission, of thermally cycled refractories (10) 2809
Additives,
$Al(OH)_3$, effect of β-$LiAlO_2$ crystal growth (10) 3094
Pr and U, effect on J_c of $Ba_2YCu_3O_7$ (12) 3698
SiC whisker and TiC particles, effect on properties of Si_3N_4/TiC composites (11) 3442
Sm_2O_3 and Gd_2O_3+Nd_2O_3, effect on properties of $PbTiO_3$ (6) 1783
Y_2O_3 and Al_2O_3, toughening of SiC by (5) 1431
ZrO_2, dielectric properties of $BaTiO_3$ with (3) 700
ZrO_2 and Si, effect on devitrification of Li_2O·Al_2O_3·6SiO_2 glasses (12) 3585
rare-earth oxide, electrical properties of CeO_2-stabilized ZrO_2 with (4) 866
reduction in Al alloy attack on aluminosilicate refractories by (3) 491
sintering aids, HIPing Si_3N_4-SiC whisker composites without (10) 3033; (10) 3039
Aging,
of glasses, Na_2O-CaO, increased strength by—comment (5) 1461
Na_2O-CaO, increased strength by—reply (5) 1464
of piezoelectric power ceramics, causes of (7) 1854
Alloys,
Ag-Cu-Ti, microstructure of Al_2O_3 brazed with (6) 1785
Al, molten, effect of Mg-Al spinel on oxidation of (9) 2615
Al-Zr, joining Y-TZP with (4) 1103
Ni-Cr interlayers, solid-state bonding of Si_3N_4 with (5) 1221
Pd, reactivity of superconductors with (6) 1760
Ta_2O_5, Nb_2O_5, and HfO_2, effect on transformability of Y-TZP (1) 115
Aluminates,
Ca, formation kinetics of (4) 872
powders, processing (6) 1768
β-$LiAlO_2$, crystals, effect of $Al(OH)_3$ addition on growth (10) 3094
Aluminum,
AlN, powder, degradation in aqueous environment (3) 724
alkoxide, thermal reaction in glycols (4) 1100
-substituted gyrolite, as cation exchanger (11) 3524
Aluminum oxide,
HIPed, microstructure-mechanical property relationship (5) 1181
HIPing, and examination of pressing map (1) 74
^{17}O-enriched, for nuclear fusion damage experiments (2) 425
-SiC composites, thermal diffusivity-conductivity (2) 461
-SiC whisker composite, elevated-temperature-delayed failure of (1) 91
-SiC whisker composites, densification of (5) 1440
SiC-whisker-reinforced, creep behavior (5) 1378
-TiC composites, self-combustion sintering of (5) 1451
TiC- composites, fabrication of (7) 2156
TiO_2- films (6) 1737
-ZrO_2 mixtures, grain growth in (8) 2508
ZrO_2-toughened, HIPed, microstructure-mechanical property relationship (5) 1181
β-, crystals, flux growth (10) 3015
brazed, with Ag-Cu-Ti alloy, microstructure (6) 1785
dihedral angles in (5) 1371
doped with ZrO_2 and TiO_2, activation energies for boundary diffusion (5) 1172
electronic band structure, comparison to AlON and AlN (3) 477
etching, with molten V_2O_5 (7) 2151
explosively shock-treated, kinetics of phase change in (1) 49
films, transparent doped, preparation and photoproperties (2) 453
grain boundaries, structure of (8) 2485
grain growth, anisotropy of (11) 3292
granules, spray-dried, internal structure in (8) 2555
high- refractories, corrosion resistance and microstructure (4) 1074
lapped, effect of abrasive properties on residual stress (7) 1907
liquid-phase-sintered, growth of abnormal grains in (7) 2077
morphology of abnormal grains in (7) 2086
long cracks in, *R*-curve behavior (7) 2009
mullite/ composites, by infiltration (12) 3611
particles, measurement of SiO_2-gel coating on (7) 2163
pellets, reactivity of C formed by degradation of poly(vinyl butyral) in (6) 1620
polycrystalline, *R*-curve behavior (5) 1399
polymers adsorbed onto, surface chemistry (8) 2543
pore-boundary separation, pore drag and (11) 3302
in presence of glass, faceting behavior of (8) 2391
sintered, deformation and grain growth of (11) 3518
sintering, activation energies for boundary diffusion (5) 1172
liquid-phase, solution-precipitation during (2) 275
role of MgO (4) 833
sintering atmosphere, effect on densification and electrical properties (7) 2119
strength and *R*-curve properties, role of grain size (8) 2419
suspensions, filtration and sedimentation of (9) 2720
Analysis,
DTA, of nucleation rate curve for lithium disilicate glass (2) 439
^{27}Al and ^{29}Si MASNMR, of cordierite (12) 3663
of HIPing, of presintered ZrO_2 (4) 1069
Jonker "pear", of oxide superconductors (2) 415
NMR, of hydrated cement paste and mortar (3) 736
NMR and XPS, of local structure of xAl_2O_3·$(1-x)NaPO_3$ glasses (8) 2293
Raman and NMR spectroscopic, of polyphasic SiC (8) 2242
Raman microprobe, of O and CO_2 dissolution from bubbles in silicate glass containing arsenic oxide (10) 2873
X-ray, of residual stress in brazed ceramic-metal compounds (5) 1144
X-ray imaging, flaw detection by (6) 1763
of β-SiC (8) 2281
atomistic, of polarons in $YBa_2Cu_3O_7$ (11) 3185
of creep, flexural, of sialon (8) 2366
diffuseness, of relaxor ferroelectric materials (10) 3122
of geothite, obtained by precipitation (1) 121
interfacial, of SiC fiber-Li_2O-Al_2O_3-SiO_2 glass-matrix composites (7) 2054
ion beam, of SiO_2 sol-gel films (10) 3106
luminescence, of O-related defects in AlN (11) 3238
neutron diffraction, of phase transformation in Mg-PSZ (10) 3096
neutron powder diffraction, of $Ce_3B_3N_4$ and isotypic $^{D}E_3B_2N_4$ (RE=La, Pr, Nd, MM) (9) 2634
nuclear track, of diffusion in solids (6) 1797
photoemission, of high-temperature superconductivity (11) 3161
polymorph, of monoclinic Mg-PSZ (10) 2828
of powder compaction, using rate diagram (2) 465
reliability, statistical fracture theories for (7) 1917
spectroscopic, of chemical state and coloration of Cr in rutile (11) 3351
strength, of Y-TZP (9) 2667
structural, of anomalous behavior in SiO_2-Al_2O_3 gel systems (10) 2815
thermal, of precursors to $BaTiO_3$ (11) 3363
thermodynamic, of BN+AlN coatings (6) 1510
Anisotropy,
Knoop microhardness, of rutile (5) 1360
of grain growth, in Al_2O_3 (11) 3292
Annealing,
$YBa_2Cu_3O_{7-\delta}$, TEM study (5) 1159
conditions of electrodes, effect on properties of CdS-CdTe solar cells (1) 150
Apatite,
calcium hydroxy-, powders, preparation of (6) 1803
hydroxy-, HIPed, superplasticity of (2) 457
Atmosphere,
H_2-H_2O and Ar-O_2, gaseous corrosion of Si_3N_4 in (10) 3007
Atom,
lattice simulations, of high-T_c oxides (11) 3175
Barium titanate,
PTCR, dielectric properties (6) 1574
electrical properties (3) 669
from TiO_2, via $(Ti(catecholate)_3)^{2-}$ (5) 1429
with ZrO_2 additions, dielectric properties (3) 700
ZrO_2-modified, effect of core-shell grains on stress and permittivity (5) 1268
core-shell structures in (12) 3562
-based powders, alkoxide-hydroxide route to (4) 942
donor-doped, specific surface area and grain growth in (6) 1587
photorefractive, EPR, optical, and electronic structure studies (11) 3200
precursors, thermal analysis of (11) 3363
preparation, from barium titanyl oxalate tetrahydrate (11) 3422
semiconducting, La-Mg-La-Mn donor-acceptor-codoped (2) 329
effect of stoichiometry, microstructure, and PTCR (3) 531
sintering and microstructure, effect of green states (6) 1566
tape casting, source of H_2O and its effect (5) 1312
(111) twin in (4) 856
Bearings,
Al_2O_3-on-Al_2O_3 and steel-on-Al_2O_3, lubrication studies (8) 2247
Beryllium,
BeO, static fatigue behavior (7) 2038
Binders,
burnout, of capacitors (2) 226
theoretical models for (3) 575
for densification of BN (2) 297
organic, removal from injection-molded ceramics, liquid-phase transport during (11) 3323
thermolysis, PVB impact on (9) 2702
Bioceramics,
composites, glass, stress corrosion cracking of (1) 164
glasses, Sm_2O_3-Al_2O_3-SiO_2, properties of (9) 2708
Bonding,
diffusion, of ZrO_2/Al_2O_3 composites (11) 3476
mechanisms, in Si_3N_4 brazing (3) 552
reaction, of SiC using Si-Mo melts (5) 1193
solid-state, of Si_3N_4 with Ni-Cr alloy interlayers (5) 1221
Borides,
BaB_2O_4, thermal expansion of (8) 2526
Ti, combustion-synthesized, microstructure (5) 1274
Boron,
BN, binder for densification of (2) 297
Brick,
shale, interface with cement-lime and polymer-modified mortars (8) 2301
Brittle materials,
crack-off cutting, determination of flaw-size distribution by (10) 2922
crystal orientation, dependence of machining damage, stress model (10) 3113
median cracking, due to scribing with sharp indenters (3) 580
Bubbles,
in glass, silicate containing arsenic oxide, dissolution of O and CO_2 from (10) 2873
Calcination,
of (Ba,Sr)O-Sm_2O_3-TiO_2, effect on microwave properties (6) 1599
Calcite,
-aragonite transition, laser-induced (3) 733
Capacitors,
$Pb(Mg_{0.7}Zn_{0.3})_{1/3}Nb_{2/3}O_3$, rapid thermal processing of (4) 909
multilayer, binder burnout of (2) 226
Carbides,
B_4C, fracture of, effect of thermal mismatch stresses on (10) 3116
Hf, combustion-synthesized, compaction of (2) 383
NbC, on graphite, reaction-bonded (12) 3696
WC, crystal growth (7) 2103
ZrC, oxidation kinetics (10) 2804
cemented, toughening mechanisms in (10) 2938
metal, analysis of free C in (8) 2558
reaction of Ir with (4) 838
Carbon,
activated fibers, solid ceramic fibers via impregnation of (3) 665
films, containing N or B, pyrolytic deposition of (7) 1912
free, in metal carbide, analysis of (8) 2558
particles, effect of hydrothermal conditions on morphology (8) 2385
as sintering aid, effect on SiC (1) 148
Carbonaceous materials,
residue, on substrates, removal with wet H (10) 2944; (10) 2953
Carbonation,
of slurries, grout-water, chemical model for (6) 1681
Casting,
tape, of $BaTiO_3$ (5) 1312
for joining of SiC (9) 2757
Cathodes,
carbonate fuel cell, composite nickel oxide structures for (3) 516
Cells,
carbonate fuel cathodes, composite nickel oxide structures for (3) 516
solar, CdS-CdTe, effect of annealing of electrodes on properties (1) 150
Cements,
C_3S, hydration in diluted suspensions (11) 3319
calcium aluminates, formation kinetics (4) 872
pastes, T and X phase, hydration and strength development (4) 1034
hydrated, NMR study (3) 736
properties, effect of gypsum dehydration during comminution (3) 721
Ceramic materials,
96% Al_2O_3, microstructure (12) 3670; (12) 3677; (12) 3684
dense, measurement of IR spectra (4) 1078
electronic properties, theoretical studies of (11) 3155
fracture model for, inclusion-initiated (3) 639
fracture toughness, mixed-mode (5) 1257
injection-molded, liquid-phase transport during binder removal (11) 3323
radiation damage in, preliminary model (8) 2446
residual-stress-defect-severity relationships in (5) 1318
surface forces and their action (5) 1117
thermal shock resistance, *R*-curve behavior (3) 621
Ceramic-metal systems,
brazed ceramic-metal compounds, residual stress state of (5) 1144

composites, metal-reinforced ceramic (2) 388
joint, brazed between Al_2O_3 and Ti-6Al-4V alloy, microstructure (6) 1582
soft-buffer-inserted, residual stress in (11) 3462
Ceramics,
textured, EPR spectroscopy of (8) 2345
characterized by electron paramagnetic resonance spectroscopy (8) 2333
two-phase microcracking, residual stresses in (6) 1641
Cerium,
Ce_2O_3, perturbed angular correlation spectroscopy of O vacancies (11) 3215
Chalcogenides,
glasses, third-harmonic generation from (6) 1794
Chemical properties,
instability, of piezoelectric power ceramics, causes of (7) 1854
Chemistry,
grain boundary, of $BaTiO_3$ and $SrTiO_3$ (11) 3278; (11) 3286
phase, of titanate nuclear waste ceramics (5) 1201
surface, of polymers adsorbed on Al_2O_3 (8) 2543
Chlorides,
KCl, crystals, mechanical healing of (3) 659
NaCl, crystals, dislocation jump distance during creep (4) 861
$TiCl_4$, kinetics of oxidation (7) 2158
Chromium,
in rutile, chemical state and coloration of (11) 3351
Coatings,
SiO_2-gel, on Al_2O_3 particles, measurement of (7) 2163
ceramic, glass strengthening by (1) 170
composite, BN+AlN, CVD, thermodynamic analysis of (6) 1510
elastic modulus and residual stresses, determination using strain gage (7) 1999
plasma-sprayed, effects on strength distribution of SiC (9) 2690
sol-gel, strengthening glass by (4) 978
stress in, topotactically modified (3) 684
on substrates, by liquid metal transfer (9) 2753
Cobalt,
Co^{2+}, ESR in alkali borate and alkali germanate glasses (7) 2134
ferrite, rapidly solidified, cation distribution in (10) 3002
Compaction,
of HfC, combustion-synthesized (2) 383
Compacts,
green, pore structure (8) 2261
shock, of diamond composites (8) 2428
fabrication of diamond by (7) 1983
Composites,
PZT fiber/polymer, prepared by replication (11) 3503
Al_2O_3 and Si_3N_4, toughened with SiC whiskers, comparison between (3) 521
Al_2O_3 and two ceramic, fracture responses of (8) 2309
Al_2O_3 reinforced with SiC whiskers, elevated-temperature-delayed failure of (1) 91
Al_2O_3-Al, by oxidation of Al, microstructure and composition (9) 2610
Al_2O_3-SiC, thermal diffusivity-conductivity (2) 461
Al_2O_3-SiC whisker, effect of aspect ratio and liquid-phase content on densification (5) 1440
residual stresses in (8) 2474
Al_2O_3-TiC, self-combustion sintering of (5) 1451
Al_2O_3-TiN, synthesis, properties, and oxidation of (1) 142
Al_2O_3-ZrO_2, effect of compaction on retention of ZrO_2 (2) 346
Al_2TiO_5-$ZrTiO_4$-ZrO_2, low-thermal-expansion (4) 929
Ce-TZP-Al_2O_3, fatigue crack propagation in (10) 2992
NbC-C, reaction-bonded by impregnation (12) 3696
SiC/Al_2O_3, correlation between neutron diffraction measurements and thermal stresses in (11) 3428
SiC-AlN, preparation of (2) 352
SiC-Si and SiC-SiC (10) 3091
SiC-SiC, fiber-matrix bond-strength characteristics (8) 2573
SiC fiber-Li_2O-Al_2O_3-SiO_2 glass matrix, interfacial characterization (7) 2054
SiC-fiber-reinforced reaction-bonded Si_3N_4, interfacial shear strength (3) 713
SiC-fiber-reinforced reaction-bonded Si_3N_4, thermal diffusivity-conductivity (2) 312
SiC-reinforced Si_3N_4, impact damage and strength degradationin (10) 3019
SiC-reinforced oxide-matrix, oxidation of (4) 1014
SiC whisker-Al_2O_3 matrix, *R*-curve behavior (7) 2060
effect of whisker surface treatment on toughness (2) 394
SiC-whisker-reinforced Al_2O_3, compressive creep of (5) 1297
creep behavior (5) 1378
fracture resistance behavior (3) 559
pressureless sintering of (7) 1884; (7) 1894
SiC-whisker-reinforced cellular SiO_2 (11) 3497
Si_3N_4, BN, SiC matrix, chemical-vapor-infiltrated (7) 2137
Si_3N_4-SiC, combustion synthesis (11) 3514
Si_3N_4-SiC whisker, HIPed without sintering aids (10) 3033; (10) 3039
Si_3N_4-TiC, effect of SiC whisker and TiC particles on properties (11) 3442
Si_3N_4-Zr(Y)O_2, effects of Y_2O_3 and ZrO_2 on densification (8) 2567
Si_3N_4 matrix, toughening with SiC whiskers and particles (3) 678
TiC-Al_2O_3, fabrication of (7) 2156
TiC-Fe, microstructural evolution during infiltration treatment (7) 1979
WC-Co, effect of thermal shock on strength and toughness degradation (12) 3692
ZrO_2/Al_2O_3, diffusion bonding of (11) 3476
ZrO_2-mullite, superplastic flow of (6) 1555
ZrO_2-toughened Al_2O_3-10 vol% SiC whisker, properties of (3) 740
β-Si_3N_4-whisker/Si_3N_4-matrix, mechanical properties (11) 3493
brittle matrix, residually stressed, fiber debonding in (6) 1674
ceramic fiber-SiC matrix, thermal expansion of (5) 1334
ceramic matrix, origin of hysteresis during fatigue of (7) 1879
ceramic-matrix, effect of interfacial shear stress on cracking (10) 2930
tensile tests of (7) 2091
ceramic-metal, by melt infiltration (1) 97
coatings, BN+AlN, CVD, thermodynamic analysis of (6) 1510
diamond, factors for shock compaction (8) 2428
dielectric, properties of (6) 1774
fabrication, by chemical vapor infiltration, modeling of (6) 1489
fiber- or whisker-reinforced brittle-matrix, crack-wake debonding and toughness in (10) 2839
fiber-reinforced, effect of interfaces on properties (6) 1691
glass, bioactive, stress corrosion cracking of (1) 164
laminated ceramic-matrix, delamination cracking in (7) 1936
metal-particulate/brittle-matrix, fracture toughness (5) 1405
metal-reinforced ceramic, method for processing (2) 388
metallic-glass-ribbon-reinforced glass-ceramic matrix, effect of ribbon orientation on fracture toughness (10) 2962
mullite cordierite, powders, sol-gel preparation of (3) 537
mullite-ZrO_2-Al_2O_3-SiC, oxidation of (5) 1417
nickel oxide, for carbonate fuel cell cathodes (3) 516
particulate, of diamond and zinc sulfide, fracture and stiffness characterization (10) 3074
mullite/Al_2O_3, by infiltration (12) 3611
predicting crack paths in (2) 340
sintering under uniaxial stress (3) 602
particulate-reinforced ceramic-matrix, toughening by thermal residual stress (5) 1382
polymer-ceramic, piezoresistivity in (2) 263
reinforced zircon-SiC, mechanical properties (8) 2399
resistivity of, electrical (8) 2187
with rigid inclusions, sintering (1) 54
Compounds,
of zircon structure, thermal expansion of (5) 1246
Compression,
consolidation behavior, of suspensions (2) 207
-loaded specimen, cantilever beam (8) 2534
shock, of Bi-Sr-Ca-Cu-O and Tl-Ba-Ca-Cu-O superconductors (6) 1791
shock wave, of carbon nitride precursors (7) 1973
Concrete,
carbonate phases, ^{13}C and ^{18}O spectrometric study (12) 3617
Conductivity, electrical,
in SnO_2, temperature dependence (9) 2771
of glasses, Na_2O-CaO-SiO_2, effect of water concentration (1) 132
sodium trisilicate, effect of H_2O content (5) 1446
mixed, in α-Ta_2O_5 (6) 1700
of solid solutions, $XNiO*(1-X)Tm_2O_3$ (11) 3470
Conductivity, ionic,
in SiO_2, fused (2) 409
low-temperature, of Y_2O_3-stabilized ZrO_2—comment (12) 3718
low-temperature, of Y_2O_3-stabilized ZrO_2—reply (12) 3720
Conductivity, thermal,
of refractories, determination of (8) 2316
Controls,
of melters, for radioactive waste glass (10) 2896; (10) 2903
Copper,
lanthanum cuprate, high-temperature defect structure of (11) 3453
Cordierite,
glass-like, synthesis from metal alkoxides (12) 3663
preparation, via bismuth oxide flux (2) 335
Corrosion,
of α-SiC, in O-Cl gases (5) 1323
effect of H-H_2O atmosphere (3) 694
gaseous, of Si_3N_4 in H_2-H_2O and Ar-O_2 (10) 3007
hot, of SiC and Si_3N_4 (2) 303
of SiO_2 (4) 989
resistance, of high-Al_2O_3 refrctories (4) 1074
Cracking,
R-curve, of Y-TZP, determination using indentation-produced flaws (10) 3059
R-curve properties, of Al_2O_3, role of grain size (8) 2419
delamination, in laminated ceramic-matrix composites (7) 1936
first-matrix, in ceramic-matrix composites, effect of interfacial shear stress (10) 2930
indentation, in glass and ceramics (4) 786
median, in brittle solids due to scribing with sharp indenter (3) 580
micro-, stress-biased anisotropic, in ZrO_2 polycrystals (4) 1026
stress corrosion, of bioactive glass composites (1) 164
test, double-cantilever-beam (6) 1800
Cracks,
creep, in glass-ceramics, growth of (10) 2977
fatigue, propagation in Ce-TZP-Al_2O_3 composites (10) 2992
in glass, effects of electric fields on slow growth of (1) 43
growth, in Na_2O-CaO glass under loading (7) 2124
compression-loaded beam specimen (8) 2534
in non-oxide ceramics (3) 502
lithographically introduced, in sapphire, healing of (3) 592
long, in Al_2O_3, *R*-curve behavior (7) 2009
micro-, nucleation in brittle crystals (6) 1548
path, in particulate composites, predicting (2) 340
propagation, in Mg-PSZ, residual displacement effects during (7) 2016
cyclic fatigue, in MgO-PSZ (4) 893
shielding, in Ce-TZP (10) 3119
spacing, in brittle films on elastic substrates (7) 2144
subcritical, growth in Na_2O-CaO glass in loading (12) 3597
in sintered Si_3N_4, growth of (7) 2095
-tip transformation zones in ZrO_2 (9) 2659
-wake debonding, in fiber- or whisker-reinforced brittle-matrix composites (10) 2839
Creep,
behavior, of SiC-whisker-reinforced Al_2O_3 (5) 1378
compressive, of SiC-whisker-reinforced Al_2O_3 (5) 1297
-crack growth, in glass-ceramics, micromechanics of (10) 2977
flexural, of sialon, analysis of (8) 2366
high-temperature, of AlN (7) 1928
of Y_2O_3-stabilized ZrO_2 (8) 2452
indentation, of Na_2O·$3SiO_2$ glasses with various water contents (12) 3626
Crystalline materials,
Al_2O_3, *R*-curve behavior (5) 1399
Crystallization,
of Si_3N_4, sintered with Y-sialon glass (6) 1606
exotherms, of ZrO_2-HfO_2 mixtures (6) 1780
of glasses, magnesium metaphosphate, metastable-phase formation during (10) 2970
MgO-CaO-SiO_2-P_2O_5 (4) 1062
of powders, PLZT (1) 31
re-, on ground surfaces of HfO_2 (7) 1941
Crystals,
KCl, mechanical healing of (3) 659
sodium disilicate, sodium self-diffusion in (12) 3712
Na_2O·$11Al_2O_3$, flux growth (10) 3015
NaCl, dislocation jump distance during creep (4) 861
SiC and Si, atomic crack tips in (3) 761
WC, growth by condensation (7) 2103
Y_2O_3-stabilized ZrO_2, high-temperature creep of (8) 2452
Y_2O_3-ZrO_2, low-temperature ionic conductivity—comment (12) 3718
Y_2O_3-ZrO_2, low-temperature ionic conductivity—reply (12) 3720
Y-TZP, joining with Al-Zr alloy (4) 1103
β-$LiAlO_2$, effect of Al(OH)$_3$ addition on growth (10) 3094
orientation, dependence of machining damage, stress model (10) 3113
poly-, brittle, microcrack nucleation in (6) 1548
twinning, in $BaTiO_3$ (4) 856
whiskers, 2H-SiC, formation and morphology (4) 919
β-Si_3N_4, characterization of (1) 102
mullite, from precursor gel powders (9) 2736
toughening with (3) 521
Cutting,
crack-off, of brittle materials, determination of flaw-size distribution by (10) 2922
Decomposition,
of SiO_2, Si_3N_4, and SiC, application of volatility diagram to (10) 2789
metal nitrate-urea, preparation of Y-Ba-Cu-O powder by (10) 3103
Defects,
O related, in AlN, luminescence studies (11) 3238
annihilation, in neutron-irradiated SiC (8) 2435
in ceramics, detection by X-ray imaging (6) 1763
in films, β-SiC on Si and C (0001) faces of α-SiC (5) 1283
flaw-size distribution, in brittle materials, determination by crack-off process (10) 2922
localized, in ionic materials, modeling of (11) 3251
point, in iron oxide and nickel oxide (3) 587
in optical materials (6) 1473
structure, of high-temperature, of lanthanum cuprate (11) 3453
Deformation,
of Al_2O_3, low-temperature sintered (11) 3518
creep, in TZP (8) 2505
green-state, sintering through (7) 2032
plastic, in molybdenum disilicide (6) 1752
superplastic, of TZP, effect of grain-boundary glass phase (10) 3069
superplastic bulging, of fine-grained ZrO_2 (3) 746
Dehydration,
gypsum, during comminution, effect on cement properties (3) 721
Densification,
of Al_2O_3, effect of sintering atmosphere (7) 2119
of BN, binder for (2) 297
of PbSe and PbS, by HIPing (1) 140
of composites, Al_2O_3-SiC whisker, effect of aspect ratio and liquid-phase content (5) 1440
Si_3N_4-Zr(Y)O_2, effects of Y_2O_3 and ZrO_2 (8) 2567
of spheres, ZrO_2 (11) 3368
Dental ceramics,
molds, for casting Ti and Ti alloys (1) 35
Deposition,
CVD, of Hf-C system (6) 1593
of SiC films (10) 3046
of SiC, analysis of pyrolysis products (3) 607
of system B-C-N (8) 2498
MOCVD, of Si_3N_4 (3) 764
pyrolytic, of C films containing N or B (7) 1912
Detectors,
IR, using Si-Ti-C-O fibers (2) 443
Devitrification,
of glasses, Li_2O·Al_2O_3·$6SiO_2$, effect of ZrO_2 and Si (12) 3585
Diagrams,
chemical potential, of systems Ln-V-O and Ln-Mn-O (3) 649
compaction rate, for powders, analysis of (2) 465
phase, of system (Nd-Ca-Cu)-O (7) 2141

system Al_4C_3-AlN-SiC (6) 1529
of system BaO-CuO (7) 1958
of system Bi-Sr-Ca-Cu-O (7) 1965
of system Na_2O-CaO-SiO_2-H_2O (11) 3457
volatility, of SiO_2, Si_3N_4, and SiC, application to decomposition and oxidation (10) 2789

Diamonds,
composites, factors for shock compaction (8) 2428
dispersion, effect on rheology of ZnS (8) 2213
fabrication, by shock compaction (7) 1983

Dielectric materials,
lead magnesium niobate-pyrochlore diphasic mixture, microstructure and properties (1) 68
ZnO and ZnO-Bi_2O_3, sintered, grain growth in (1) 106
based on bismuth nickel zinc niobates (4) 1106
composite, properties of (6) 1774
energy storage in (2) 323
films, TiO_x-Al_2O_3 (6) 1737

Dielectric properties,
of (Ba,Nb)-doped TiO_2, effect of powder characteristics (2) 420
of $BaTiO_3$, PTCR (6) 1574
with ZrO_2 additions (3) 700
of potasim strontium niobate (1) 127
of $KNbO_3$ (5) 1449

Diffusion,
Li, in octalithium plumbate (6) 1710
sodium self-, in sodium disilicate crystals (12) 3712
of O, in glass melts containing variable-valence ions (7) 1857
self, in Na_2O-Rb_2O-SiO_2 glass melts (7) 2122
in solids, via nuclear track analysis (6) 1797
surface, in iron oxide and nickel oxide (3) 587
temperature-gradient-driven, in rapid sintering—comment (8) 2576
temperature-gradient-driven, in rapid sintering—reply (8) 2579

Diopside,
crystalline and vitrified, hydration reactivity (7) 2006

Dislocations,
in molybdenum disilicide (6) 1752
jump distance, during creep of NaCl crystals (4) 861

Dispersion,
ultrasonic, of ceramic powders (8) 2552

Dopant,
role in phase transitions, in ZrO_2, from atomistic simulations (11) 3220

Drying,
theory of (1) 3

Elasticity,
of SiO_2, porous, derived from gels (11) 3376
of coatings, determination using strain gage (7) 1999
of xerogels, SiO_2 (11) 3466

Electrical properties,
of Al_2O_3, effect of sintering atmosphere (7) 2119
of $BaTiO_3$, PTCR (3) 669
of CeO_2-stabilized ZrO_2, with rare-earth oxide additives (4) 866
of Nb_2O_5-doped $SrTiO_3$ (5) 1308
of TiO_2-$K_2Ti_6O_{13}$, humidity sensor (7) 1992
of ZnO, grain boundaries (10) 3026
of ceramic materials, theoretical studies (11) 3135
dc degradation, of perovskite-type titanates (6) 1645; (6) 1654
degradation, of perovskite-type titanates (6) 1663
of ferrites, nickel zinc (3) 729
of films, Ga-doped ZnO (5) 1347
taeniolite-acriflavine (3) 689
of glasses, CaO-CaF_2-Al_2O_3 (3) 750
Y_2O_3-aluminoborate (6) 1788
of insulators, chemically bonded (9) 2775
of superconductors, $YBa_2Cu_4O_8$ (10) 3110
voltage-current characteristics, of ZnO varistor containing MgO (4) 1098
of zinc ferrite (2) 258

Electrolytes,
ZrO_2, precipitation of molecular O and electromechanical failure (11) 3382

Emission,
acoustic, in non-oxide ceramics (3) 502
of thermally cycled refractories (10) 2809

Enamels,
porcelain, formulated from Weinstein patent, viscosities of (2) 446

Energy,
activation, for boundary diffusion in pure Al_2O_3 and Al_2O_3 doped with ZrO_2 or TiO_2 (5) 1172
fracture, determination of (7) 1841
storage, in dielectric materials (2) 323
total, for SiO_2 and TiO_2 structure and defects, local density calculations (11) 3247

Epitaxy,
growth of nickel(II) hydroxide, on silicate (6) 1719
solid-state, effects in xerogel of $Pb(Mg_{1/3}Nb_{2/3})O_3$ (4) 1024

Equations,
of particle size distribution, for dense packing (5) 1392

Equilibrium,
defect, in $YBa_2Cu_3O_{7-x}$ (4) 1040; (4) 1048; (4) 1054
solid-state, in system ZnS-Ga_2S_3 (6) 1544

Etching,
Al_2O_3, with molten V_2O_5 (7) 2151

Expansion,
low-thermal, Al_2TiO_5-$ZrTiO_4$-ZrO_2 composites with (4) 929
thermal, of compound of zircon structure (5) 1246

Extrusion,
cold, of YBCO superconducting wire (10) 3100
high-temperature, of superplastic ZrO_2-based ceramics (7) 1922

Fatigue,
of composites, ceramic matrix, origin of hysteresis during (7) 1879
cracks, propagation in Ce-TZP-Al_2O_3 composites (10) 2992
cyclic, indentation method for studying (4) 1004
dynamic, of Li_2O-Al_2O_3-SiO_2 glass-ceramics (8) 2528
static, of polycrystalline BeO (7) 2038

Ferrites,
Co, rapidly solidified, cation distributionin (10) 3002
Co- and F-doped, synthesis of (1) 167
Ni Zn, electrical properties (3) 729
Zn, electrical properties and phase stability (2) 258
films, hexagonal, processing and characterization (2) 282
lapped, effect of abrasive properties on residual stress (7) 1907
magnetites and Zn-bearing, from iron(III) tartrate (8) 2539

Ferroelectric materials,
lead magnesium niobate, transparent, fabrication of (4) 923
lead scandium tantalate, order-disorder in (5) 1228
composites, electrical resistivity of (8) 2187
relaxor, diffuseness as useful parameter (10) 3122

Ferroelectricity,
domain structure, of La-modified $PbTiO_3$ (3) 615

Fiber optics,
materials development (12) 3537
preform torch, collection and characterization of soot from (10) 2987

Fibers,
Si-Ti-C-O fibers, IR detection by (2) 443
debonding, in residually stressed brittle-matrix composites (6) 1674
-reinforced ceramics, effect of interfaces on properties (6) 1691
solid ceramic, via impregnation of activated C fibers (3) 665
tensile measurements, by SEM (5) 1189
yarns, model for chemical vapor infiltration of (8) 2274

Films,
Al_2O_3, transparent doped, preparation and photoproperties (2) 453
$Ba_2YCu_3O_{7-\delta}$, preparation of (4) 885
Bi-Pb-Sr-Ca-Cu oxide, by spray pyrolysis (4) 889
C, containing N or B, pyrolytic deposition of (7) 1912
Ga-doped ZnO, electrical properties (5) 1347
RuO_2-glass, effect of microstructure on resistivity (7) 1953
Si_3N_4, metal-organic CVD of (3) 764
SiC, CVD, effect of substrate orientation on interfacial and bulk character (5) 1289
CVD, growth mechanism (10) 3046
$SrTiO_3$, on Ti, preparation of (8) 2561
TiO_2, nitridation by heating in ammonia gas (9) 2750
TiO_2-SiO_2, from poly(ethylene glycol)-containing gels, properties (8) 2217
TiO_x-Al_2O_3 (6) 1737
β-SiC, on Si and C (0001) faces of α-SiC, defects in (5) 1283
brittle, on elastic substrates, crack spacing in (7) 2144
ferrite, hexagonal, processing and characterization (2) 282
patterned, from UV-curable pastes (11) 3339
residually stressed, substrate factors caused by (3) 634
sintering, constrained, kinetics of (2) 251
sol-gel, SiO_2, ion-beam analysis (10) 3106
superconductor, texture, preparation of (11) 3511
taeniolite-acriflavine, properties of (3) 689

Filter,
fiberglass, formation of zeolite during caustic dissolution (12) 3708

Flow,
superplastic, of ZrO_2-mullite composites (6) 1555

Fluorides,
Al, effect on physical properties of fluorozirconate and fluorozirco-hafnate glasses (9) 2677
ammonium bi-, fluorination reactions (5) 1339
and hydroxide-containing superconductors (1) 146

Fluxes,
bismuth oxide, preparation of cordierite via (2) 335
growth, of β-Al_2O_3 crystals (10) 3015

Foamed ceramics,
SiO_2, processing and properties (1) 85

Formation,
of whiskers, 2H-SiC (4) 919

Fracture,
of B_4C, effect of thermal expansion mismatch stresses (10) 3116
of PZT, ferroelectric-ferroelastic (3) 567
behavior, of SiC (10) 3081
of SiC-whisker-reinforced Al_2O_3 composites (3) 559
of composites, particulate of diamond and zinc sulfide (10) 3074
dynamic, of Al_2O_3 and two ceramic composites (8) 2309
elevated-temperature-delayed, of Al_2O_3-SiC whisker composites (1) 91
of glasses, with indentation flaws (2) 268
inclusion-initiated, model for ceramics (3) 639
indentation, of Y_2O_3, effect of cracks and microstructure (7) 1873
of glasses, surface stress effects (9) 2619
intergranular, of LiF-22% CaF_2 (2) 403
mechanics, of Mg-PSZ (7) 2023
mode, of PZT, effect of grain size and poling (1) 161
size effect in (7) 1841
statistical, for reliability analysis (7) 1917
strength, of α- and β-sialon (7) 2128
of precracked bend bars (8) 2519
substrate, caused by residually stressed films (3) 634
surface forces, and their action in ceramic materials (5) 1117
testing, V-notch technique (11) 3522
toughness, of metallic-glass-ribbon-reinforced glass-ceramic matrix composites, effect of ribbon orientation (10) 2962
mixed-mode (5) 1257
tensile (8) 2457

Furnaces,
glass melting, for radioactive wastes, control of (10) 2896; (10) 2903

Gages,
strain, determination of elastic modulus and residual stresses in coatings using (7) 1999
for determination of residual stress (7) 2100
determination of residual stress using (9) 2628

Garnets,
rare-earth iron, preparation of (5) 1301

Gases,
O-Cl, corrosion of α-SiC in (5) 1323

Gels,
GeO_2, characterization of (2) 242
SiO_2-K sol-, pore structure (8) 2228
aero-, BN, formation and pore structure (3) 757
silicon tetraethoxide, effect of metal ions on activation energy (9) 2647
single-phase, mullite formation kinetics (4) 964
systems, SiO_2-Al_2O_3, anomalous behavior in (10) 2815
xero-, $Pb(Mg_{1/3}Nb_{2/3})O_3$, solid-state epitaxy effects in (4) 1024
SiO_2, elastic properties (11) 3466

Germanium,
machining (4) 949

Glass,
Al_2O_3 in presence of, faceting behavior (8) 2391
B_2S_3, high-purity, preparation of (11) 3481
CaO-CaF_2-Al_2O_3, formation and properties (3) 750
$Li_2O{\cdot}Al_2O_3{\cdot}6SiO_2$, effect of ZrO_2 and Si on devitrification (12) 3585
MgO-CaO-SiO_2-P_2O_5, crystallization of (4) 1062
Na_2O-CaO, under loading, crack growth in (7) 2124
plates, measurement of temperature distributions in (7) 2047
rods, strengthening by heat treatment and silanes (7) 2111
strength increase by aging—comment (5) 1461
strength increase by aging—reply (5) 1464
subcritical crack growth under loading (12) 3597
in water, effect of stress on fracture strength (7) 2114
Na_2O-CaO-SiO_2, effect of particle size distribution on melting (1) 24
effect of water concentration on properties (1) 132
$Na_2O{\cdot}3SiO_2$, indentation creep (12) 3626
$NaTO_2$-SiO_2 (T=Al, Fe, Ga, B), energetics of substitution $Si^{4+}-Na^{+}+T^{3+}$ (7) 2068
Pb and alkaline-earth aluminosilicate, IR spectroscopy (4) 846
SiO_2, semiconductor CdS-doped, by sol-gel process (7) 2097
SiO_2-Al_2O_3-EuO_3, properties and structure (6) 1733
Sm_2O_3-Al_2O_3-SiO_2, for in vivo applications, properties of (9) 2708
Y_2O_3-aluminoborate, properties of (6) 1788
alkali borate and alkali germanate, electron spin resonance of Co^{2+} (7) 2134
ammonium bifluoride, fluorination reactions of (5) 1339
borosilicate, solubility of Pd in melt (5) 1435
calcium, strontium, and barium galliosilicate, properties (2) 213
cesium iodide, hot-pressed, optical and mechanical properties (3) 496
chalcogenide, third-harmonic generation from (6) 1794
crack growth in, slow, effects of electric fields (1) 43
cracking, double-cantilever-beam test (6) 1800
cracking in, indentation (4) 786
-crystal transition, in II-IV-V_2 semiconductors (5) 1351
fluorozirconate and fluorozirco-hafnate, effect of aluminum fluoride on physical properties (9) 2677
halogen-containing lead silicate, polarization and depolarization in (4) 938
hydroxyl- and fluoride-free ZnO-SiO_2-B_2O_3-Al_2O_3-P_2O_5, semiconductor passivation and insulation properties (11) 3500
with indentation flaws, failure of (2) 268
ion-exchanged, indentation behavior (4) 970
lead halosilicate, properties and structure (2) 379
lead oxide-containing, effect of batch moisture and atmosphere on melting (7) 2165
lithium disilicate, nucleation rate curve, by DTA (2) 439
magnesium metaphosphate, metastable-phase formation during crystallization (10) 2970
melts, Na_2O-Rb_2O-SiO_2, self diffusion in (7) 2122
containing variable-valence ions, O diffusion in (7) 1857
dissolution of polydispersed SiO_2 grains in (10) 3053
molybdenum phosphate, Raman spectra (3) 753
porous, viscosity of (9) 2697
powder, solidification with simulated radioactive waste (2) 317
spherical, sintering under stress (3) 707
rare-earth aluminosilicate (1) 39
sialon, synthesis and characterization (8) 2494
silicate, containing arsenic oxide, O and CO_2 dissolution from bubbles in (10) 2873
silicon oxycarbide, synthesis and characterization (4) 958
sodium aluminosilicate, structure of (10) 2848
sodium trisilicate, effect of H_2O content on electrical conductivity (5) 1446
strengthening, by polymer-derived ceramic coatings (1) 170
by sol-gel coatings (4) 978
surface stress in, effect on indentation fracture (9) 2619
systems, CaO-Ga_2O_3-SiO_2, glass formation and properties (10) 2965
xAl_2O_3-$(1-x)NaPO_3$, local structure of (8) 2293

Glass-ceramics,
$Bi_2Sr_2CaCu_2O_x$, superconducting coupling at grain boundaries (12) 3569
Li_2O-Al_2O_3-SiO_2, dynamic fatigue of (8) 2528

SiC-fiber-reinforced, reaction-layer interfaces in (10) 2916
aluminoborate, with low thermal expensivity (8) 2287
for consolidation of wastes, nuclear-containing Zr-Cd-Na (7) 1901
creep-crack growth, micromechanics of (10) 2977
sphene, dissolution of (3) 544
superconducting, in system Bi-Sr-Ca-Cu-O (5) 1165
systems, sodium niobate-silica, phase distribution and transparency (9) 2743

Glass, fibers,
filters, formation of zeolite during caustic dissolution (12) 3708

Grain boundaries,
Al_2O_3, structure of (8) 2485
in $Bi_2Sr_2CaCu_2O_x$, superconducting coupling nature at (12) 3569
in Si (4) 933
of ZnO, electrical properties (10) 3026
chemistry, of $BaTiO_3$ and $SrTiO_3$ (11) 3278; (11) 3286
dihedral angles, in MgO and Al_2O_3 (5) 1371
migration, in magnesium aluminate spinel solid solutions (5) 1153
phases, silicate, in Y-stabilized ZrO_2 (9) 2728
-pore contact, during sintering, method for quantifying (12) 3703
surface thermal grooves, technique for obtaining dihedral angles from (5) 1365
in varistors, ZnO, deep levels near (5) 1425

Grain growth,
in Al_2O_3, anisotropy of (11) 3292
low-temperature sintered (11) 3518
in $BaTiO_3$, donor-doped (6) 1587
in 12Ce-TZP and 2Y-TZP, control of, space charge concept (11) 3269
in Si_3N_4, during gas-pressure sintering (8) 2441
in ZnO and ZnO-Bi_2O_3, sintered (1) 106
abnormal, in (Ba,Nb)-doped TiO_2 (4) 996
in mixtures, Al_2O_3-ZrO_2 (8) 2508

Granular materials,
Al_2O_3, spray-dried, internal structure in (8) 2555

Graphite,
NbC on, reaction-bonded (12) 3696

Gypsum,
dehydration, during comminution, effect on cement properties (3) 721
waste industrial, hemihydrate and dihydrate, comparison of strength development (8) 2255

Hafnium,
HfO_2, texture and recrystallization on ground surfaces (7) 1941
carbide, combustion-synthesized, compaction of (2) 383
-carbon system, CVD of (6) 1593

Hardness,
Knoop micro-, anisotropy, of rutile (5) 1360
hot, of Y sialon (10) 2834
of tungsten and molybdenum oxides (7) 2117

Heat,
capacity, of monoclinic ZrO_2 (8) 2502
processing, of borazane polymers, reactions during (5) 1409
specific, of refractories, determination of (8) 2316
treatment, of Na_2O-CaO glass rods, strengthening by (7) 2111
of Si_3N_4, strength after (5) 1443

Heating,
CO_2 laser, material removal from SiC by (7) 1947

Hydration,
of C_3S, in diluted suspensions (11) 3319
of pastes, T and X phase cement (4) 1034
reactivity, of diopside (7) 2006
systems, $Ca_2Al_2O_6$-$CaSO_4$·$2H_2O$-$Ca(OH)_2$-H_2O, with and without citric acid (10) 3063

Hydrogen,
wet, removal of carbonaceous residue on substrates with (10) 2944; (10) 2953

Hydroxides,
and fluoride-containing superconductors (1) 146
nickel(II), epitaxial growth on silicate (6) 1719

Hysteresis,
during fatigue, of ceramic matrix composites, origin of (7) 1879

Imaging,
X-ray, flaw detection by (6) 1763

Impact,
damage, in SiC-reinforced Si_3N_4 composites (10) 3019
oblique, of spherical particles onto Si_3N_4 (12) 3607
particle, damage in Si_3N_4 (6) 1613

Impurities,
distribution, in AlN (7) 2167

Indentation,
behavior, of ion-exchanged glasses (4) 970
cracking, in glass and ceramics (4) 786
-produced flaws, in Y-TZP, determination of *R*-curve from (10) 3059
test, for cyclic fatigue (4) 1004

Infiltration
Tai-Chou chemical vapor, time-dependent solution to model (6) 1758
chemical vapor, for composite fabrication, modeling of (6) 1489
of fibrous yarns, model for (8) 2274
melt, during brazing of fiber-reinforced ceramic to metal (1) 178
ceramic-metal composite produced by (1) 97

Infrared,
detection, by Si-Ti-C-O fibers (2) 443

Insulators, electrical,
chemically bonded, electrical properties (9) 2775

Interfaces,
bridged crack, in situ measurement by SEM (11) 3313
ceramic-metal, transitional phases at (9) 2764
of composites, SiC fiber-Li_2O-Al_2O_3-SiO_2 glass matrix (7) 2054
effect on properties, of fiber-reinforced ceramics (6) 1691
reaction-layer, in SiC-fiber-reinforced glass-ceramics (10) 2916
segregation, in perovskites (11) 3391; (11) 3398; (11) 3407; (11) 3416
shale brick-cement-lime and polymer-modified mortars (8) 2301
shear strength, in SiC-fiber-reinforced Si_3N_4 (3) 713

Ion exchange,
glasses, indentation behavior (4) 970

Ions,
cation distribution, in rapidly solidified cobalt ferrite (10) 3002
cation exchanger, Al-substituted gyrolite as (11) 3524
ionic materials, modeling localized defects in (11) 3251
metal, effect on gelation of silicon tetraethoxide (9) 2647

Iridium,
reaction, with metal carbides (4) 838

Joining,
SiC, tape-casting method for (9) 2757
Y-TZP, with Al-Zr alloy (4) 1103

Joints,
brazed, between Al_2O_3 and Ti-6Al-4V alloy, microstructure (6) 1582
soft-buffer-inserted metal/ceramic, residual stress in (11) 3462

Kinetics,
formation, of calcium aluminates (4) 872
mullite formation, of single-phase gel (4) 964
oxidation, of AlN (4) 1108
of $TiCl_4$ (7) 2158
of ZrC (10) 2804
phase transformation, in system Bi_2O_3-ZrO_2 (5) 1453
of sintering, constrained-film (2) 251

Laminates,
composites, delamination cracking in (7) 1936

Lasers,
CO_2, heating, material removal from SiC by (7) 1947
-induced transitions, calcite-aragonite (3) 733
-treated MgO-PSZ, surface microstructure (6) 1519

Lead,
-based powders, perovskite, preparation of (7) 1862
octalithium plumbate, Li diffusion in (6) 1710

Lithium,
diffusion, in octalithium plumbate (6) 1710

Lubrication,
tests, on Al_2O_3 bearings (8) 2247

Machining,
of Ge and Si (4) 949

Magnesium oxide,
dihedral angles in (5) 1371
electronic structure of, band structure calculations (11) 3195
solute, effect on surface difusion in sapphire (4) 833

Magnetic properties,
of superconductors, $YBa_2Cu_4O_8$ (10) 3110

Magnetite,
Verwey transition in, interpretation (11) 3225
and zinc-bearing ferrites, from iron(III) tartrate (8) 2539

Materials,
for fibers, optical (12) 3537

Materials, engineering,
bend bars, precracked, fracture toughness (8) 2519
composites, Si_3N_4, BN, SiC matrix (7) 2137
SiC-Si and SiC-SiC (10) 3091
SiC-whisker-reinforced cellular SiO_2 (11) 3497
non-oxide, crack growth and acoustic emission in (3) 502
strength, flexural (8) 2374
superplastic (9) 2585
tungsten and molybdenum oxides, hardness (7) 2117
two-phase microcracking, residual stresses in (6) 1641

Measurement,
in situ, of bridged crack interfaces in SEM (11) 3313
of IR spectra, of dense ceramics (4) 1078
microcalorimetric, of C_3S hydration in diluted suspensions (11) 3319
neutron diffraction, relation to thermal stresses in SiC/Al_2O_3 composites (11) 3428
of phase abundance, in Mg-PSZ (10) 2822
of stress, using fluorescence in optical microprobe (11) 3189
of temperature distributions, in Na_2O-CaO glass plates (7) 2047

Mechanical properties,
of ZrO_2, polycrystalline *t'* (12) 3650
R-curve behavior, of SiC whisker-Al_2O_3 matrix composites (7) 2060
of polycrystalline Al_2O_3 (5) 1399
of cesium iodide (3) 496
of composites, Al_2O_3-ZrO_2, effect of compaction on retention of ZrO_2 (2) 346
ZrO_2-toughened Al_2O_3-10 vol% SiC whisker (3) 740
β-Si_3N_4-whisker/Si_3N_4-matrix (11) 3493
reinforced zircon-silicon carbide (8) 2399
cyclic fatigue-crack propagation, in MgO-PSZ (4) 893
of films, taeniolite-acriflavine (3) 689

Melting,
SiO_2, up to 7 GPa (12) 3706
glass, Na_2O-CaO-SiO_2, effect of particle size distribution (1) 24
glasses, lead oxide-containing, effect of batch moisture and atmosphere (7) 2165

Melts,
CaO-MgO-Al_2O_3-SiO_2, dissolution of sapphire into (12) 3633; (12) 3643
Si-Mo, reaction-bonding of SiC with (5) 1193
Y_2O_3-SiO_2; intergranular phase in Si_3N_4 (12) 3575
borosilicate glass, solubility of Pd in (5) 1435
glass, containing variable-valence ions, O diffusion in (7) 1857

Metals,
carbide, analysis of free C in (8) 2558
liquid, coatings on substrates by transfer of (9) 2753

Microscopy,
SEM, in situ measurements of bridged crack interfaces by (11) 3313
measurement of tensile strength of fibers (5) 1189
scanning tunneling, of cubic SiC surfaces (11) 3264

Migration,
of intergranular boundaries, in ZrO_2-Y_2O_3, induced by MgO addition (7) 2063

Minerals,
geothite, characterization of (1) 121
gyrolite, Al-substituted, as cation exchanger (11) 3524

Mixtures,
Al_2O_3-ZrO_2, grain growth in (8) 2508
H_2-H_2O-Ar, reaction of SiC with (8) 2330
lead magnesium niobate-pyrochlore diphasic, microstructure and dielectric properties (1) 68
ZrO_2-HfO_2, crystallization exotherms of (6) 1780

Modeling,
chemical vapor infiltration, for fabrication of composites (6) 1489

Models,
Mott-Littleton and quantum cluster, of localized defects in ionic materials (11) 3251
Tai-Chou chemical vapor infiltration, time-dependent solution to (6) 1758
atomistic, of polarons in $YBa_2Cu_3O_7$ (11) 3185
chemical, for carbonation of grout-water slurry (6) 1681
for chemical vapor infiltration, of fibrous yarns (8) 2274
cluster, for electronic structure of superconducting oxides (11) 3231
computer, of final-stage sintering (10) 2857; (10) 2865
fracture, for ceramics (3) 639
isotropic constitutive, for sintering particle packings (8) 2266
preliminary, for radiation damage in ceramics (8) 2446
strength, multiaxial elemental (8) 2205
stress, of crystal orientation dependence of machining damage (10) 3113
theoretical, for binder burnout (3) 575

Moisture,
batch, effect on melting of lead oxide-containing glass (7) 2165

Molding,
injection, effect of rhology of mixes (7) 2171
particle packing in (9) 2653

Molds,
dental, for casting Ti and Ti alloys (1) 35

Morphology,
of abnormal grains, in liquid-phase-sintered Al_2O_3 (7) 2086
of particles, ZnS (2) 245
boehmite, effect of hydrothermal conditions (8) 2385
of phase separation, in AlN-Al_2O_3 and SiC-AlN (9) 2640
of whiskers, 2H-SiC (4) 919

Mortars,
cement, hydrated, NMR study (3) 736
cement-lime and polymer-modified, interface with shale bricks (8) 2301

Mullite,
Al_2O_3 particulate composites, by infiltration (12) 3611
-ZrO_2-Al_2O_3-SiC composites, oxidation of (5) 1417
expansion of, thermal (7) 2073
formation kinetics, of single-phase gel (4) 964
whiskers, from gel powders (9) 2736

Niobates,
$KNbO_3$, microstructure and dielectric properties (5) 1449
$Pb(Mg_{0.7}Zn_{0.3})_{1/3}Nb_{2/3}O_3$, capacitors, rapid thermal processing of (4) 909
$Pb(Mg_{1/3}Nb_{2/3})O_3$, xerogel, solid-state epitaxy effects in (4) 1024
bismuth nickel zinc, dielectric materials based on (4) 1106
lead, in PbO-rich region (6) 1705
lead magnesium, with A-site substitution, ordering behavior (5) 1253
microstructure and properties, role of lead and magnesium oxide (4) 825
optical transparent, fabrication of (4) 923
potassium strontium, microstructure and dielectric properties (1) 127
zinc-modified lead magnesium, stoichiometric, rapid sintering of (4) 913

Nitridation,
of films, TiO_2 (9) 2750

Nitrides,
AlN, creep and cavitation of (7) 1928
impurity distribution in (7) 2167
luminescence studies of O-related defects (11) 3238
oxidation kinetics (4) 1108
thermal diffusivity-conductivity, temperature dependence (8) 2511
BN, aerogels, formation and pore structure (3) 757
synthesis of (8) 2238
C, precursors, shock wave compression of (7) 1973
$Ce_3B_2N_4$, and isotypic $RE_3B_2N_4$ (RE=La, Pr, Nd, MM) (9) 2634
TiN, combustion synthesis of (8) 2222
effect of porosity on combustion synthesis (5) 1235
borosilicon, borasilazane polymeric precursor for (7) 2131
lanthanide aluminum oxy-, with magnetoplumbite-like structure, oxidation behavior (3) 770
and silicide layers, reactions which form (3) 509

Nitrogen,
ammonia, reaction with fumed SiO_2 (10) 2926

Nuclear materials,
Na-rich waste, radiation damage in Cm-doped titanate containing (11) 3433
fusion damage experiments, preparation of ^{17}O-enriched Al_2O_3 for (2) 425
titanate waste, impurities as phase assemblage modifiers in (2) 217
titanate wastes, incorporation of transuranic elements in (2) 370
wastes, control of glass melters for (10) 2896; (10) 2903
with high Zr-Cd-Na content, ceramics for consolidating (7) 1901
Nucleation,
microcrack, in brittle polycrystals (6) 1548
rate curve, for lithium disilicate glass, DTA (2) 439
Optical materials,
point defects in (6) 1473
transparent, lead magnesium niobate, fabrication of (4) 923
Optical properties,
of $BaTiO_3$, photorefractive (11) 3200
of VO_2 and V_2O_5 (11) 3206
absorption edge, of sputter-deposited ZrO_2 and Y_2O_3 (11) 3209
basicity, in TiO_2 (8) 2564
of cesium iodide (3) 496
excited states, in wide-band-gap semiconductors, detection with tunneling spectroscopy (11) 3257
third-harmonic generation, in chalcogenide glasses (6) 1794
transparency, in glass-ceramics of system sodium niobate-SiO_2 (9) 2743
Orientation,
crystal, dependence of machining damage, stress model (10) 3113
ribbon, effect on fracture toughness of metallic-glass-ribbon-reinforced glass-ceramic matrix composites (10) 2962
substrate, of SiC films, effect on interfacial and bulk character (5) 1289
Oxalates,
barium titanyl oxalate tetrahydrate, characterization of (11) 3422
Oxidation,
of Al, microstructure of Al_2O_3-Al composite made by (9) 2610
of SiO_2, Si_3N_4, and SiC, application of volatility diagram to (10) 2789
of $TiCl_4$, kinetics (7) 2158
of α-SiC, effect on strength (7) 1868
of alloys, molten Al, effect of Mg-Al spinel (9) 2615
behavior, of lanthanide aluminum oxynitride (3) 770
of composites, Al_2O_3-TiN (1) 142
SiC-reinforced oxide-matrix (4) 1014
mullite-ZrO_2-Al_2O_3-SiC (5) 1417
high-temperature, of CVD SiC in wet O (12) 3580
kinetics, of AlN (4) 1108
of ZrC (10) 2804
Oxides,
BeO, polycrystalline, static fatigue behavior (7) 2038
CO_2, sensor, of porous hydroxyapatite (5) 1456
Fe and Ni, point defects and surface diffusion in (3) 587
GeO_2, characterization of (2) 242
Mg or Pb, role in microstructure and properties of lead magnesium niobate (4) 825
NO_2, use to improve properties of $YBa_2Cu_3O_7$ (4) 904
Ni, reduction in NiO-ZrO_2 and NiO-Y_2O_3 eutectic structures (6) 1524
PbO, effect of phase transformation on PZT formation (2) 232
SnO_2, temperature dependence of electrical conductivity (9) 2771
V_2O_3, synthesis by evaporative decomposition (12) 3715
V_2O_3, molten, etching Al_2O_3 with (7) 2151
VO_2 and V_2O_3, optical properties (11) 3206
W and Mo, hardness (7) 2117
α-Ta_2O_5, nonstoichiometry and mixed conduction in (6) 1700
high-T_c, atomistic simulation (11) 3175
mixed Cu-Al, structure and reduction of (2) 358
spinel-type, O-sensing properties, for air-fuel control (4) 818
microwave sintering of (8) 2515
Oxygen,
molecular, precipitation in ZrO_2 electrolytes (11) 3382
pressure, effect on Y_2O_3-BaO-CuO liquidus (5) 1208
-sensing properties, of spinel-type oxides, for air-fuel control (4) 818
vacancies, studied by perturbed angular correlation spectroscopy (11) 3215
Palladium,
solubility, in borosilicate glass melt (5) 1435
Particles,
Al_2O_3, measurement of SiO_2-gel coating on (7) 2163
Ti, nitriding (5) 1150
ZnS, morphology (2) 245
ZrO_2, monodispersed, growth mechanisms (1) 131
prepared by sol-emulsion-gel method (9) 2760
synthesis by spray pyrolysis (1) 61
boehmite, effect of hydrothermal conditions on morphology (8) 2385
dispersion, effect on combustion synthesis of titanium silicide (5) 1240
packing, in injection molding (9) 2653
packings, sintering, model for (8) 2266
size, effect on phase transformation in ZrO_2 (11) 3528
size distribution, equation for (5) 1392
spherical, oblique impact onto Si_3N_4 (12) 3607
two, simulation of viscous sintering of (1) 173
Pastes,
cement, T and X phase, hydration and strength (4) 1034
UV-curable, patterned films from (11) 3339
Pellets,
Al_2O_3, reactivity of C formed by degradation of poly(vinyl butyral) in (6) 1620
Perovskites,
Pb-based, powders, preparation of (7) 1862
segregation in, interfacial (11) 3416; (11) 3407; (11) 3398; (11) 3391
Phase equilibria,
systems, Bi_2O_3-SiO_2 (1) 158
CaO-Al_2O_3 (1) 15
Eu_2O_3-BaO-CuO (10) 3088
SrO-CuO and SrO-$\frac{1}{2}Bi_2O_3$ (8) 2531
Phases,
abundance, in Mg-PSZ, measurement of (10) 2822
analysis, of Mg-PSZ (10) 2828
anhydrous, in system CaO-SiO_2-H_2O, saturated solutions of (11) 3486
carbonate, in concretes, spectrometric study (12) 3617
change, in explosively shock-treated Al_2O_3 (1) 49
distribution, in glass-ceramics of system sodium niobate-SiO_2 (9) 2743
grain-boundary glass, effect on superplastic deformation of TZP (10) 3069
liquid, effect on superplasticity of Y-TZP (6) 1626
metastable, formation during crystallization of magnesium metaphosphate glass (10) 2970
separation, in AlN-Al_2O_3 and SiC-AlN (9) 2640
superconducting, formation in system Bi-Pb-Sr-Ca-Cu-O (11) 3507
superconductor, in system Tl-Ca-Ba-Cu-O (11) 3345
ternary, in system alkaline-earth rare-earth sulfide (6) 1766
transitional, at ceramic-metal interfaces (9) 2764
Phosphates,
$CePO_4$, monazite-type, sintering and properties (12) 3594
$NaZr_2P_3O_{12}$, sol-gel synthesis (7) 2153
Physical properties,
of films, TiO_2-SiO_2 (8) 2217
of glasses, SiO_2-Al_2O_3-Eu_2O_3 (6) 1733
fluorozirconate and fluorzurco-hafnate, effect of aluminum fluoride (9) 2677
Physics,
drying, theory of (1) 3
space charge concept, of grain size control of TZP (11) 3269
Piezoelectric materials,
power, causes of instability and aging (7) 1854
semiconductive, admittance-curve-fitting method for (5) 1330
Piezoelectric properties,
resistivity, in polymer-ceramic composite (2) 263
Pigments,
zirconium silicate, gray, synthesis from zircon minerals (10) 2892
Pipe,
ceramic-lined, by centrifugal-thermit process (3) 629
Plasticity,
super-, of HIPed hydroxyapatite (2) 457
of Y-TZP, effect of liquid phase (6) 1626
superplastic bulging, of Y-TZP (3) 746
transformation, at high strain rate in Mg-PSZ (1) 136
Plastics,
super- (9) 2585
Polarization,
thermally stimulated, in halogen-containing lead silicate glasses (4) 938
Polymers,
Si-backbone, to SiC, pyrolysis of (2) 237
adsorbed on Al_2O_3, surface chemistry (8) 2543
borazene, reactions during thermal processing (5) 1409
formation, in system CaO-SiO_2-P_2O_5 (2) 430
-impregnated superconductors, property-porosity relationship (8) 2323
poly(vinyl butyral), impact on binder thermolysis (9) 2702
for precursors, derivation (9) 2714
Porcelain,
formulated from Weinstein patent, viscosities of (2) 446
Pores,
drag, and pore-boundary separation in Al_2O_3 (11) 3302
size, effect on final-stage sintering (10) 2865
structure, of green compacts (8) 2261
Porosity,
effect on combustion synthesis, of TiN (5) 1235
grain boundary-pore contact, during sintering, method for quantifying (12) 3703
property- relationships, for polymer-impregnated superconductors (8) 2323
Porous materials,
SiO_2, derived from gels, elastic properties (11) 3376
TiO_2-SiO_2, preparation of (8) 2536
glasses, viscosity of (9) 2697
strength and stiffness of, test (9) 2684
Potassium,
vapor attack, in refractories of system Al_2O_3-SiO_2 (5) 1413
Powders,
PLZT, crystallization of (1) 31
AlN, degradation in aqueous environment (3) 724
$Ba_2YCu_3O_7$, preparation by calcining (2) 435
$CePO_4$, monazite-type, sintering and properties (12) 3594
MgO-ZrO_2 and (MgO,Y_2O_3)-ZrO_2, processing and sintering of (6) 1499
Pb-based, perovskite, preparation of (7) 1862
Si_3N_4 and Si_3N_4+SiC mixed, preparation of (11) 3356
TiO_2 anatase, initial sintering of (1) 79
V_2O_3, synthesis by evaporative decomposition (12) 3715
Y-Ba-Cu-O, prepared by metal nitrate-urea decomposition (10) 3103
ZnS, spherical, formation of (8) 2360
ZrO_2, alcohol interaction with (6) 1504
β-SiC, sol-gel synthesis (7) 2107
calcium aluminate, processing (6) 1768
calcium hydroxyapatite, preparation (6) 1803
ceramic, ultrasonic dispersion of (8) 2552
compaction, analysis of rate diagram (2) 465
composite, mullite cordierite, sol-gel preparation of (3) 537
formation of superconductors from, Bi-Pb-Sr-Ca-Cu-O (6) 1771
gel, mullite whiskers from (9) 2736
glass, solidification with simulated radioactive waste (2) 317
spherical, sintering under stress (3) 707
of powders, $BaTiO_3$ based (4) 942
sialon, combustion synthesis of (12) 3700
Precipitates,
tetragonal, coarsening in PSZ due to stress (12) 3658
Precipitation,
co-, of 1-2-3 superconductors from hydroxide-carbonate (12) 3557
Precursors,
to $BaTiO_3$, thermal analysis (11) 3363
borasilazane polymeric, for borosilicon nitride (7) 2131
carbon nitride, preparation and shock wave compression of (7) 1973
organometallic polymeric, Si_3N_4 derived from (8) 2412
polymers for, derivation (9) 2714
for sol-gel processing, of $PbTiO_3$, structure of (8) 2547
Preforms,
torch, optical fiber, collection and characterization of soot from (10) 2987
Pressing,
HIPing, of Al_2O_3 (1) 74
of Si_3N_4-SiC whisker composites without sintering aids (10) 3033; (10) 3039
of Si_3N_4-SiO_2 (4) 1095
effect on properties and microstructure of $YBa_2Cu_3O_{7-x}$ (2) 450
of presintered ZrO_2 (4) 1069
Pressure,
nitrogen, effect of combustion synthesis of TiN (8) 2222
Probe,
Raman micro-, measurement of stresses using fluorescence in (11) 3189
Production processes and equipment,
molding, injection, effect of rheology of mixes (7) 2171
Pyrolysis,
of Si-backbone polyers, to SiC (2) 237
spray, synthesis of ZrO_2 particles by (1) 61
Quality control,
multiaxial failure, Weibull approach (8) 2205
Reactions,
of Ir, with metal carbides (4) 838
of SiC, with H_2-H_2O-Ar mixtures (8) 2330
of ammonia, with fumed SiO_2 (10) 2926
fluorination, of ammonium bifluoride (5) 1339
interfacial, during brazing of fiber-reinforced ceramic to metal (1) 178
solid-state powder, of oxide superconductors, impedance spectra during (1) 154
thermal, of aluminum alkoxide in glycols (4) 1100
during thermal processing, of borazene polymers (5) 1409
which form layers, both silicide and nitride (3) 509
Reactivity,
of C, formed by degradation of poly(vinyl butyral) in Al_2O_3 pellets (6) 1620
hydration, of diopside (7) 2006
of superconductors, with Pd alloys (6) 1760
Reactors,
fluidized bed, nitriding Ti particles in (5) 1150
Reduction,
of NiO, in NiO-ZrO_2 and NiO-Y_2O_3 eutectic structures (6) 1524
of oxides, mixed Cu-Al (2) 358
Refractive index,
of glasses, rare-earth aluminosilicates (1) 39
Refractories,
Al_2O_3-SiO_2 system, K vapor attack in (5) 1413
aluminosilicate, reduction of Al alloy attack (3) 491
high-Al_2O_3, corrosion resistance and microstructure (4) 1074
thermal conductivity and specific heat, simultaneous determination of (8) 2316
thermally cycled, acoustic emission of (10) 2809
Resistivity, electrical,
PTCR, $PbTiO_3$ with (5) 1438
of composites (8) 2187
of films, RuO_2-glass, effect of microstructure (7) 1953
grain-boundary, of TZP (8) 2505
Resonance,
of Co^{2+}, in alkali borate and alkali germanate glasses (7) 2134
Rheology,
of ZnS, effect of diamond dispersion (8) 2213
of mixes, effect on injection molding (7) 2171
Rutile,
Cr in, chemical state and coloration (11) 3351
single-crystal, Knoop microhardness anisotropy of (5) 1360
Salts,
LiF-22% CaF_2, intergranular fracture of (2) 403
chloride, molten, stability of $YBa_2Cu_3O_{7-x}$ in (8) 2407
Sapphire,
cracks in, lithographically introduced, healing of (3) 592

dissolution, in CaO-MgO-Al_2O_3-SiO_2 melts (12) 3633; (12) 3643
interfacial structure in Si on (5) 1136
surface diffusion in, effect of MgO solute (4) 833
Segregation,
interfacial, in perovskites (11) 3416; (11) 3407; (11) 3398; (11) 3391
surface, in Al-doped TiO_2 under oxidizing potential (6) 1633
Selenides,
PbSe, densification by HIPing (1) 140
Semiconductors,
$BaTiO_3$, La-Mg-La-Mn donor-acceptor-codoped (2) 329
from TiO_2 via (titanium(catecholate)$_3$)$^{2-}$ (5) 1429
effect of stoichiometry, microstructure, and PTCR (3) 531
CdS-CdTe, solar cells, effect of annealing of electrodes on properties (1) 150
II-IV-V_2, glass-crystal transition in (5) 1351
barium lead titanate, high-Curie-point PTCR ceramics, fabrication of (9) 2767
glasses, hydroxyl- and fluoride-free ZnO-B_2O_3-Al_2O_3-P_2O_5 (11) 3500
piezoelectric, admittance-curve-fitting method for (5) 1330
wide-band-gap, detection of optically excited states in (11) 3257
Sensors,
CO_2, of porous hydroxyapatite (5) 1456
humidity, TiO_2-$K_2Ti_4O_{13}$, electrical properties (7) 1992
Separation,
pore-boundary, in Al_2O_3, pore drag and (11) 3302
Sialons,
α- and β-, fracture strength (7) 2128
creep, flexural, analysis of (8) 2366
glass, synthesis and characterization (8) 2494
powders, combustion synthesis of (12) 3700
yttrium, hot hardness behavior (10) 2834
Silicates,
sodium di-, crystals, sodium self-diffusion in (12) 3712
SiO_2-K sol-gels, pore structure (8) 2228
Y_2O_3-SiO_2, intergranular phase in Si_3N_4 (12) 3575
nanocomposites, growth of nickel(II) hydroxide on (6) 1719
Silicides,
Mo di-, dislocations and plastic deformation in (6) 1752
Ti, effect of particle dispersion on combustion synthesis (5) 1240 and nitride layers, reactions which form (3) 509
Silicon,
SiO_2 to (6) 1726
crystals, atomic crack tips in (3) 761
grain boundaries in (4) 933
machining (4) 949
on sapphire, interfacial structure in (5) 1136
slips, nonaqueous, steric stabilization of (10) 2879; (10) 2886
tetraethoxide, effect of metal ions on gelation (9) 2647
Silicon carbide,
CVD, analysis of pyrolysis products (3) 607
oxidation in wet O (12) 3580
-AlN composites, preparation of (2) 352
-SiC composites, fiber-matrix bond-strength characteristics (8) 2573
α-, corrosion and flexural strength, effect of H-H_2O atmosphere (3) 694
corrosion in O-Cl gases (5) 1323
effects of oxidation on strength (7) 1868
β-, characterization of (8) 2281
films on Si and C (0001) faces of α-SiC, defects in (5) 1283
powder, sol-gel synthesis (7) 2107
with additions of Y_2O_3 and Al_2O_3, toughening behavior (5) 1431
crystals, atomic crack tips in (3) 761
cubic, surfaces, scannng tunneling microscopy of (11) 3264
damage resistance, to foreign objects (6) 1714
-fiber-reinforced glass-ceramics, reaction-layer interfaces in (10) 2916
film, CVD, effect of substrate orientation on interfacial and bulk character (5) 1289
films, CVD, growth mechanism (10) 3046
fracture behavior (10) 3081
hot corrosion of, burner rig (2) 303
joining, tape casting for (9) 2757
material removal, by CO_2 laser heating (7) 1947
matrix-ceramic fiber composites, thermal expansion of (5) 1334
neutron-irradiated, effect of stress on defects and bubble swelling during annealing (8) 2435
oxidation, in air, active-to-passive transition in (6) 1540
polymers to, Si-backbone, pyrolysis of (2) 237
polyphasic, Raman and NMR analysis (8) 2242
reaction with H_2-H_2O-Ar mixtures (8) 2330
reaction-bonding, using Si-Mo melts (5) 1193
-reinforced oxide-matrix composites, oxidation of (4) 1014
sintering aid, effects of C as (1) 148
strength distribution, effects of plasma-sprayed coatings (9) 2690
whisker suspensions, electrokinetic behavior (9) 2747
whiskers, comparison between Al_2O_3 and Si_3N_4 toughened with (3) 521
whiskers and particles, strengthening Si_3N_4 matrix composites with (3) 678
Silicon dioxide,
to Si (6) 1726
-TiO_2 ceramics, porous, preparation of (8) 2536
cellular, processing and properties (1) 85
corrosion of, hot (4) 989
films, sol-gel, ion-beam analysis of (10) 3106
fumed, reaction of ammonia with (10) 2926
fused, ionic conductivity in (2) 409
glass, semiconductor CdS-doped, by sol-gel process (7) 2097
grains, polydispersed, dissolution in glass melts (10) 3053
melting, up to 7 GPa (12) 3706
porous, derived from gels, elastic properties (11) 3376
soot, from optical fiber preform torch, collection and characterization of (10) 2987
structure and defects, total energy calculations for (11) 3247
suspensions, filtration and sedimentation of (9) 2720
xerogels, elastic properties (11) 3466
Silicon nitride,
-SiC composites, combustion synthesis of (11) 3514
SiC-fiber-reinforced, thermal diffusivity-conductivity (2) 312
SiC mixed powders, preparation of (11) 3356
-SiO_2, HIPing and strength of (4) 1095
active-to-passive, in oxidation of SiC and Si_3N_4 in air (6) 1540
β-, grain growth during gas-pressure sintering (8) 2441
whiskers, characterization of (1) 102
bonding, solid-state, with Ni-Cr alloy interlayers (5) 1221
brazing, bonding mechanisms in (3) 552
corrosion, gaseous, in H_2-H_2O and Ar-O_2 (10) 3007
damage resistance, to foreign objects (6) 1714
hot corrosion of, burner rig (2) 303
impact damage in, particle (6) 1613
impact of particles onto, oblique (12) 3607
intergranular phase in, Y_2O_3-SiO_2 (12) 3575
metal-organic CVD of (3) 764
from organometallic polymeric precursor (8) 2412
oxidation, in air, active-to-passive transition in (6) 1540
powders, preparation of (11) 3356
reaction-sintered, computer simulation of microstructure (2) 286
sintered, with Y-sialon glass, crystallization and strength of (6) 1606
slip-cast, strength of (6) 1744
subcritical crack growth in (7) 2095
sintering, effect of α to β (β') phase transition (3) 767
strength, after heat treatment in Ar-O_2 and H_2-H_2O (5) 1443
Sintering,
(Ba,Sr)O-Sm_2O_3-TiO_2, effect on microwave properties (6) 1599
$BaTiO_3$, effect of green states (6) 1566
$PbFe_{0.5}W_{0.5}O_3$, formation of liquid phase during (5) 1214
Si_3N_4, effect of α to β (β') phase transition (3) 767
$YBa_2Cu_3O_{6+x}$, effect of inclusions (9) 2740
aid, C, effect on SiC (1) 148
composites, particulate (3) 602
with rigid inclusions (1) 54
constrained-film, kinetics of (2) 251
final-stage, computer simulation (10) 2857; (10) 2865
gas-pressure, of β-Si_3N_4, grain growth during (8) 2441
grain boundary-pore contact during, method for quantifying (12) 3703
through green-state deformation (7) 2032
initial, of TiO_2 anatase powder (1) 79
liquid-phase, of Al_2O_3, growth of abnormal grains during (7) 2077
of Al_2O_3, morphology of abnormal grains (7) 2086
of Al_2O_3, solution-precipitation during (2) 275
microwave, of spinel-type oxides (8) 2515
particle packings, model for (8) 2266
powders, MgO-ZrO_2 and (MgO,Y_2O_3)-ZrO_2 (6) 1499
monazite-type $CePO_4$ (12) 3594
glass (3) 707
pressureless, of SiC-whisker-reinforced Al_2O_3 composites (7) 1884; (7) 1894
rapid, of zinc-modified lead magnesium niobate (4) 913
diffusion in—comment (8) 2576
diffusion in—reply (8) 2579
self-combustion, of Al_2O_3-TiC composites (5) 1451
viscous, of two particles, simulation (1) 173
Slips,
Si, nonaqueous, steric stabilization of (10) 2879; (10) 2886
Slurries,
grout-water, carbonation of, chemical model (6) 1681
Sol-gel process,
of $NaZr_2P_3O_{12}$ (7) 2153
of glasses, semiconductor CdS-doped (7) 2097
of particles, ZrO_2 (9) 2760
of powders, mullite cordierite composite (3) 537
Solids,
diffusion in, via nuclear track analysis (6) 1797
Solutions,
Ca-Na-Cl brines, dissolution of sphene glass-ceramic in (3) 544
of O and CO_2, from bubbles in silicate glasses containing arsenic oxide (10) 2873
of SiO_2 grains, polydispersed, in glass melts (10) 3053
of sapphire, in CaO-MgO-Al_2O_3-SiO_2 melts (12) 3633; (12) 3643
saturated, of anhydrous phases in system CaO-SiO_2-H_2O (11) 3486
Solutions, solid,
(K,Na,Li)VO_3, pyroxene-type (2) 469
XNiO+(1−X)Tm_2O_3, electrical conductivity of (11) 3470
lead niobates, in PbO-rich region, formation of (6) 1705
magnesium aluminate spinel, grain-boundary migration in (5) 1153
Spectra,
Raman, of molybdenum phosphate glasses (3) 753
impedance, during solid-state powder reactions of oxide superconductors (1) 154
IR, of dense ceramics, measurement of (4) 1078
Spectrometry,
^{13}C and ^{18}O mass, study of carbonate phases in concretes (12) 3617
Spectroscopy,
EPR, of textured ceramics (8) 2333; (8) 2345
IR, of lead and alkaline-earth aluminosilicate glasses (4) 846
perturbed angular correlation, of O vacancies in ceramics (11) 3215
photoemission, of high-temperature superconductivity (11) 3161
tunneling, for detection of optically excited states in semiconductors (11) 3257
electrical properties of ZnO grain boundaries determined by (10) 3026
Spheres,
ZrO_2, densification behavior (11) 3368
Spinels,
Mg-Al, effect on oxidation of molten Al alloys (9) 2615
magnesium aluminate, solid solutions, grain-boundary migration in (5) 1153
-type oxides, O-sensing properties, for air-fuel control (4) 818
microwave sintering of (8) 2515
Stability,
of $YBa_2Cu_3O_{7-x}$, in molten chloride salts (8) 2407
field, of cotunnite-type ZrO_2 (3) 744
phase, of zinc ferrite (2) 258
Stabilization,
steric, of nonaqueous Si slips (10) 2879; (10) 2886
Statistics,
fracture, for reliability analysis (7) 1917
Stoichiometry,
non-, in α-Ta_2O_5 (6) 1700
in pure and Zr-doped Y_2O_3 (8) 2467
Strain,
gage, for determination of residual stress (7) 2100
determination of residual stress using (9) 2628
high rate, in Mg-PSZ, plasticity at (1) 136
Strength,
of Al_2O_3, role of grain size (8) 2419
of Si_3N_4, after heat treatment (5) 1443
sintered with Y-sialon glass (6) 1606
slip-cast, sintered (6) 1744
of Si_3N_4-SiO_2 (4) 1095
of α-SiC, effect of oxidation (7) 1868
analysis, of Y-TZP (9) 2667
of composites, WC-Co, effect of thermal shock on degradation (12) 3692
fiber- or whisker-reinforced brittle-matrix (10) 2839
degradation, in SiC-reinforced Si_3N_4 composites (10) 3019
distribution, of SiC, effects of plasma-sprayed coatings (9) 2690
fiber-matrix bond-, of SiC-SiC composites (8) 2573
flexural, of sintered α-SiC (3) 694
flexure, of engineering materials (8) 2374
fracture, of Na_2O-CaO glass in water, effect of stress (7) 2114
of SiC (10) 3081
of SiC-whisker-reinforced Al_2O_3 matrix composites (2) 394
of α- and β-sialon (7) 2128
of metal-particulate/brittle matrix composites (5) 1405
of metallic-glass-ribbon-reinforced glass-ceramic matrix composites, effect of ribbon orientation (10) 2962
mixed mode (5) 1257
of particulate composites of diamond and zinc sulfide (10) 3074
of precracked bend bars (8) 2519
tensile (8) 2457
of gypsum, waste industrial (8) 2255
interfacial shear, in SiC-fiber-reinforced Si_3N_4 (3) 713
mechanical, of Na_2O-CaO glass, increased by aging—comment (5) 1461
mechanical, of Na_2O-CaO glass, increased by aging—reply (5) 1464
model, multiaxial elemental (8) 2205
of porous materials, test for (9) 2684
tensile, of fibers, SEM measurements (5) 1189
Strengthening,
behavior, of SiC with additions of Y_2O_3 and Al_2O_3 (5) 1431
composites, Si_3N_4 matrix, with SiC whiskers and particles (3) 678
particulate-reinforced cermic-matrix, by thermal residual stress (5) 1382
of glass, by polymer-derived ceramic coatings (1) 170
by sol-gel coatings (4) 978
mechanisms, in cemented carbides (10) 2938
rods, Na_2O-CaO glass, by heat treatment plus silanes (7) 2111
Stresses,
in SiC, neutron-irradiated, effect on defect annihilation (8) 2435
in ZrO_2-modified $BaTiO_3$, effect of core shell grains (5) 1268
equibiaxial, effect on fracture strength of Na_2O-CaO glass in water (7) 2114
interfacial shear, effect on cracking in ceramic-matrix composites (10) 2930
measurements, using fluorescence in optical microprobe (11) 3189
residual, in Al_2O_3-SiC whisker composites (8) 2474
in brazed ceramic-metal compounds (5) 1144
determination using strain gage (9) 2628
profile, using strain gage (7) 2100
relationship to defect severity (5) 1318
soft-buffer-inserted metal/ceramic joint (11) 3462
in two-phase microcracking ceramics (6) 1641
surface, in glasses, effect on indentation fracture (9) 2619
thermal, relation to neutron diffraction measurements in SiC/Al_2O_3 composites (11) 3428
thermal expansion mismatch, effect on fracture of B_4C (10) 3116
thermal residual, toughening particulate-reinforced ceramic-matrix by (5) 1382
topotactically modified, in coatings (3) 684
Structure,
core-shell, in ZrO_2-modified $BaTiO_3$ (12) 3562
defect, of lanthanum cuprate (11) 3453
domain, of $(Pb_{1-x},Ca_x)TiO_3$, effect of c/a ratio (6) 1534
electronic, of MgO, band structure calculations of (11) 3195

of ceramic materials (11) 3135
of high-temperature superconductors (11) 3170
of photorefractive $BaTiO_3$ (11) 3200
of superconducting oxides, cluster model (11) 3231
electronic band, of Al_2O_3, comparison to AlON and AlN (3) 477
ferroelectric domain, of La-modified $PbTiO_3$ (3) 615
of glasses, SiO_2-Al_2O_3-Eu_2O_3 (6) 1733
calcium, strontium, and barium gallosilicate (2) 213
lead halosilicate (2) 379
sodium aluminosilicate (10) 2848
of grain boundaries, Al_2O_3 (8) 2485
interfacial, in Si on sapphire (5) 1136
internal, in Al_2O_3 granules (8) 2555
inversion twin boundaries, in ZnO (4) 877
local, of xAl_2O_3·$(1-x)NaPO_3$ glasses (8) 2293
ordering behavior, of lead magnesium niobate with A-site substitution (5) 1253
of oxides, mixed Cu-Al (2) 358
pore, of BN aerogels (3) 757
of colloidal SiO_2-K sol-gel (8) 2228
of green compacts (8) 2261
of precursors, sol-gel, of $PbTiO_3$ (8) 2547

Structure, micro-,
of Al_2O_3, brazed with Ag-Cu-Ti alloy (6) 1785
of AlN (7) 1928
of (Ba,Nb)-doped TiO_2, effect of powder characteristics (2) 420
of $BaTiO_3$, effect of green states (6) 1566
semiconducting (3) 531
of $KNbO_3$ (5) 1449
of Nb_2O_5-doped $SrTiO_3$ (5) 1308
of Si_3N_4, computer simulation (2) 286
of TiB_2 and TiC, combustion-synthesizedand dynamically consolidated (5) 1274
of Y_2O_3, effect on indentation fracture (7) 1873
of Y-stabilized ZrO_2 (9) 2728
of $YBa_2Cu_3O_{7-x}$, effect of HIPing (2) 450
of ZrO_2, polycrystalline t' (12) 3650
of ceramics, 96% Al_2O_3 (12) 3684; (12) 3677; (12) 3670
of composites, Al_2O_3-Al (9) 2610
of dielectric mixtures, lead magnesium niobate-pyrochlore diphasic (1) 68
evolution, during infiltration treatment of TiC-Fe composite (7) 1979
of films, RuO_2-glass, effect on resistivity (7) 1953
of joints, brazed between Al_2O_3 and Ti-6Al-4V alloy (6) 1582
of lead magnesium niobate, role of lead and magnesium oxide (4) 825
-mechanical property relationship, of Al_2O_3 and ZrO_2-toughened Al_2O_3 (5) 1181
of potassium strontium niobate (1) 127
surface, of laser treated MgO-PSZ (6) 1519

Substrates,
carbonaceous residue, removal with wet H (10) 2944; (10) 2953
coatings on, by liquid metal transfer (9) 2753
elastic, crack spacing in brittle films on (7) 2144
fracture, caused by residually stressed films (3) 634

Sulfides,
B_2S_3, preparation of (11) 3481
PbS, densification by HIPing (1) 140
ZnS, effect of diamond dispersion on rheology (8) 2213
particles, morphology (2) 245
spherical powders, preparation of (8) 2360

Superconductivity,
high-temperature, photoemission studies of (11) 3161

Superconductors,
$Ba_2YCu_3O_7$, effect of Pr and U on J_c (12) 3698
Bi-Pb-Sr-Ca-Cu-O, formation from powder (6) 1771
Bi-Sr-Ca-Cu-O and Tl-Ba-Ca-Cu-O, shock processing of (6) 1791
$Bi_2Sr_2CaCu_2O_x$, coupling nature at grain boundaries (12) 3569
Y_2O_3-BaO-CuO liquidus, O pressure effect on (5) 1208
$YBa_2Cu_3O_{6+x}$, effects of inclusions on sintering (9) 2740
$YBa_2Cu_3O_7$, use of NO_2 to improve properties (4) 904
polarons in, atomistic study (11) 3185
$YBa_2Cu_3O_{7-\delta}$, annealing, TEM study (5) 1159
$YBa_2Cu_3O_{7-x}$, defect equilibria and transport in (4) 1040; (4) 1048; (4) 1054
effect of HIPing on properties (2) 450
liquid formation at peritectic temperature (7) 2147
stability in molten chloride salts (8) 2407
$YBa_2Cu_4O_8$, properties of (10) 3110
1-2-3, coprecipitation from hydroxide-carbonate (12) 3557
analysis of, Jonker "pear" (2) 415
composites, polymer-impregnated, property-porosity relationships (8) 2323
films, $Ba_2YCu_3O_{7-\delta}$, preparation of (4) 885
Bi-Pb-Sr-Ca-Cu oxide, by spray pyrolysis (4) 889
textured, reaction zone preparation of (11) 3511
glass-ceramic, in Bi-Sr-Ca-Cu-O system (5) 1165
high-temperature, electronic structure (11) 3170
hydroxide- and fluoride-containing (1) 146
oxide, impedance spectra during powder reactions (1) 154
cluster models for electronic structure (11) 3231
high-T_c, atomistic simulations of (11) 3175
powder, $Ba_2YCu_3O_7$, preparation by calcining (2) 435
Y-Ba-Cu-O, prepared by metal nitrate-urea decomposition (10) 3103
reactivity, with Pd alloys (6) 1760
systems, Bi-Pb-Sr-Ca-Cu-O, formation of liquid phase (11) 3507
Bi-Sr-Ca-Cu-O, phase composition and compatibilities (7) 1965
(Nd-Ca-Cu)-O, phase relations in (7) 2141
Tl-Ca-Ba-Cu-O, equilibrium conditions (11) 3345
wire, YBCO, cold extrusion of (10) 3100

Surface,
of SiC, cubic, scanning tunneling microscopy of (11) 3264
forces, and their action in ceramic materials (5) 1117
ground, of HfO_2, texture and recrystallization on (7) 1941
specific area, in donor-doped $BaTiO_3$ (6) 1587
thermal grooves, technique for obtaining dihedral angles from (5) 1365

Suspensions,
Al_2O_3 and SiO_2, filtration and sedimentation of (9) 2720
SiC whisker, electrokinetic behavior (9) 2747
ceramic, consolidation behavior (2) 207

Synthesis,
alkoxide-hydroxide, of $BaTiO_3$-based powders (4) 942
combustion, of Si_3N_4-SiC composites (11) 3514
of sialon powders (12) 3700
of titanium silicide, effect of particle dispersion (5) 1240
of TiN, effect of N pressure (8) 2222
of TiN, effect of porosity (5) 1235
of composites, Al_2O_3-TiN (1) 142
of cordierite, from metal alkoxides (12) 3663
of cubic BN (8) 2238
glass, of Co- and F-doped barium hexaferrite (1) 167
of glasses, silicon oxycarbide (4) 958
sialon (8) 2494
of pigments, gray zirconium silicate, from zircon minerals (10) 2892
of powders, V_2O_5, by evaporative decomposition (12) 3715
sol-gel, of $NaZr_2P_3O_{12}$ (7) 2153
of β-SiC (7) 2107

Systems,
Al_4C_3-AlN-SiC, phase diagram (6) 1529
AlN-Al_2O_3 and SiC-AlN, morphology of phase separation in (9) 2640
B-C-N, CVD of (8) 2498
BaO-CuO, phase diagram (7) 1958
Bi_2O_3-SiO_2 (1) 158
Bi-Pb-Sr-Ca-Cu-O, formation of superconducting phase (11) 3507
$Ca_3Al_2O_6$-$CaSO_4$·$2H_2O$-$Ca(OH)_2$-H_2O, with and without citric acid, hydration study (10) 3063
CaO-Al_2O_3, assessment of (1) 15
CaO-Ga_2O_3-SiO_2, glass formation and properties in (10) 2965
CaO-SiO_2-H_2O, saturated solutions of anhydrous phases (11) 3486
CaO-SiO_2-P_2O_5, formation of polymers in (2) 430
Cu-Sr-O, thermodynamic study (5) 1176
Eu_2O_3-BaO-CuO, phase composition and compatibilities (10) 3088
Hf-C, CVD of (6) 1593
Ln-V-O and Ln-Mn-O, diagrams for (3) 649
Na_2O-CaO-SiO_2-H_2O, phase diagram (11) 3457
SiO_2-Al_2O_3 gel, anomalous behavior, structural study (10) 2815
SrO-CuO and SrO-$\frac{1}{2}Bi_2O_3$, phase equilibria (8) 2531
Tl-Ca-Ba-Cu-O, equilibrium conditions for superconducting phases (11) 3345
ZnS-Ga_2S_3, solid-state equilibria in (6) 1544
alkaline-earth rare-earth sulfide, ternary phases in (6) 1766
bismuth oxide-ZrO_2, phase transformation kinetics (5) 1453

Tantalates,
Pb Sc, order-disorder in (5) 1228

Temperature,
dependence, of electrical conductivity of SnO_2 (9) 2771
of thermal diffusivity-conductivity of AlN (8) 2511
distributions, in Na_2O-CaO glass plates, measurement of (7) 2047
peritectic, of $YBa_2Cu_3O_{7-x}$, liquid formation at (7) 2147

Testing,
fracture, V-notch technique (11) 3522

Tests,
beam specimen, compression-loaded double cantilever (8) 2534
double-cantilever-beam (6) 1800
fracture, size effect in (7) 1841
indentation, for cyclic fatigue (4) 1004
lubrication, on Al_2O_3 bearings (8) 2247
microgravity, for self diffusion in Na_2O-Rb_2O-SiO_2 melts (7) 2122
solid particle erosion, on transformation-toughened MgO-PSZ (5) 1421
for strength and stiffness, of porous materials (9) 2684
tensile, on ceramic-matrix composites (7) 2091

Texture,
of ceramics, characterization by EPR spectroscopy (8) 2333
grinding-induced, in ferroelastic tetragonal ZrO_2 (6) 1777

Thermal properties,
of composites, ZrO_2-toughened Al_2O_3-10 vol% SiC whisker (3) 740
diffusivity-conductivity, of Al_2O_3-SiC composites (2) 461
of AlN, temperature dependence (8) 2511
of SiC-fiber-reinforced reaction-bonded Si_3N_4 (2) 312
expansion, of BaB_2O_4 (8) 2526
of ceramic fiber-SiC matrix composites (5) 1334
of mullite (7) 2073
of rare-earth aluminosilicate glasses (1) 39
low expansivity, aluminoborate glass-ceramics with (8) 2287
shock resistance, of Y-TZP, grain-size dependence (8) 2523
of ceramics, R-curve (3) 621

Thermodynamics,
of systems, Cu-Sr-O (5) 1176
theory of elastic boundary conditions, in $PbTiO_3$ (11) 3334

Titanates,
(Ba,Sr)O-Sm_2O_3-TiO_2, microwave properties, effect of calcination and sintering (6) 1599
Ba-Pb-, PTCR ceramics, high-Curie-point, fabrication of (9) 2767
Ba and Sr, grain-boundary chemistry (11) 3278; (11) 3286
Cm-doped, containing Na-rich nuclear waste, irradiation damage of (11) 3433
N_2O_5-doped $SrTiO_3$, microstructure and electrical properties (5) 1308
PLZT, powders, crystallization of (1) 31
PZT, effect of grain size on fracture mode (1) 161
effect of phase transformation of PbO on formation (2) 232
ferroelectric-ferroelastic, fracture mechanisms (3) 567
PZT fiber/polymer composites, prepared by replication (11) 3503
$(Pb_{1-x}Ca_x)TiO_3$, effect of c/a ratio on domain structure (6) 1534
$PbTiO_3$, La-modified, ferroelectric domain structure of (3) 615
with PTCR (5) 1438
from TiO_2 via [titanium(catecholate)$_3$]$^{2-}$ (8) 2570
effects of Sm_2O_3 and Gd_2O_3 + Nd_2O_3 on properties (6) 1783
structure of sol-gel precursors of (8) 2547
thermodyanmic theory of elastic boundary (11) 3334
$SrTiO_3$, films on Ti, preparation of (8) 2561
ceramics, for nuclear waste, properties (5) 1201
nuclear waste, impurities on phase assemblage modifiers in (2) 217
perovskite-type, dc electrical degradation of (6) 1645; (6) 1654
electrical degradation of (6) 1663

Titanium,
and Ti alloys, dental molds for casting (1) 35
particles, plasma nitriding in fluidized bed reactor (5) 1150

Titanium carbide,
-Al_2O_3 composites, fabrication (7) 2156
-Fe composites, microstructural evolution during infiltration treatment (7) 1979
combustion-synthesized, microstructure (5) 1274

Titanium dioxide,
Al-doped, surface segregation under oxidizing potential (6) 1633
(Ba,Nb)-doped, abnormal grain growth in (4) 996
microstructure and dielectric properties (2) 420
$PbTiO_3$ from, via [titanium(catecholate)$_3$]$^{2-}$ (8) 2570
SiO_2 ceramics, porous, preparation of (8) 2536
SiO_2 films, physical and chemical properties (8) 2217
anatase powder, sintering of (1) 79
films, nitridation (9) 2750
optical basicity of (8) 2564
structure and defects, total energy calculations for (11) 3247

Tools,
Wc-Co, effect of thermal shock on strength degradation (12) 3692

Transformations,
of Y-TZP, effect of Ta_2O_5, Nb_2O_5, and HfO_2 alloying (1) 115
crack-tip, zones in toughened ZrO_2 (9) 2659
martensitic, in tetragonal ZrO_2 (4) 1084
phase, of PbO, effect on PZT formation (2) 232
in ZrO_2, effect of particle size (11) 3528
in system bismuth oxide-ZrO_2 (5) 1453
between tetragonal and orthorhombic Mg-PSZ (10) 3096
-toughened MgO-PSZ, solid particle erosion study (5) 1421

Transitions,
Verwey, in magnetite (11) 3225
calcite-aragonite, laser-induced (3) 733
diffuse phase, in relaxor ferroelectrics (10) 3122
glass-crystal, in II-IV-V_2 semiconducting compounds (5) 1351
phase, in ZrO_2, role of dopants from atomistic simulations (11) 3220

Transparent materials,
films, doped Al_2O_3, preparation and photoproperties (2) 453

Transport,
in $YBa_2Cu_3O_{7-x}$, (4) 1040; (4) 1048; (4) 1054
liquid-phase, during binder removal in injection-molded ceramics (11) 3323

Tungstates,
$PbFe_{0.5}W_{0.5}O_3$, sintering, formation of liquid phase during (5) 1214

Uranium,
transuranic elements, incorporation in titanate nuclear waste ceramics (2) 370

Vanadates,
(K,Na,Li)VO_3, pyroxene-type solid solutions (2) 469

Vapors,
K, attack on refractories in system Al_2O_3-SiO_2 (5) 1413

Varistors,
ZnO, application of (7) 1817
containing MgO, voltage-current characteristics (4) 1098
deep levels near grain boundary (5) 1425
low-voltage, grain size control in (3) 645

Viscosity,
of glasses, porous (9) 2697
of porcelains, formulated from Weinstein patent (2) 446

Wastes,
Na-rich nuclear, radiation damage of Cm-doped titanate containing (11) 3433
nuclear, with high Zr-Cd-Na content, ceramics for consolidating (7) 1901
titanate ceramics for properties (5) 1201
titanate, incorporation of transuranic elements in (2) 370
radioactive, control of glass melters for (10) 2896; (10) 2903
solidification of glass powder with (2) 317
titanate nuclear, impurities as phase assemblage modifiers in (2) 217

Water,
concentration, effect on properties of Na_2O-CaO-SiO_2 glasses (1) 132
content, effect on electrical conductivity of sodium trisilicate

glasses (5) 1446
source and effect, on tape casting of $BaTiO_3$ (5) 1312
Wear,
of composites, Si_3N_4/TiC, effect of additions (11) 3442
Welding,
brazing, Si_3N_4, bonding mechanisms (3) 552
of fiber-reinforced ceramic to metal interface reaction (1) 178
Wire,
superconducting, YBCO, cold extrusion of (10) 3100
Yttrium,
Y_2O_3, Ln_2O_3-strengthened, point defects in (6) 1473
effect of cracks and microstructure on indentation fracture (7) 1873
Y_2O_3 and ZrO_2, sputter-deposited, optical absorption edge of (11) 3209
pure and Zr-doped Y_2O_3, nonstoichiometry in (8) 2467
sialon, hot hardness (10) 2834
Zeolites,
formation, during caustic dissolution of fiberglass (12) 3708
Zinc oxide,
Ga-doped, films, electrical properties (5) 1347
and ZnO-Bi_2O_3, sintered, grain growth in (1) 106
grain boundaries, electrical properties (10) 3026
twin bondaries in, inversion (4) 877
varistor, containing MgO, voltage-current characteristics (4) 1098
varistors, application of (7) 1817
deep levels near grain boundary (5) 1425
low-voltage, grain size control in (3) 645
Zircon,
pigments, gray, synthesis (10) 2892
structure, thermal expansion of compound with (5) 1246
Zirconium dioxide,
Ce-TZP, crack shielding in (10) 3119
12Ce-TZP and 2Y-TZP, grain size control (11) 3269
CeO_2-stabilized, with rare-earth oxide additives, electrical properties (4) 866
HfO_2 mixtures, crystallization exotherms (6) 1780
Mg-PSZ, fracture mechanics (7) 2023
measurement of phase abundance in (10) 2822
monoclinic, polymorph determination (10) 2828
plasticity at high strain rate (1) 136
residual displacement effects during crack propagation (7) 2016
tetragonal and orthorhombic, phase transformation between (10) 3096
MgO-PSZ, cyclic fatigue-crack propagation in (4) 893
laser-treated, surface microstructure (6) 1519
solid particle erosion study (5) 1421
O vacancies, perturbed angular correlation spectroscopy (11) 3215
PSZ, coarsening of tetragonal precipitates in (12) 3658
TZP, creep deformation and grain boundary resistivity (8) 2505
ferroelastic, grinding texture in (6) 1777
role of grain-boundary glass phase on superplastic deformation (10) 3069
and Y_2O_3, sputter-deposited, optical absorption edge of (11) 3209
-Y_2O_3, cubic, migration of intergranular boundaries induced by MgO (7) 2063
Y_2O_3-stabilized, low-temperature ionic conductivity of—comment (12) 3718
Y_2O_3-stabilized, low-temperature ionic conductivity of—reply (12) 3720
Y-TZP, determination of *R*-curve from indentation flaws (10) 3059
effect of Ta_2O_5, Nb_2O_5, and HfO_2 alloying on transformability (1) 115
effect of liquid phase on superplasticity (6) 1626
strength analysis (9) 2667
superplastic bulging of (3) 746
thermal shock resistance, grain-size dependence (8) 2523
Y-stabilized, microstructure and effect of silicate grain-boundary phases (9) 2728
-based ceramic, superplastic, extrusion behavior (7) 1922
cotunnite-type, stability field of (3) 744
critical particle size and phase transformation in (11) 3528
crystals, Y_2O_3-stabilized, high-temperature creep of (8) 2452
monoclinic, heat capacity (8) 2502
-mullite, composites, superplastic flow of (6) 1555
particles, growth mechanisms (1) 131
prepared by sol-emulsion-gel method (9) 2760
synthesis by spray pyrolysis (1) 61
phase transitions, role of dopants from atomistic simulations (11) 3220
polycrystalline *t'*, fabrication and properties (12) 3650
polycrystals, stress-biased anisotropic microcracking in (4) 1026
powders, alcohol interaction with (6) 1504
presintered, HIPing of (4) 1069
solid electrolyte, precipitation of O and electromechanical failure of (11) 3382
spheres, densification behavior (11) 3368
tetragonal, martensitic transformation in (4) 1084
toughened, crack-tip transformation zones in (9) 2659